




New

The IP/IS Series Interconnected Lock is a new addition to our contemporary locks. They are designed to fit with ADA requirements.

Contemporary Design


KELLINGTON HANDLESET




KELLINGTON (KN)
US15




HOLLYWOOD (HW)
US15



SOHO RC (SH) US26
Round Rosette



SOHO SQ (SH) US15
Square Rosette



AUSTIN (AT)
US26

FINISHES



US15
Satin Nickel



US26
Polish Chrome



US26D
Satin Chrome
(Soho & Deadbolt only)

ANSI Grade 3



5-1/2" CTC INTERCONNECTED LOCK

NEW!

200LT DEADBOLT



IP
US26



IS
US26



LTR
US26



LTS
US26

SPECIFICATIONS

Door Prep
Door Fitting

2-1/8" cross bore, 1" edge bore.
Handleset: 1-3/8"~1-3/4", 2" door with thick door kit.
Deadbolt/Lever 1-3/8"~2".

Cylinder
Latch

KW1 standard, SC1 optional.
2-3/8" and 2-3/4" adjustable.
UL latch for IS/IP series.

Latch Bolt

Deadbolt: 1" throw.
Lever: 1/2" throw.

Strike
Door Hanging
ADA


2-1/4" full lip round corner.
Handleset/Privacy Lever: handed (specify LH or RH when ordering).
Deadbolt Interior turn piece & Privacy Lever with Push Button.
Meets 4.13.9 ADA requirements.

Interconnected

ENTRANCE HANDLESETS





CHATEAU (CH)
US10B




NEW!


FAIRMONT (FT)
US15



RICHMOND (RI)
PVD



HAMPTON (HA)
US12P





Solid Brass

500TB SERIES LEVERSETS

ANSI Grade 3





HARTFORD (HD)
US12P



FASCINITE (FE)
US15A



LAFAYETTE (LA)
US15



VENEZIA (VA)
US10B

Interconnected

IL SERIES




300IL-SD
San Diego (SD) Lever
US15



301IL-CT
Charlotte (CT) Lever
US15



300IL-RY
Royal (RY) Lever
US15





Mounting without
Exterior Escutcheon Plate

ANSI Grade 2

IZ SERIES




NEW!



301IZ-CT
Charlotte (CT) Lever
US15

301IZ-CT-US15
Charlotte (CT) Lever



301IZ-SD-US15
San Diego (SD) Lever

INTERIOR APPLICATION



South Bay



Escort

Handlesets & Levers

400 SERIES HANDLESETS



MAYFAIR (MA)
US10B



IMPERIAL (IM)
US15



KELLINGTON (KN)
US12P



500T SERIES LOCKSETS



ROYAL (RY)
US10B



MANHATTAN (MH)
US5



ESCORT (ET)
US3



PALMER (PA)
US26



SHELBY (SY)
US12P

Lever Design

ANSI Grade 3

500T SERIES LOCKSETS



Knob Design

100T SERIES LOCKSETS



**COMBOSET
300T Series**



**ESCUTCHEON PLATE
5" CENTER TO CENTER**



US3

Deadbolt

200B SERIES



SINGLE CYLINDER
US3



DOUBLE CYLINDER
US3




ONE SIDED (Full Bore)
US32D



ONE SIDED (Half Bore)
US32D

Sliding

DOOR LOCK



US3
Passage




US15
Privacy

SPECIFICATIONS

Door Prep
Door Fitting
Exposed Trim
Strike

2-1/4" H x 1-3/4" W notch.
1-3/8" ~ 1-3/4" door thick.
Brass, stainless steel, or zinc alloy.
1" x 2-1/4" rectangular.

NEW!




US15
Passage



US15
Privacy

Fits 2-1/8" cross bore
2-3/8" fixed
backset latch



FINISHES



PVD
Lifetime



US3
Polish Brass



US5
Antique Brass



US10B
Oil Rubbed Bronze



US12P
Tuscany Bronze



US15
Satin Nickel



US15A
Pewter



US26
Polish Chrome

Not all styles available in all finishes. See finish chart on page 12 for details.