













## CARRARA® SMOOTH

Artistry and sophistication set our Carrara® door apart from the ordinary. Its simple panel design adds depth and interest to complement most architectural styles. Various hardware options will also help you get exactly the look that's right for your home. The ProCore® solid core option adds privacy.



## CAMBRIDGE™ SMOOTH

Squared panels give this door a clean, precise look, while its Ovolo sticking profile adds dimension. Its simplicity adds to its versatility, making this a great choice for most home styles. For noise reduction, choose the ProCore® solid core option.



## CAMDEN® TEXTURED

The textured woodgrain surface of the Camden® door has the traditional look of solid wood. A variety of panel options and availability as a ProCore® solid core door ensure that you'll get exactly the right door for your home.



## PRINCETON™ SMOOTH

Stunning looks and proven operation make this door a great choice for a variety of tastes. Square panels are set off beautifully with a unique arched top, adding subtle elegance to any closet, passageway or pantry. Multiple hardware options also help match any home.





## CAIMAN® SMOOTH

This door presents three-dimensional moulding to deliver the added depth and enhanced beauty you expect from a custom wood door, yet at a better value. Like all JELD-WEN® molded interior doors, it is available as a ProCore® solid core door which greatly reduces noise transfer.

## CONTINENTAL™ SMOOTH

Every home is different and an interior door can make a big impression. The Continental™ door offers traditional style with unique proportioning of the panel designs. The combination of squared and arched carving gives this door both a familiar and unique look.





## CASHAL® SMOOTH

Panels within panels make this door stand out. Available primed, ready to paint and as a ProCore® solid core option for privacy, the Cashal® can stand out in most homes or simply fit in. The possibilities are endless.



## SANTA FE™ SMOOTH

Decidedly Southwest, the Santa Fe™ door presents grooved panels with a subtle flared archway. The result is a door that can fit in with several architectural styles, yet can stand out on its own. Choose the ProCore® solid core option for additional privacy.



## CORVADO<sup>®</sup> SMOOTH

This handsome style offers the warmth and richness of a traditional plank door with a distinctive groove and sticking pattern for added detail. Choose the ProCore<sup>®</sup> solid core door option and you'll benefit from noise reduction and durability, turning any room into a sanctuary.



## AVALON® TEXTURED

Classic and traditional, the Avalon® door offers three panels in unique proportions. Its appearance is both stately and welcoming with multiple sticking options to match personal styles. As a ProCore® solid core door, it adds privacy to bedrooms and bathrooms as well.



## COVENTRY® SMOOTH

The vertical lines and tall panels of the Coventry® door bring a look of prestige and distinction to any room without being overly formal. Choose the ProCore® solid core option and you'll have the added benefit of further noise reduction.



## PROVINCIAL® TEXTURED

This traditional 4-panel door, reminiscent of New England homes, fits beautifully in most any style of home. Subtle, flared top panels add visual interest. It's available primed and ready to paint whatever matches your personal style and color scheme.





## COLONIST® SMOOTH

Distinguished by more than a quarter-century of precise craftsmanship, it's no wonder this classic interior door style has so many imitators. Its elegant 6-panel design is a perfect match for traditional homes and is available with a variety of hardware options.



## COLONIST® TEXTURED

The popular Colonist® door is also available with a textured woodgrain look, giving it the appearance of a custom wood door. It's a great option to pair with furniture and other décor in your home. To dampen sounds from other rooms, choose the ProCore® solid core door option.



## COLONIAL™ TEXTURED

An American original style, this 6-panel door has a place in every home. Its Ovolo sticking profile matches most décors, while its familiar look is a welcome sight for all visitors. Available primed and ready to paint, it's a great choice for any home.

## IMPRESSION™ MIRROR

With the Impression™ mirror door, seeing is believing. Its large, inset mirror creates the effect of extra space and larger, brighter rooms. Whether in small bathrooms, bedrooms or narrow hallways, this design can truly change the dynamic of a home.





## COMMERCIAL WIDE-STILE

Substantial and dependable, molded Commercial Wide-Style doors are a great solution for the hospitality industry. These doors are available in the following styles with corresponding sticking profiles: Cambridge with Beaded (shown above); Continental Smooth with Ovolo; Colonial Textured with Ovolo; and Colonist Smooth with Cove & Bead.

# PROCORE<sup>®</sup>

THE QUIET DOOR<sup>®</sup>

## PROCORE<sup>®</sup>

ProCore<sup>®</sup> is available as an upgrade option with all our molded doors.

The solid core construction reduces sound transmission by up to 50 percent (compared to a hollow door) and withstands the dents and dings of daily life.

You select where privacy is preferred—most-common areas include home offices, bedrooms, playrooms and theater rooms.

### Construction

Solid core materials used inside the door affect the weight of the door, sound transmission, its ability to withstand impact and fire protection ratings.







# AVAILABLE DOOR SIZES

## SMOOTH SURFACE MOLDED DOORS

	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
<b>Craftsman III™</b>																	
6'8" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	C	X	X
7'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	C	X	X
<b>Madison®</b>																	
6'8" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	C	X	X
7'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	C	X	X
8'0" Smooth				X	X	X	X	X	X	X	X	X	X	X	C	X	X
<b>Rockport®</b>																	
6'8" Smooth					X	X		X	X	X	X	X	X	X	CB	X	X
7'0" Smooth								X	X	X	X	X	X	X	CB	X	X
8'0" Smooth					X	X		X	X	X	X	X	X	X	CB	X	
<b>Conmore®</b>																	
6'8" Smooth					X	X		X	X	X	X	X	X	X	S	X	X
7'0" Smooth					X	X		X	X	X	X	X	X	X	S	X	X
<b>Carrara®</b>																	
6'8" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
7'0" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
8'0" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
<b>Cambridge™</b>																	
6'8" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
7'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
8'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
<b>Princeton™</b>																	
6'8" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
7'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
8'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
<b>Caiman®</b>																	
6'8" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
7'0" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
8'0" Smooth					X	X		X	X	X	X	X	X	X	CB		
<b>Continental™</b>																	
6'8" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
7'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
8'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
<b>Cashal®</b>																	
6'8" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
7'0" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
8'0" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
<b>Santa Fe™</b>																	
6'8" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
7'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
8'0" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
<b>Corvado®</b>																	
6'8" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
7'0" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
8'0" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
<b>Coventry®</b>																	
6'8" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
7'0" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X
8'0" Smooth	X	X	X	X	X	X		X	X	X	X	X	X	X	CB	X	X

Sticking Profile: B=Beaded, CB=Cove and Bead, C=Craftsman, S=Stepped Sticking, O=Ovolo

## SMOOTH SURFACE MOLDED DOORS (CONTINUED)

Colonist®	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Smooth	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
7'0" Smooth					X	X	X	X	X	X	X	X	X	X	CB	X	X
8'0" Smooth					X	X	X	X	X	X	X	X	X	X	CB	X	X

## TEXTURED SURFACE MOLDED DOORS

Camden®	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
7'0" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
Avalon®	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
7'0" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
Provincial®	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
7'0" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
Colonist®	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
7'0" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
8'0" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	CB	X	X
Colonial™	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
7'0" Textured	X	X	X	X	X	X	X	X	X	X	X	X	X	X	O	X	X
8'0" Textured					X	X	X	X	X	X	X	X	X	X	O	X	X

Sticking Profile: B=Beaded, CB=Cove and Bead, C=Craftsman, S=Stepped Sticking, O=Ovolo

## MIRROR MOLDED DOORS

Impression™ Mirror	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Textured								X		X	X	X		X	O		

## WIDE-STILE\* LIGHT COMMERCIAL DOORS

Colonial™	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Textured														X	O	X	
7'0" Textured														X	O	X	
Colonist®	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Smooth														X	CB	X	
7'0" Smooth														X	CB	X	
Continental™	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Smooth														X	O	X	
7'0" Smooth														X	O	X	
Cambridge™ Beaded	1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	Sticking Profile	ProCore®	Bifolds
6'8" Smooth														X	B	X	
7'0" Smooth														X	B	X	

Sticking Profile: B=Beaded, CB=Cove and Bead, C=Craftsman, S=Stepped Sticking, O=Ovolo

\* Assuming standard bore machining (2-1/8" diameter bore), outer stile measurements listed above must be no less than 3-3/4" in order to accommodate a 2-3/8" backset on the lock hole. For 2-3/4" backsets, outer stile measurements must be no less than 3-13/16". If lock bore machining is less than the outer stile measurements listed above, all lock bore drilling must be done within the lock rail for best appearance and performance. Outer stile dimension may vary 1/4" from the measurements listed above.