



THE DOOR OF BEAUTY & INNOVATION



ABOUT PLASTPRO












Doors are often chosen for their aesthetic qualities; however, their purposes strive beyond simply adding a cohesive look to our homes. They reflect our style, grant privacy, and offer protection for the people we value most in our lives. Our front doors are the gateway for welcoming guests, loved ones, and friends. From ushering us into the start of the day and later welcoming us back, doors are an essential and inviting piece to every house. We want you to choose a door that guarantees security, accommodates your needs, and most importantly, best represents you.

Since 1994, Plastpro has always believed in providing a superior product with the best value, technology and commitment to our customers. We know how important it is to provide quality service and valuable resources to those in the industry. Wood and steel doors were historically preferred in the industry, but both come with long-term problems. Wood doors are susceptible to rot, warp, mildew and weather damage which require extensive maintenance to prevent these issues. Steel doors can be cost effective, but can easily damage, dent, ding, and rust requiring the steel door to be replaced more frequently negating any initial savings. Fortunately, Plastpro's fiberglass doors have become the best modernized solution for these longevity issues. They withstand weather damage, require minimal maintenance, and offer higher performance ratings. Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. Plastpro doors' internal polyurethane foam serves as a strong insulation from the outdoor elements of cold and heat. We are the first company to introduce our signature fiberglass doors with composite stiles and rails, which have twice the screw-holding strength of wood. Plastpro doors feature a full length LVL (Laminated Veneer Lumber) block that provides stronger structural integrity and allows a range of door locks and hardware to be installed for increased security. We also offer our uniquely formulated PF (Polyfiber) Frames as a structurally sound and longer-lasting alternative to traditional door jambs. With both a Plastpro door and PF Frame, you create an impenetrable entryway. Plastpro products have the durability and design to protect any home.

From the beginning, we've been dedicated to providing superior products and supporting the lower income infrastructures of our society. We believe in making a difference in the world by creating authentic, positive change for our employees, customers and communities. We've continuously partnered with Habitat for Humanity to create affordable, green houses for low-income families across the nation. More than 500 doors have been donated from Plastpro to various chapters of Habitat for Humanity and other non-profit organizations. When you buy from Plastpro, not only do you acquire a quality door, you also aid us in giving back to others.



- 3 PLASTPRO'S QUALITY
- 4 - 7 PF™ DOOR FRAMES
- 8 - 11 DOOR SERIES OVERVIEW
- 12 - 13 SPECIALTY SERIES OVERVIEW (FIRE RATED, HVHZ, TRIMABLE & RESIDENTIAL ADA)

14 - 17		DECO GLASS
18 - 21		SOLUTION DOORLITE
22 - 25		LIMITED
26 - 31		MODERN
32 - 47		CRAFTSMAN
48 - 59		RUSTIC
60 - 67		MAHOGANY
68 - 93		OAK
94 - 125		SMOOTH
126 - 135		WHITE OAK
136 - 141		ONELITE
142 - 152		NOVA

- 153 - 155 STAIN & PAINT GUIDES
- 156 TESTING INFORMATION

PATENTED HYDROSHIELD™ TECHNOLOGY

Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. When paired with our PF (Polyfiber) Door Frames, our doors with HydroShield Technology create an impenetrable entryway.



1 FIBERGLASS REINFORCED DOOR SKIN

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. We offer many design options, including customizable panel configurations. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. Choose a door skin from a variety of grains that can be painted or stained.

2 FULL-LENGTH COMPOSITE STILES

Our full-length, composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

3 COMPOSITE TOP & BOTTOM RAILS

High-strength, composite top and bottom rails prevent moisture from seeping into the door and prevent the buildup of mold.

4 EXTENDED LOCKBLOCK

Plastpro's full-length LVL allows any type of lock to be placed for increased security. Our 8/0 doors have a steel bar in addition to the LVL to help increase the structure's rigidity.

5 POLYURETHANE FOAM CORE

Our advanced, CFC-free, high-density, polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.



BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.

PF™ DOOR FRAMES


To have a complete entry system, it is important to consider the material of the door frame. Many doors are hung in either wood or steel frames, which are prone to the same problems as the doors themselves. Wood frames can warp, rot, and crack, while steel frames can rust and dent. Repeatedly repairing your door frame is inconvenient, so it is best to use an alternative material.

Plastpro's PF (Polyfiber) Door Frames offer an innovative alternative to traditional door jambs. Our uniquely formulated door frame combines the beauty of wood with the strength of steel. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The installation of the advanced system is the same as traditional installations. However, when a fiberglass door is used with a PF frame, they create an impenetrable doorway.

FEATURES AND BENEFITS

- Hydro Shield Technology is moisture-resistant and prevents warping, rotting, and splitting.
- Frame is termite-resistant at all points along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Continuous piece with no finger joint and is 25 percent more rigid than wood frames.
- Maintenance free and energy efficient.

FRAME DECAY COMPARISON



PLASTPRO PF™ DOOR FRAME

*with Hydroschild Technology™



TRADITIONAL WOOD FRAME

Susceptible to rotting, warping, and decay



4 5/8" DOOR JAMB 6 5/8" DOOR JAMB 5 1/2" DOOR JAMB 7 1/4" DOOR JAMB 1 1/4" x 3" JAMB EXTENSION



WM180 BRICK MOULD WM176 FL. BRICK MOULD 1" x 2" STUCCO MOULD NAILING FIN J-CHANNEL



FLAT CASING FLAT CASING J-CHANNEL TRIM BOARDS



TRANSOM SILLS MULL POSTS MULL POST COVERS (EXT.) MULL POST CAP

• 4 5/8" • 6 7/8" • 1 1/2" x 3 3/8" x 2 1/2" • 1 1/2" x 1" • 2" x 1"

• 1 1/2" x 4 3/8" x 2 1/2" • 1" x 3 3/8" x 2"

• 1" x 4 3/8" x 2"




STORM DOOR ADAPTERS SIDELITE STOPPER ASTRAGAL

• 1" x 2 1/2" • 1" x 3"

🔥 AVAILABLE IN 20 MIN FIRE RATED

GRAINING CHART



Plastpro's Polyfiber (PF) Door Frames are made of the highest quality, composite material and are available in a variety of grain options that match our doors. For a detailed list of available grains and products, please refer to the chart below.

	OAK GRAIN	FIR GRAIN	MAHOGANY	PRIMED	WHITE CAPPED	PVC - WHITE
4 9/16" DOOR FRAME	●	●	●	●	●	
5 1/4" DOOR FRAME	●			●	●	
6 5/16" DOOR FRAME	●	●	●	●	●	
7 1/4" DOOR FRAME	●			●	●	
WM180 BRICK MOULD	●	●	●	●	●	
WM176 FLORIDA BRICK MOULD	●			●		
1" x 2" STUCCO MOULD				●		
NAILING FIN	●			●	●	
J-CHANNEL	●			●	●	
FLAT CASING	●			●	●	
FLAT CASING J-CHANNEL	●			●	●	
TRIM BOARDS						●
TRANSOM SILLS	●	●	●	●	●	
MULL POSTS	●	●	●	●	●	
MULL POST COVERS (EXTERIOR)	●	●		●	●	
MULL POST CAP	●					●
STORM DOOR ADAPTERS	●	●	●	●	●	
DOOR FRAME EXTENSIONS	●	●	●	●	●	
SIDELITE STOPPER	●			●		
ASTRAGAL						●



Nova Series • DRS1DL • ACSDW1D68-9LO

DOOR SERIES OVERVIEW

Craftsman Series • Saker Fir • DRF3F

Plastpro's Standard Door Series offer a wide selection of beautifully crafted fiberglass doors that feature the captivating look of wood, while providing everlasting resilience. Made in a variety of rich, grain textures, our fiberglass doors require minimal maintenance, offer longer warranties, whilst being more energy-efficient than traditional wood or steel entry doors. The technology behind Plastpro fiberglass entryways is superior to traditional entryways. Our unique doors are equipped with HydroShield Technology, which creates a full, composite barrier that encases and protects the fiberglass door from moisture on all six sides.

This innovative and durable design is available in any wood grain look you desire- from traditional Oak and Mahogany, to contemporary Fir, with many favorable options in between. For individuals who prefer the more minimal look of a steel door, we offer our Smooth Series, with no grain pattern. Our Standard Door Series also includes flush and direct glazed options that make for the perfect finish while maximizing natural light.

LIMITED SERIES



Our Limited Series was specifically created to showcase the richest, most luxurious graining made to give your home an unforgettable first impression.

MODERN SERIES



The Modern Series makes contemporary curb appeal an effortless achievement with its sophisticated tone and unique flair.

CRAFTSMAN SERIES



The Craftsman Series admires the beauty of 20th century architecture and applies its inspiration to our current door styles for a classic, statement-making appearance.

RUSTIC SERIES



Our Rustic Series is recognized for embracing classic charm, while providing a traditional, upscale appeal that fits perfectly in any home.

MAHOGANY SERIES



The Mahogany Series is a highly sought-after release that combines a beloved, wood texture with timeless styles for a warm and welcoming addition to any home.

OAK SERIES



The rich, grain texture of our Oak Series will deliver a beautifully detailed and natural look that magnifies both the exterior and interior of any entryway.

SMOOTH SERIES



Our Smooth Series doors are made with a clean, pre-pigmented white skin. Its simplicity gives a modern design and soft feel to any home.

WHITE OAK SERIES



The White Oak series gives individuals the best of both worlds by combining the prime features from our Smooth and Oak grain doors. A rich, oak texture in a pre-pigmented, white skin creates the ideal recipe for a flawless home.

ONELITE SERIES



Our Onelite Series is a one-of-a-kind option to give a playful, inviting feel to your home. It includes a fine, flush glazed glass with a removable stop that allows the glass to be switched without changing the entire door. This uniquely formulated feature explains why this series is a top selection.

NOVA SERIES



The Nova Series is a must-have option to brighten up your home. It features glass that is directly glazed into the door to create a unified interior and exterior look. This design creates a seamless blend between the glass and door, welcoming beautiful scenic views and natural light into any home.



Nova Series • DRS1E80L • SLS1E80L • Glass LowE

SPECIALTY SERIES



Plastpro's Specialty Series is a selection of fiberglass door models from our standard series that take protection to the next level. These doors have been modified to test and comply with specific safety and performance standards to ensure high-quality results. Our exclusive Specialty Series includes the following models: Fire Rated, Trimmable, HVHZ Impact, Residential ADA, and Commercial ADA. (For Commercial ADA doors, see p.136-141).

Read more about each category available in the series below. Please note the icon that represents each category here. If you see this icon below a model on one of our standard series pages, that means the door is also available as a specialty item. For example, if a model is marked with a flame, it is available as both a standard and Fire Rated door. Please contact us or look at www.plastproinc.com for Specialty Series sizing, as the specialty models may not be available in every standard model width.

FIRE RATED




Plastpro's Fire Rated doors are made with our fire-resistant composite creating an extremely durable entryway. Our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes. For those seeking even more security, certain models are available to hold off fire for a minimum of 60 and 90 minutes.

 = 20min option available  = 60min option available  = 90min option available

Contact us for stock availability.

HVHZ IMPACT



Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique, patent-pending process whereby a missile-proof shield is built in to reinforce the door.

 = HVHZ Option Available. Contact us for stock availability.

TRIMMABLE



Our Trimmable Series will turn your dream door into reality thanks to its adjustable nature. It is designed to fit in a variety of existing entryways—perfect for remodels with non-standard sizing. Contractors can make adjustments up to 2" in height and width to the door. Trimmable doors are available in our popular Oak and Smooth skins.

 = Trimmable Option Available. Contact us for stock availability. (Only available in 3'0" width)

RESIDENTIAL ADA




Our residential ADA doors are offered in a variety of compliant styles that are specially crafted to meet the needs of all guests. The residential ADA Series features a 10.25" bottom rail that allows for a generously sized kick plate (up to 10" tall) to be installed on a range of our popular doors, in many designs and sizes. Additionally, we can include reinforced blocking through a special order.

 = Residential ADA Option Available. Contact us for stock availability.

DOORLITE SYSTEMS

DECORATIVE DOORLITES



Brentwood • BRE342P

Doorlites are an essential, eye-catching piece to every entryway. Their fun and decorative nature sets the stage for the rest of the home and creates a welcoming passage from public space to private abode. Our exclusive glass designs are available in many styles, textures, and opacities that aid in transcending the look and value of your home. Our designs are guaranteed to match your desired privacy preference and style.

The structure and strength of our doorlites is unmatched. Composed of a piece of decorative glass sealed between two pieces of tempered safety glass, Plastpro's doorlites provide exceptional security, soundproofing, and thermal performance. We also can't forget our state-of-the-art Warm Edge spacer system which provides a seal that protects and insulates your door and home for years to come. Unlike other competitors, our metal coming includes a gasket that cushions and protects the glass from chipping cracking, and rattling during door movement.

INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product, when used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.


FEATURES AND BENEFITS

- Warm-Edge Benefit: Superior silicone foam insulation, low thermal conductivity
- Silicon Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your peace of mind



THERMOSET STRUCTURAL FOAM CONTAINING NO METAL WITH INTEGRAL 3A DESICCANT


CHAMFERED CORNER




*This illustration applies to our triple pane glass only.

GLASS CAMING OPTIONS


Our exclusive glass designs are offered with different coming options to match a variety of hardware finishes.



WROUGHT IRON




PATINA



ZINC

CAMELIA

CAMING: WROUGHT IRON TRANSOM: AVAILABLE




Camelia's wrought iron curves create symmetry, uniformity, and a sense of balance. Against a waterfall textured background, the design gives the exterior of your home a modern and sophisticated charm, while delivering the ultimate level of privacy.

- 1. Wrought Iron
- 2. Waterfall Tempered Glass



PRISCILLA

CAMING: WROUGHT IRON TRANSOM: AVAILABLE




Priscilla's smooth, swirl design pays tribute to Renaissance style. A combination of wrought iron and bubble glass lend the design a touch of grandeur, which is perfect for adding elegant flair to any home.

- 1. Wrought Iron
- 2. Little Bubble Tempered Glass



CASTILE

CAMING: PATINA TRANSOM: AVAILABLE



Inspired by the historic Spanish kingdom, Castile is an ornate, baroque style glass that balances the intricacy of its centerpiece with a straight-lined, beveled border. Castile is the epitome of modern design.

- 1. Granite
- 2. Baroque
- 3. Patina Caming
- 4. Beveled



KENSINGTON

CAMING: PATINA TRANSOM: AVAILABLE



Kensington brings a classic, English charm to any door. A combination of frosted glass and subtle line patterns creates a distinctly beautiful glass.

- 1. 100 Water
- 2. Clear Bevel
- 3. Narrow Reed
- 4. Sandblasted Glass
- 5. Patina Caming



ARTESANO BREEZE

CAMING: ZINC TRANSOM: AVAILABLE




Artesano's subtle hint of amber colored glass creates a warm, welcoming feeling in any home. This arrangement is the ideal balance between a simple pattern and an artful combination of textures.

- 1. Clear Hammer (100HS)
- 2. Zinc Caming
- 3. Clear Bevel
- 4. Sea Spray




BRENTWOOD

CAMING: ZINC OR PATINA TRANSOM: AVAILABLE




A classically inspired arrangement, our Brentwood glass epitomizes style. With bevel swirls and a bold centerpiece, all outlined by a crystal granite border, Brentwood can be appreciated in any home.

- 1. Baroque
- 2. Clear Bevel
- 3. Bright Zinc or Patina Caming
- 4. Granite



SOLSTICE

CAMING: PATINA TRANSOM: AVAILABLE




Our Solstice pattern is a beautiful, simple arrangement of frosted glass bordered by patina coming- designed to leave a lasting impression.

- 1. Sable 3.0 MM Outer Border
- 2. Clear Pencil Bevel for Inner Border
- 3. Sable Bevels Center Background
- 4. Patina Caming



SPRING

CAMING: PATINA TRANSOM: AVAILABLE



This chevron pattern arrangement incorporates clean lines and two-toned glass colors. Named for the pale gray, water-like glass texture that gives a sense of renewal reminiscent of spring.

- 1. Light Water
- 2. Clear Chord
- 3. Patina Caming
- 4. Pale Gray Water






Our Solution Doorlite Series is perfect for those who want a front door that stands out due to its unique features. At Plastpro we are determined to expand the window of opportunity and as a result, we are thrilled to offer multiple sizes and six different glass options to choose from. Create and customize a design that embodies you.

Got a tight schedule? No problem. Our brilliant screwless design saves valuable installation time by eliminating holes and plugs, so you can focus on more important matters throughout your day. The frame also features a patented interlocking joint and compression seal that adheres to the door and creates a powerful compression seal and bond. It safely locks decorative glass in place, while beautifully illuminating and showcasing the features of the glass. We mean it when we emphasize top-notch structure you won't find anywhere else.

We created the Solution Doorlite Series to find the perfect accessory that will seamlessly complement our one-and-only Shaker doors from the Craftsmen Series. This beautiful line is available in a clarifying white or tan textured, vertical, grain pattern meant to add a fine touch to your entryway.

FEATURES AND BENEFITS

- No unsightly plug or screw holes
- Available in white or tan
- Textured, vertical grain pattern
- Matches various architectural styles
- Shaker-style low profile
- Patented frame system
- Built to resist warping
- Easy installation- saves on labor cost




TEXTURED GLASS OPTIONS




CLEAR / LoE



WHITE LAMINATE



SANDBLAST



SABLE




ROOFTOP




NARROW REED

FRAME OPTIONS



* AVAILABLE WITH DECORATIVE GLASS OPTIONS.

FRAME CONFIGURATION EXAMPLES



STAGGERED 5 LITE
8" x 6"



SIDE ALIGNED 6 LITE
8" x 6"



DIAMOND 4 LITE
8" x 8"



STAGGERED 4 LITE
8" x 8"



CENTERED 4 LITE
8" x 8"



STAGGERED 3 LITE
3" x 22"



MODERN 4 LITE
22" x 3"



MODERN 6 LITE
22" x 3"




FOUR LITE
22" x 8"



FIVE LITE
22" x 8"



SIX LITE
22" x 8"



FOUR LITE
22" x 10"



THREE LITE
22" x 15"



**DIVIDED 6 LITE W/
4 LITE BOTTOM**
22" x 15" & 22" x 3"



**SINGLE TOP LITE W/
4 LITE BOTTOM**
22" x 15" & 22" x 3"



SINGLE TOP LITE
22" x 15"



SINGLE LITE
7" x 64"



TWIN FULL LITE
7" x 64"



STAGGERED TWIN LITE
8" x 36"



Smooth Series • DRS0080 • 22" x 8" Solution Frame w/ Translucent Glass


DOOR COLORS ARE FOR VISUALIZATION PURPOSES ONLY. CHECK WITH YOUR LOCAL DEALER FOR AVAILABILITY

LIMITED SERIES


DOOR OVERVIEW



Limited Series • Teak Door • DMT51



TEAK GRAIN



KNOTTY ADLER GRAIN

Luxury and richness are the perfect words that come to mind when describing Plastpro's Limited Series graining. This line adds a whole new meaning to beauty, especially with our Knotty Adler model, which features a rich, grain patterned with knots. Additionally, our Teak model, has earned a spot in being a worldwide favorite for its divine, straight yet occasionally wavy or interlocked grain patterns. Selecting a door that gives a natural luster and deluxe feeling will be effortless and, in turn, you'll be walking away with an entryway you'd have to see to believe.

ALL DOORS ARE SHOWN PRE-FINISHED



DMT51
Teak

DMT5170
Teak

DRK2B
Knotty Alder

● IN STOCK ● EXTENDED LEAD TIME



Limited Series • Knotty Alder Door • DRK2B

MODERN TEAK MILAN DOOR

SQUARE TOP

KNOTTY ALDER TWO PANEL DOOR



DMT51



DMT5170



DRK2B

● IN STOCK ● EXTENDED LEAD TIME



GRAIN CLOSE UP



GRAIN CLOSE UP

MODERN SERIES

DOOR OVERVIEW



<p>6'8" 2'8" • 3'0"</p> <p>DMG46 🦿🦿</p>	<p>8'0" 2'8" • 3'0"</p> <p>DMG4680 🦿🦿</p>	<p>6'8" 2'6" • 2'8" • 2'10" • 3'0"</p> <p>DMG051 🦿</p>	<p>8'0" 2'8" • 3'0"</p> <p>DMG5180 🦿</p>		
<p>6'8" 3'0"</p> <p>DMS1L 🦿</p>	<p>8'0" 3'0" • 3'6"</p> <p>DMS1L80 🦿</p>	<p>6'8" 3'0"</p> <p>DMS1R 🦿</p>	<p>8'0" 3'0" • 3'6"</p> <p>DMS1R80 🦿</p>	<p>6'8" 3'0"</p> <p>DMS1T 🦿</p>	<p>6'8" 3'0"</p> <p>DMS5H 🦿</p>




There's something special about a clean, minimalistic modern look that magically draws us in, which explains why Plastpro had to launch the compelling Modern Series. An effortless, contemporary door design that makes any home's exterior profoundly refreshing. It all makes sense why this series lies in popular demand. Available in our oak grain and smooth doors, our simple panel details and single patterned glass adds a sharp flare to upscale the look of any home.

ALL DOORS ARE SHOWN PRE-FINISHED


MODERN OAK SOUTH BEACH DOOR

FLUSH GLAZED SINGLE LITE

MODERN SMOOTH BIENVENUE DOOR




MODERN OAK NAPOLI DOOR



MODERN SMOOTH MARTINIQUE DOOR

FLUSH GLAZED TWIN LITE

MODERN SMOOTH INFINITY DOOR




● IN STOCK ● EXTENDED LEAD TIME

GLASS OPTIONS



MODERN GLASS CLOSE UP




Modern Series • DMS1T

CRAFTSMAN SERIES


DOOR OVERVIEW



Craftsman Series • DRF50



OVOLO PROFILE CLOSE-UP



SHAKER PROFILE CLOSE-UP

If you're an old soul who wishes to keep up with the latest trends, The Craftsman Series is certainly your best bet. This series applies the most notable elements from 19th and 20th century architecture by blessing your home with a historical essence while still maintaining its modern appeal. Our traditional styles and flat panels successfully complement our selection of Ovolo profiles, Shaker profiles, and sleek direct glazed options. Don't miss out on the wonderfully crafted Fir and Smooth graining options available in this line as well. Still searching for more? Check out our limited edition Dentil Shelf and Simulated Divided Lights "SDL" Kits that serve as the perfect accessories to perfect an entryway that symbolizes you.

ALL DOORS ARE SHOWN PRE-FINISHED

OVOLO PROFILE



SHAKER PROFILE



FIR OVOLO CRAFTSMAN

DIRECT GLAZED

ACCESSORIES

FIR OVOLO CRAFTSMAN



DENTIL SHELF

Plastpro's Dentil Shelves add a clean outline to your door while ensuring durability. Our shelves are made of lightweight material, High-Density Polyurethane (HDP) and will not warp, rot or crack. Selecting HDP over traditional wood products is an excellent alternative that is efficient for the long run.



SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of any entryway. They create a custom look as light shines through the home. This product guarantees easy installation, low-maintenance, and will not rot or absorb moisture.

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

GLASS OPTIONS



Craftsman Series • DRF3C • Glass L000 • ACSD23002 • SLF3C • Glass L000 • ACSD23004

SMOOTH OVOLO CRAFTSMAN

DIRECT GLAZED

ACCESSORIES

SMOOTH OVOLO CRAFTSMAN



DENTIL SHELF

Plastpro's Dentil Shelves add a clean outline to your door while ensuring durability. Our shelves are made of lightweight material, High-Density Polyurethane (HDP) and will not warp, rot or crack. Selecting HDP over traditional wood products is an excellent alternative that is efficient for the long run.



6'8" ACSDW23005
8'0" ACSDW23001



6'8" ACSDW23006
8'0" ACSDW23002



ACSDW23004

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of any entryway. They create a custom look as light shines through the home. This product guarantees easy installation, low-maintenance, and will not rot or absorb moisture.

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

GLASS OPTIONS



L000 LowE 272

● IN STOCK ● EXTENDED LEAD TIME




FIR ONE PANEL SHAKER DOOR

SHAKER PROFILE

SHAKER PROFILE

FIR THREE PANEL CRAFTSMAN DOOR



DRF1K



DRF3F

SLF3S



DRF3F80

SLF3S80

FIR TWO PANEL SHAKER DOOR

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



DRF2K



22" X 36" HALFLITE
Solution Frame*

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



22" X 15"
Solution Frame*

22" X 15" 3 LITE
Solution Frame*

22" X 15" 6 LITE
Solution Frame*

BRE2215P/Z
Solution Frame

SOL2215P
Solution Frame

SPR2215P
Solution Frame




GLASS OPTIONS



DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

*GLASS OPTIONS VIA SOLUTION FRAME - SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.



FIR FIVE PANEL STACK DOOR

SHAKER PROFILE

SHAKER PROFILE

SMOOTH ONE PANEL SHAKER DOOR



DRF50



DR51K



DR51K80

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



22" x 8" 1 LITE
5 PANEL
Solution Frame*




22" x 8" 2 LITE
5 PANEL
Solution Frame*



22" x 8" 5 LITE
5 PANEL
Solution Frame*

SMOOTH TWO PANEL SHAKER DOOR

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



DR52K



DR52K80




22" x 36" Half Lite
Solution Frame*

SMOOTH THREE PANEL CRAFTSMAN DOOR


SHAKER PROFILE

SHAKER PROFILE

SMOOTH DIRECT GLAZED CRAFTSMAN



*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.



SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.


ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

SMOOTH THREE PANEL STACK DOOR

SHAKER PROFILE


SHAKER PROFILE

SMOOTH FIVE PANEL STACK DOOR



*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.

*GLASS OPTIONS VIA SOLUTION FRAME
- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



RUSTIC SERIES

DOOR OVERVIEW



Hold your horses everyone, because you've got to see the breathtaking countrylike doors that Plastpro's Rustic Series has to offer. This series is far from ordinary. Its distinct panel details, beautifully crafted vertical planks, and arched and radius tops deliver a warm and homey sensation to any entryway. Our Rustic Doors' dark and smooth features also add a touch of modernness while embracing sweet southern hospitality. For those wanting to magnify the vintage look, this series also includes a line of wrought iron accessories for further customization, one can't help but observe.

ALL DOORS ARE SHOWN PRE-FINISHED

<p>6'8"</p> <p>2'6" • 3'0" • 3'6"</p> <p>DRATP</p>	<p>7'0"</p> <p>3'0"</p> <p>DRATP70</p>	<p>8'0"</p> <p>2'6" • 3'0" • 3'6"</p> <p>DRATP80</p>	<p>8'0"</p> <p>3'0" • 3'6"</p> <p>DRA1A80</p>	<p>6'8"</p> <p>3'0"</p> <p>DRA1P</p>	<p>8'0"</p> <p>3'0" • 3'6"</p> <p>DRA1P80</p>
<p>6'8"</p> <p>3'0"</p> <p>DRA2A</p>	<p>8'0"</p> <p>3'0" • 3'6"</p> <p>DRA2A80</p>	<p>6'8"</p> <p>3'0"</p> <p>DRA2B</p>	<p>6'8"</p> <p>3'0" • 3'6"</p> <p>DRA2D</p>	<p>8'0"</p> <p>3'0" • 3'6"</p> <p>DRA2P80</p>	<p>8'0"</p> <p>3'0"</p> <p>DRA2R80</p>
<p>8'0"</p> <p>3'0" • 3'6"</p> <p>DRA4R80</p>					

RUSTIC TRUE PLANK DOOR

SQUARE TOP

SQUARE PLANK & SQUARE TOP

RUSTIC ONE PANEL DOOR



● IN STOCK ● EXTENDED LEAD TIME

RUSTIC ONE PANEL DOOR

ARCH PLANK & SQUARE TOP




RUSTIC TWO PANEL DOOR

ARCH PLANK & SQUARE TOP

SQUARE PANEL & SQUARE TOP

RUSTIC TWO PANEL DOOR



GLASS OPTIONS



GLASS OPTIONS





Rustic Series • DRA2D • ACCSPKY0910KIT

6'8"

3'0" • 3'6"



DRA2D

GLASS OPTIONS

6'8"



CAM3R4

6'8"



PCL3R4

6'8"



CAM344

6'8"



PCL344

RUSTIC TWO PANEL DOOR

SQUARE PLANK & SQUARE TOP

RADIUS PANEL & SQUARE TOP

RUSTIC TWO PANEL DOOR



GLASS OPTIONS



RADIUS PANEL & SQUARE TOP

RUSTIC FOUR PANEL DOOR



RUSTIC SERIES ACCESSORIES



1.5" Square



ACCLP12Q

1.25" Square



ACCLP14Q

DECORATIVE CLAVOS

Plastpro's Clavos add detail and style to one of our Rustic Series Doors. With your choice of Large Square Clavos, Large Round Clavos, Small Square Clavos, or Small Round Clavos, there are plenty of bold and subtle options to heighten the rural sentiment and charm of a plank door.

1.5" Round



ACCLP12R

1.25" Round



ACCLP14R

FEATURES AND BENEFITS

- Easy to Apply
- Unique Adhesive Formatted for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish

6'8"



DRA1P
ACCLP14Q

8'0"



DRA1P80
ACCLP14Q

8'0"



DRA1A80
ACCLP12Q

Industrial Speakeasy



ACCSPKY0910KIT

Open Speakeasy



ACCSPKYGSB0KIT

SPEAKEASY & HINGE STRAP

The Open Speakeasy adds an eclectic, but polished, touch to a Plastpro Rustic Series door. Meanwhile, the Industrial Speakeasy takes you back in time to Prohibition days, with an ornate, grill design that adds extra charm and individuality. The wrought iron bars offer a simple, custom detail while presenting a bold focal point.

Plastpro's Hinge Straps are a simple and unique way to give your Rustic Series door an additional splash of character. Our straps are elite when it comes to providing style and top-tier quality to your home. The durable, aluminum material is resistant to rust and discoloration, keeping the bold, black pop of detail intact.

18" Hinge Straps



ACCHGSTP18

FEATURES AND BENEFITS

- Durable Powder Coat Finish
- Combats Rust and Discoloration
- Beautifully Textured
- Masterfully Handcrafted

View In
6'8"



DRA2D
ACCSPKY0910KIT

View Out
8'0"



DRA2R80
ACCHGSTP18
ACCSPKY0910KIT

View In
6'8"



DRA2D
ACCSPKYGSB0KIT


View Out
8'0"



DRA2R80
ACCHGSTP18
ACCSPKYGSB0KIT

MAHOGANY SERIES

DOOR OVERVIEW



● IN STOCK ● EXTENDED LEAD TIME



The Mahogany Series seamlessly blends red and brown tones to sculpt a beloved, wood texture that is irresistible to the eye. This series effortlessly embodies traditional, timeless styles that are made to radiate beauty and elegance throughout your home. Our perfectly crafted wood panels can be paired with any of our decorative glass options which explains why these fiberglass doors are a hot commodity. This line is also compatible with any layout you desire, giving you the freedom to transform your home into your masterpiece.

ALL DOORS ARE SHOWN PRE-FINISHED




MAHOGANY THREE PANEL DELUXE DOOR

MAHOGANY FOUR PANEL EYEBROW DOOR



GLASS OPTIONS



GLASS OPTIONS



MAHOGANY FOUR PANEL BLANK TOP DOOR

FOUR PANEL BLANK TOP DOOR



SPRFL7P




ARZHL2Z




BREHL2P/Z



CASHL2P



KENHL2P



SOLHL2P




SPRHL2P




CAMFL1


GLASS OPTIONS



PCLFL1




ARZFL1Z




BREFL1P/Z




CASFL1P



KENFL1P



SOLFL1P




SPRFL1P

MAHOGANY TRUE FOUR PANEL DOOR

MAHOGANY SIX PANEL DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

OAK SERIES

DOOR OVERVIEW































Oak Series • DRG41



You can't go wrong selecting a door from Plastpro's most popular and finest series; The Oak Series. The rich, grain texture and intricate wood carvings deliver a classic look that all loved ones and guests will be infatuated by. The only thing stronger than the Oak grains door resistance is its magnetism and variability. We have many panel designs available so you can mix and match the Oak Series with our entire glass line to find the right, custom combination. Our Oak doors create a suitable look designed for any entryway and will never go out of style.



ALL DOORS ARE SHOWN PRE-FINISHED

 <p>6'8" 2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p> <p>DRG00 🔥🔥🔥🔥</p>	 <p>7'0" 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p> <p>DRG0070 🔥🔥🔥🔥</p>	 <p>8'0" 2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p> <p>DRG0080 🔥🔥🔥🔥</p>	 <p>6'8" 3'0"</p> <p>DRG20</p>	 <p>8'0" 6'8" 2'8" • 2'10" • 3'0"</p> <p>DRG29</p>	 <p>6'8" 2'8" • 2'10" • 3'0"</p> <p>DRG2980</p>	 <p>6'8" 3'0"</p> <p>DRG3E</p>
 <p>6'8" 3'0"</p> <p>DRG3P</p>	 <p>8'0" 2'8" • 3'0" • 3'6"</p> <p>DRG3080 🔥</p>	 <p>6'8" 3'0"</p> <p>DRG31</p>	 <p>7'0" 3'0"</p> <p>DRG3170</p>	 <p>6'8" 2'6" • 2'8" • 2'10" • 3'0"</p> <p>DRG40 🔥</p>	 <p>6'8" 2'8" • 3'0" • 3'6"</p> <p>DRG41 🔥</p>	 <p>7'0" 3'0"</p> <p>DRG4170 🔥</p>
 <p>8'0" 2'8" • 3'0"</p> <p>DRG4180</p>	 <p>6'8" 2'8" • 2'10" • 3'0"</p> <p>DRG49</p>	 <p>6'8" 3'0"</p> <p>DRG6B 🔥🔥</p>	 <p>6'8" 3'0"</p> <p>DRG6C</p>	 <p>8'0" 6'8" 2'6" • 3'0"</p> <p>DRG60</p>	 <p>6'8" 2'6" • 2'8" • 3'0" • 3'6"</p> <p>DRG6080 🔥🔥</p>	 <p>6'8" 2'8" • 3'0"</p> <p>DRG61 🔥🔥</p>
 <p>7'0" 2'8" • 2'10" • 3'0"</p> <p>DRG6170 🔥🔥</p>	 <p>8'0" 2'8" • 2'10" • 3'0"</p> <p>DRG6180 🔥</p>	 <p>6'8" 2'8" • 2'10" • 3'0"</p> <p>DRG63</p>	 <p>8'0" 6'8" 3'0"</p> <p>DRG80</p>	 <p>8'0" 6'8" 3'0"</p> <p>DRG8080</p>	 <p>6'8" 2'8" • 3'0"</p> <p>DRG90</p>	 <p>8'0" 3'0"</p> <p>DRG9180</p>


🔥🔥🔥 20/60/90 MIN FIRE RATED
 🔪 TRIMMABLE (3'0" ONLY)
 🚶 10" BOTTOM RAIL
 🚪 HVHZ IMPACT (NOT AVAILABLE IN 3'6")
 ● IN STOCK
 ● EXTENDED LEAD TIME

OAK FLUSH PANEL DOOR

OAK FLUSH PANEL DOOR



GLASS OPTIONS



OAK 3/4 HERITAGE DOOR



GLASS OPTIONS





Oak Series • DRG61

● IN STOCK ● EXTENDED LEAD TIME

OAK

3/4 TWO PANEL DOOR

3/4 TWO PANEL DOOR



GLASS OPTIONS



OAK 3/4 ELITE DOOR


OAK 3/4 PREMIUM DOOR



GLASS OPTIONS



GLASS OPTIONS



OAK 3/4 PANEL DOOR

3/4 THREE PANEL DOOR



GLASS OPTIONS



OAK THREE PANEL DOOR



OAK FOUR PANEL BLANK TOP DOOR


OAK TRUE FOUR PANEL DOOR




GLASS OPTIONS



GLASS OPTIONS




● IN STOCK ● EXTENDED LEAD TIME




GLASS OPTIONS






Oak Series • DRG63


GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME



ACCESSORIES




DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

FEATURES AND BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable

4 Block Dentil Shelf



ACDSGT2704

OAK SIX PANEL DOOR



Oak Series • DRG6C



GLASS OPTIONS




● IN STOCK ● EXTENDED LEAD TIME

OAK SIX PANEL UTILITY DOOR

SIX PANEL UTILITY DOOR



GLASS OPTIONS




OAK TRUE SIX PANEL NARROW DOOR



OAK EIGHT PANEL DOOR



GLASS OPTIONS



GLASS OPTIONS



OAK NINE PANEL DOOR

OAK NINE PANEL DOOR



GLASS OPTIONS



GLASS OPTIONS



SMOOTH SERIES

DOOR OVERVIEW











Smooth Series • DRS2D

SMOOTH FINISH


We need some appreciation for our natural beauties out there, and Plastpro is here to give it, specifically with our glorious Smooth Series. These doors are made with a pre-pigmented, white skin; its polished look accentuates a one-of-a-kind simplicity to any entryway. Our smooth skin incorporates a variety of panel designs and glass options which allows you to add spice to your door while still accomplishing a clean minimal look. Additionally, this series can be painted giving you the opportunity to create a door that exemplifies the real you.

ALL DOORS ARE SHOWN PRE-FINISHED

 <p>6'8" • 2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p> <p>DR500 🔥🔥🔥🔥🔥🔥</p>	 <p>7'0" • 2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p> <p>DR50070 🔥🔥🔥🔥🔥🔥</p>	 <p>8'0" • 2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p> <p>DR50080 🔥🔥🔥🔥🔥🔥</p>	 <p>6'8" • 2'8" • 2'10" • 3'0"</p> <p>DR52B 🔥🔥</p>	 <p>8'0" • 2'8" • 2'10" • 3'0"</p> <p>DR52B80 🔥🔥</p>	 <p>6'8" • 2'8" • 2'10" • 3'0"</p> <p>DR52D 🔥🔥</p>
 <p>8'0" • 2'8" • 2'10" • 3'0"</p> <p>DR52D80 🔥🔥</p>	 <p>6'8" • 2'8" • 2'10" • 3'0"</p> <p>DR52G 🔥</p>	 <p>8'0" • 2'8" • 2'10" • 3'0"</p> <p>DR52G80 ♿🔥</p>	 <p>6'8" • 3'0"</p> <p>DR520</p>	 <p>6'8" • 2'8" • 2'10" • 3'0"</p> <p>DR522 🔥</p>	 <p>7'0" • 2'8" • 2'10" • 3'0"</p> <p>DR52270 🔥</p>
 <p>8'0" • 2'8" • 2'10" • 3'0"</p> <p>DR52280 🔥</p>	 <p>6'8" • 2'8" • 2'10" • 3'0"</p> <p>DR529 🔥🔥</p>	 <p>8'0" • 2'8" • 2'10" • 3'0"</p> <p>DR52980 ♿</p>	 <p>6'8" • 3'0"</p> <p>DR53E</p>	 <p>6'8" • 3'0"</p> <p>DR53P</p>	 <p>8'0" • 2'8" • 3'0" • 3'6"</p> <p>DR53080</p>
 <p>6'8" • 3'0"</p> <p>DR531</p>	 <p>6'8" • 2'6" • 2'8" • 2'10" • 3'0"</p> <p>DR540 ♿</p>	 <p>6'8" • 2'8" • 3'0"</p> <p>DR541 🔥🔥</p>	 <p>7'0" • 3'0"</p> <p>DR54170 ♿</p>	 <p>8'0" • 2'8" • 3'0"</p> <p>DR54180</p>	 <p>6'8" • 2'6"</p> <p>DR542</p>

🔥🔥🔥 20/60/90 MIN FIRE RATED
♿ TRIMMABLE (3'0" ONLY)
♿ 10" BOTTOM RAIL
♿ HVHZ IMPACT (NOT AVAILABLE IN 3'6")
● IN STOCK
● EXTENDED LEAD TIME


DOOR OVERVIEW




Smooth Series • DRS31

SMOOTH FLUSH PANEL DOOR

SMOOTH FLUSH PANEL DOOR




GLASS OPTIONS



SMOOTH TWO PANEL DOOR

SQUARE PANEL & SQUARE TOP

SMOOTH TWO PANEL DOOR



ARZHL2Z & FL1Z
ARZ341Z & FL2Z

BREHL2P/Z & FL1P/Z
ARZ341P/Z & FL2P/Z


CASHL2P & FL1P
CAS341P & FL2P

KENHL2P & FL1P
KEN341P & FL2P

SOLHL2P & FL1P
SOL341P & FL2P

SPRHL2P & FL1P
SPR341P & FL2P

GLASS OPTIONS



ARZHL4Z

BREHL4P/Z

CASHL4P

KENHL4P

SOLHL4P

SPRHL4P

CAM342

PCL342

ARZ342Z

BRE342P/Z

CAS342P

KEN342P

SOL342P

SPR342P




Smooth Series • DRS41

SMOOTH TWO PANEL DOOR


SQUARE PANEL & ARCH TOP

SQUARE PANEL & ARCH TOP

SMOOTH TWO PANEL DOOR




GLASS OPTIONS




SMOOTH COTTAGE TWO PANEL DOOR

SQUARE PANEL & ARCH TOP

SMOOTH COTTAGE TWO PANEL DOOR




GLASS OPTIONS



SMOOTH 3/4 HERITAGE DOOR

SQUARE PANEL & SQUARE TOP


SMOOTH TWO PANEL DOOR



GLASS OPTIONS



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

SMOOTH TWO PANEL DOOR

SMOOTH 3/4 TWO PANEL DOOR



GLASS OPTIONS




● IN STOCK ● EXTENDED LEAD TIME

3/4 TWO PANEL DOOR

SMOOTH 3/4 ELITE DOOR

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"




CAMFL1

8'0"



PCLFL1

8'0"




ARZ341Z
ARZFL1Z

8'0"



BRE341P/Z
BREFL1P/Z

8'0"




CAS341P
CASFL1P

8'0"




KEN341P
KENFL1P

8'0"



SOL341P
SOLFL1P

8'0"



SPR341P
SPRFL1P

6'8"

6'8"



DR53E

6'8"



SLS3E

3'0"

1'0" • 1'2"

GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CAS343P

6'8"



BRE341P/Z

6'8"



CAS341P

SMOOTH 3/4 PREMIUM DOOR


SMOOTH 3/4 PANEL DOOR



GLASS OPTIONS



GLASS OPTIONS



3/4 THREE PANEL DOOR



SMOOTH FOUR PANEL BLANK TOP DOOR



SMOOTH THREE PANEL DOOR





GLASS OPTIONS




● IN STOCK ● EXTENDED LEAD TIME

SMOOTH TRUE FOUR PANEL DOOR

TRUE FOUR PANEL DOOR



GLASS OPTIONS




SMOOTH 3/4 FOUR PANEL DOOR

SMOOTH SIX PANEL CRAFTSMAN DOOR




GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

GLASS OPTIONS



ACCESSORIES



DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

FEATURES AND BENEFITS

- Mimic Classic Design
- Create Custom Looks
- Affordable

4 Block Dentil Shelf



16 Block Dentil Shelf



SMOOTH SIX PANEL DOOR


SMOOTH SIX PANEL UTILITY DOOR




GLASS OPTIONS




GLASS OPTIONS





CAS342P KEN342P SOL342P SPR342P



ARZHL2Z BREHL2P/Z CASHL2P KENHL2P SOLHL2P SPRHL2P



DR563 SL560




Smooth Series • DRS0080 • Glass KENFL8

GLASS OPTIONS



ARZHL4Z BREHL4P/Z CASHL4P KENHL4P SOLHL4P SPRHL4P



ARZHL2Z BREHL2P/Z CASHL2P KENHL2P SOLHL2P SPRHL2P

● IN STOCK ● EXTENDED LEAD TIME

SMOOTH EIGHT PANEL DOOR


SMOOTH NINE PANEL DOOR



GLASS OPTIONS




GLASS OPTIONS



WHITE OAK SERIES

DOOR OVERVIEW




WHITE OAK GRAIN

Can't decide between our classic Oak series and suave Smooth series? Plastpro figured, and as a result, we've created our exclusive White Oak Series. An immaculate line that encapsulates the finest features from our Smooth and Oak doors to deliver a top-notch entryway. Any home can enjoy an intricate oak texture coated in a pristine, pre-pigmented white skin. Finally, to help solidify your decision, Plastpro offers plentiful decorative glass options that'll turn this dreamy look into reality. The White Oak Series is the definition of the best of both worlds.


ALL DOORS ARE SHOWN PRE-FINISHED

WHITE OAK FLUSH PANEL DOOR

WHITE OAK FLUSH PANEL DOOR



GLASS OPTIONS




White Oak Series • DRV60

WHITE OAK FOUR PANEL BLANK TOP DOOR



GLASS OPTIONS



White Oak Series • DRV40 • SLV60 • Castile Deco Glass

WHITE OAK TRUE FOUR PANEL DOOR



WHITE OAK SIX PANEL DOOR



GLASS OPTIONS



GLASS OPTIONS



WHITE OAK SIX PANEL UTILITY DOOR



WHITE OAK TRUE SIX PANEL NARROW DOOR



GLASS OPTIONS



GLASS OPTIONS




ONELITE SERIES


DOOR OVERVIEW




Onelite Series • DRS12L



OAK GRAIN




SMOOTH FINISH



MAHOGANY GRAIN

Our Onelite Series was made to maximize natural light and give your home a lustrous glow. Offered in our classic oak grain and smooth finish coats, these doors encompass style while providing superb flexibility. For example, this line incorporates a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door. Another benefit is that this series gladly reduces your energy bill, as these doors are available with beautiful and energy-efficient low-emissivity glass. In fact, the only thing clearer than our remarkable glass is the win-win situation the Onelite series presents.

ALL DOORS ARE SHOWN PRE-FINISHED



This model complies with ADA standards and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.



DRG12
Oak Grain



DRS1070
Smooth



DRS12
Smooth



DRM13
Mahogany Grain

ONELITE COMMERCIAL ADA DOOR

SMOOTH FINISH

SMOOTH FINISH

ONELITE FLUSH GLAZED FULL LITE DOOR



AVAILABLE FOR SPECIAL ORDER

- Sound Barrier Glass (STC:34)
- 3'6" and 4'0" widths

● IN STOCK ● EXTENDED LEAD TIME



FEATURES & BENEFITS



- 1 REINFORCED STILES**
For Panic Bar hardware and Exit Rim devices.
- 2 6.5" TOP RAIL**
Accommodates regular and parallel arm closures
- 3 5.5" FACE STILES**
Accommodates all types of commercial hardware (including 2-3/4" backset 161 prep and mortise locks).
- 4 BOTTOM RAIL TO ACCOMMODATE 10" KICK PLATE**
To protect your door and enhance accessibility, this 10.50" bottom rail allows the installation of a kick plate, up to 10" tall.
- 5 REMOVABLE GLASS STOP**
Switch the glass as needed without changing the entire door.

GLASS OPTIONS



ONELITE FLUSH GLAZED HALF LITE DOOR

OAK GRAIN & SMOOTH FINISH

MAHOGANY GRAIN

ONELITE FLUSH GLAZED 3/4 LITE DOOR



GLASS OPTIONS




NOVA SERIES


DOOR OVERVIEW




Nova Series • DRF1DL • LowE 272



FIR GRAIN



SMOOTH FINISH




BRUSHED SMOOTH FINISH

Plastpro's Nova Series is an absolute stunner that will turn your entryway into the neighborhood's main attraction. Our Nova Series is most notable for the tall spotless glass that is directly glazed into the door to create a seamless blend between the glass and door. The large glass pane can be outlined in two models: the 45 with a traditional, Craftsman sticking, in a Smooth or Fir skin, and the 90 with a modern, Shaker sticking and Brushed Smooth finish. Welcome beautiful scenery, natural light, and most importantly your loved ones into a space that outsiders can't help but envy a little.

ALL DOORS ARE SHOWN PRE-FINISHED

NOVA 45 SMOOTH FINISH & FIR GRAIN



NOVA 90 BRUSHED SMOOTH FINISH



HVHZ IMPACT 10" BOTTOM RAIL IN STOCK EXTENDED LEAD TIME

NOVA 45

FULL LITE DIRECT GLAZED


SMOOTH & FIR GRAIN

DIRECT GLAZED

NOVA 45



● IN STOCK ● EXTENDED LEAD TIME



NOVA 45 FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL (Hinge & Strike side, for extra rigidity)
- 3 INSULATED 3/4" GLASS (LowE 272, Impact LowE 366)
- 4 COMPRESSION MOLDED FIBERGLASS SKIN
- 5 LEAK PROTECTION GLAZING TAPE
- 6 INTEGRALLY MOLDED GLASS STOP
- 7 HIGH INSULATION RIGID FOAM
- 8 ADA COMPLIANT BOTTOM RAIL
- 9 COMPOSITE BOTTOM RAIL




Nova Series • DRF1DL • LowE 272

NOVA 45 SDL KITS


SMOOTH & FIR GRAIN

NOVA 45 SDL KIT CONFIGURATIONS



FEATURES AND BENEFITS

- 1 Available in Smooth and Fir Grain finish.
- 2 Notched cutout pattern for perfect alignment.
- 3 Matching Nova 45 style profile.
- 3M adhesive back for easy installation.
- Made from composite material, will not rot.
- Features a 1.125"(w) x 0.295"(h) modern trapezoidal profile.



Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.



6'8" SDL OPTIONS

8'0" SDL OPTIONS

NOVA SERIES



147

NOVA SERIES




146

NOVA 90 FULL LITE DIRECT GLAZED


BRUSHED SMOOTH FINISH

DIRECT GLAZED

NOVA 90




● IN STOCK ● EXTENDED LEAD TIME



NOVA 90 FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL (Hinge & Strike side, for extra rigidity)
- 3 WOOD BLOCKING (For structural support)
- 4 STEEL BEAM (Hinge & Strike side, for extra rigidity)
- 5 INSULATED 1" GLASS
- 6 COMPRESSION MOLDED FIBERGLASS SKIN
- 7 BRUSHED FINISHED TEXTURE
- 8 INTEGRALLY MOLDED GLASS STOP
- 9 HIGH-DENSITY POLYURETHANE FOAM
- 10 ADA COMPLIANT BOTTOM RAIL
- 11 COMPOSITE BOTTOM RAIL

GLASS OPTIONS




Nova Series • DRS15L • LowE 272

NOVA 90 DIRECT GLAZED 3/4 LITE

BRUSHED SMOOTH FINISH


DIRECT GLAZED

NOVA 90



STOCK VARIES BASED ON GLASS SELECTION, PLEASE CONTACT FOR AVAILABILITY


● IN STOCK ● EXTENDED LEAD TIME



NOVA 90 FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL (Hinge & Strike side, for extra rigidity)
- 3 WOOD BLOCKING (For structural support)
- 4 STEEL BEAM (Hinge & Strike side, for extra rigidity)
- 5 INSULATED 1" GLASS
- 6 COMPRESSION MOLDED FIBERGLASS SKIN
- 7 BRUSHED FINISHED TEXTURE
- 8 INTEGRALLY MOLDED GLASS STOP
- 9 HIGH-DENSITY POLYURETHANE FOAM
- 10 ADA COMPLIANT BOTTOM RAIL
- 11 COMPOSITE BOTTOM RAIL

GLASS OPTIONS



Nova Series • DRS1E80L • LowE 272

NOVA 90 DIRECT GLAZED GLASS OPTIONS

LowE 272




When you want solar control but clear views, LowE 272 is the glass for you. Our LowE 272 glass has a special, tinted coating to stop UV lights from entering your home. Enjoy a clear glass that offers better insulation.

MINI BLIND



Beauty meets function with this glass option. Large glass panes with a low emissivity glass coating enclose safe, cordless miniblinds for a private, energy-efficient, and stunning entrance piece.

CHORD



TRANSLUCENT



When you want all the energy efficient benefits of LowE 272, but also want privacy our Translucent LowE 272 is the glass for you. The Translucent LowE 272 glass has a low emissivity coating and lets in natural light while shielding your family from prying eyes.

RAIN



Something as simple as water falling from the sky reminds us of nature's magic. Our rain glass resembles the sweet drops our planet gifts us. It brings a fresh, richness to our doors.

Reminiscent of wood grain the delicate lines of this glass bring an organic style that allows natural light to enter the home, but also offers privacy to the homeowner.

MATERIALS NEEDED

PLASTPRO'S PRE-FINISHED KITS OR


- | | |
|---------------------------------|---------------------------|
| A. Pre-Mixed Stain (1/2 pint) | F. 3" China Bristle Brush |
| B. Mineral Spirits (4 fl. oz.) | G. Two Stir Sticks |
| C. Top Coat/Sealer (20 fl. oz.) | H. Two Skin Samples |
| D. Two Clean Cloths | I. Finishing Instruction |
| E. One Pair Protective Glove | |

PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS





STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want stained, such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS / PFT™ DOOR FRAMES
4. Wipe the Door / PFT™ Door Frame with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.



STEP 2: STAIN APPLICATION

1. Starting at the center of the Door / PFT™ Door Frame, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door / PFT™ Door Frame grain.
2. With a clean, lint free 24" x 24" cloth, softly wipe the surface until you reach your desired tone.
TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door / PFT™ Door Frame.
3. After all stain is brushed evenly, you may add finishing touches by using a small 1" to 2" brush or cotton swabs.
4. (If desired) Allow the Door / PFT™ Door Frame to dry for at least 48 hours before applying another coat. Then, repeat above process.



STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

1. After stain has completely dried (48 hours) mix the top coat well and apply evenly using a clean, dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.

IMPORTANT NOTE


- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.
- Staining instructions are for Oil-Based, Premium Quality Wood Stains or similar product designed for use on a fiberglass surface. Please note the instructions indicated are specific to the Zar brand stain included in our stain kit. Please reference stain manufacturer's instructions before applying any stain

MATERIALS NEEDED

- A. Lint-free cloth
- B. Mineral Spirits
- C. Rubber gloves
- D. Masking tape
- E. 4" Bristle Brush
- F. For water-based application: acrylic-based primer*/ acrylic latex-based exterior grade paint.

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS



STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors which have been bored and mortised for hardware should be primed inside of the lock bore as well.
6. The primer must be completely dry before applying the topcoat.



STEP 2: PAINTING

1. Apply exterior grade paint with a 4" brush beginning with the panels.
2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware-should be finished inside of the lock bore as well.

CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

IMPORTANT NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

MATERIALS NEEDED

- A. Lint-free Cloth
- B. Mineral Spirits
- C. Rubber Gloves
- D. Masking Tape
- E. 4" Bristle Brush
- F. For water-based application: acrylic-based primer* / acrylic latex-based exterior grade paint.
- G. Scotch Brite Pad (Fine) or 320-400 grit sandpaper (For Smooth Doors Only)

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS FOR DOORS & PFTM DOOR FRAMES



STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. Smooth Doors only. Lightly scuff/sand the surface with a Scotch Brite pad or fine sand paper. DO NOT SAND GRAINED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
5. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
6. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors / PFTM Door Frames which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
7. The primer must be completely dry before applying the topcoat.



STEP 2: PAINTING

1. Apply exterior grade paint with a 4" brush beginning with the panels.
2. It is a common practice to paint both door stiles, or both PFTM Door Frame sides, the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware- should be finished inside of the lock bore as well.

CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

IMPORTANT TO NOTE

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

ASTM D1761	Screw holding capacity.
NWWDA TM-7	Cycle slam test.
NWWDA TM-8	Hinge load resistance test.
ASTM E 283	Air infiltration.
ASTM E 331 / E 547	Water resistant.
ASTM E 330	Uniform structural load.
ASTM E1886 / E1996	Impact / cycle test.
AAMA 1304	Forced entry resistance test.
TAS 201	Impact test.
TAS 202	Air / water / structural test.
TAS 203	Wind pressure cycle test.
NFRC 100 / 200 / 500	Energy efficiency.
ASTEM E90 / STC / OITC	Sound transmission.
ULC 10 C / NFPA 252 / ASTM E 2074	Fire rated.
CDPH / EHLB METHOD V1.1 2010	Volatile organic chemical emission test.
JIS Z 2801:2001	Antimicrobial products test.
ASTM D1413-07	Antifungal wood plastic composite test.
CSFM 12-7A-1	Exterior wildfire exposure test.
AAMA 1702	Exterior door test for manufactured housing.
AAMA 920	Operating cycle test.
AAMA / WDMA / CSA 101 / I.S./A440 (NAFS)	North America fenestration test.

The PLASTPRO DOOR met requirements for sawing, planing, routing, boring, drilling and chiseling. For more specific results, please see our website at www.plastproinc.com or contact our Customer Service Department at 1 (800) 779-0561.



WARNING: These products may include styrene, titanium dioxide, and wood dust, which are known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov

THE DOOR OF BEAUTY & INNOVATION





www.plastproinc.com

5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045

Phone: (800) 779-0561 ■ Fax: (310) 693-8620



© 2023 Plastpro Inc. All Rights Reserved

Product # MKLFLB2023 Updated Jan 2023