

THERMA TRU[®] | DOORS
fabricated by **DREPAC**



Entry & Patio Door Systems
Mountain Region



Why Therma-Tru® Doors

Uncompromising quality, inside and out.

#1 Among Building Pros

It's a brand you can trust. Why? Because year after year, building professionals rank Therma-Tru #1 – as the brand they prefer most – in entry doors.*



Experience & Know-How

Behind every Therma-Tru door stands decades of experience and technical know-how. Therma-Tru makes or recommends every aspect – from the glass to the hinges – to bring your home durability and reliability through the years.

Lifetime Limited Warranty

When you pay close attention to every detail that goes into a door, you can stand behind its parts longer than the rest. That's why your Therma-Tru fiberglass door system is backed with a lifetime limited warranty – the industry's most comprehensive warranty of its kind.



Energy Efficiency

More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Why OrePac



Our History

OrePac is a family-owned and operated business, founded by the Hart family in 1976. Through strong leadership and a commitment to success, the company has grown into one of the premier distributors in the building industry.

Trust, integrity, and a dedication to excellence are the values most important to OrePac. That commitment can


be found in the services we offer, the quality of the products we provide, and the way we treat our employees and customers. This dedication to our markets has enabled us to make a positive impact on the shelter industry and the communities we serve.

OrePac Marketplace

At OrePac, our goal is to **Make Complicated Simple™**. That's why we've created an industry-leading configurator to simplify the door ordering process for our dealers. Talk to your OrePac Sales Representative to find out more about this easy and time-saving tool.



- BOISE, ID
- BOZEMAN, MT
- DENVER, CO
- ONTARIO, CA
- PHOENIX, AZ
- SACRAMENTO, CA
- SALT LAKE CITY, UT
- SPOKANE, WA
- TACOMA, WA
- WILSONVILLE, OR




*Brand Use Study, 2020 *Builder* magazine.
 Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Front Cover: Classic-Craft American Style Collection, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL
 Right Page: Pulse Ari, Granite Glass with Scrolled Lite Frame, Door – FC2XN

Table of Contents

Why Choose Us.....	2
A Complete Door System	4
Curb Appeal.....	6
Classic-Craft. Door Options	8
Classic-Craft. Door Construction.....	9
Fiber-Classic. & Smooth-Star. Door Options	10
Fiber-Classic. & Smooth-Star. Door Construction.....	11
Decorative Glass	12
Specialty Glass.....	15
SDL Doors with Glass	18
EnLiten™. Flush-Glazed Designs.....	19
FinishKOTE™ by OrePac	20
Full-Glass Options.....	22
3/4-Glass Options	32
2/3-Glass Options	36
1/2-Glass Options	40
Oval-Glass Options.....	48
Craftsman Options.....	50
Minimal-Glass Options	56
Solid Panel Options.....	60
Pulse. Options	66
Full-Glass Sidelites.....	70
3/4 & 1/2-Glass Sidelites.....	74
Craftsman Sidelites.....	75
Pulse. Sidelites	76
8'0" Full-Glass Options	78
8'0" 3/4-Glass Options.....	86
8'0" 2/3-Glass Options	90
8'0" 1/2-Glass Options.....	96
8'0" Craftsman Options	100
8'0" Minimal-Glass Options.....	106
8'0" Solid Panel Options	108
8'0" Pulse. Options.....	112
8'0" Full-Glass Sidelites.....	116
8'0" 3/4 & 1/2-Glass Sidelites	119
8'0" Craftsman Sidelites	121
8'0" Pulse. Sidelites.....	122
Steel Options	124
Steel Sidelites	137
8'0" Steel Options	139
Hinged Patio Doors.....	144
Multi-Point Locking Systems.....	148
Hardware	149
Product Details.....	151



A Complete Door System

A Therma-Tru® door with genuine Therma-Tru parts is more than just a beautiful door. It's a complete door system – from the glass to the hinges – made to perform as good as it looks.





1 Frame Options

We can help you choose the right frame for your door system.



2 Removable Weatherstrip

Our resilient design compresses when closed and springs back when open. It's protected by a durable jacket for long-lasting sealing power.




3 Hardware

Choose from beautiful options that will complement the look of your home and help bring you security and peace of mind.




4 Ball-Bearing Hinges

Hinges with ball-bearings protect each hinge pivot, offering added support and stability to help keep your door opening and closing smoothly.



5 7-Shape Corner Seal Pads

(Inswing Only) This innovative design creates a protective air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



6 Composite Adjustable Sills

These allow flexibility to adjust the sill cap vertically to close gaps, helping to maintain a tight seal between the sill and the bottom of the door.



7 Dual-Bulb / Dual-Fin Bottom Sweep

(Inswing Only) Two bulbs compress to sit tight against the sill, while two fins act like walls to form barriers and a built-in rain deflector pushes moisture away.



8 Mullion Options

Mullions not only give the hinges and lock a place to anchor, they come in a range of sizes from 1"-3" in width per mullion to help create an entry door system to fit the opening of your home.


What a DIFFERENCE a DOOR Makes



Now that's a smart investment.


Are You Remodeling?

There are so many ways to renovate a home. But adding a stunning new Therma-Tru entry door is one sure way to help homeowners add curb appeal.



\$18,750

A smart investment, a new Therma-Tru entry door can **increase** your home's perceived **value** by **4.2%** or **\$18,750** on average.*¹



2X

Homeowners who choose a stylish new Therma-Tru® entry door can see **more than 2 times** the return on their investment.*



10 SEC.

Potential homebuyers will form an opinion about your home's value within **10 seconds** of seeing **it in person.**²


¹www.thermatru.com ²www.about.com

*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of Internet-based research.

FIND YOUR Home's Perfect MATCH

Get inspired to choose entry doors by design with our Architectural Home Styles Guide to popular home styles. Choose a door that brings out the best of your home's style. Let us help you find your match.

www.homestyles.thermatru.com



Colonial



Victorian



European



Craftsman



Southwest



Coastal



Traditional



Modern

Turn Your Vision Into Reality

Choose a door that brings out the best of you home's style. Then picture it on your home with the Doorways™ App.

1. Create and experiment with multiple door and glass combinations in the gallery.
2. Take a picture of your home and pop in the doors you designed.
3. Once you find your perfect new entry, locate your dealer to help you buy it.



Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android and Google Play are trademarks of Google, Inc.

Classic-Craft®
American Style
Collection™

Classic-Craft®
Mahogany
Collection™

Classic-Craft®
Rustic
Collection™

Classic-Craft®
Oak
Collection™

Classic-Craft®
Canvas
Collection®

Door Options

Choose from our many fiberglass doors to create an entry that complements the architectural style of your home. Options include wood-grained, stained or smooth, painted surfaces.

Classic-Craft® Premium Entryways


These premium fiberglass entryways come in four wood grains or a smooth surface that all rival the look of custom wood.

Classic-Craft entry doors are rated a *Consumers Digest* Best Buy.

Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to
25% wider
panels*



Classic-Craft Premium Door



Standard Fiberglass Door



Premium – right down to the edge.
A solid hardwood square edge delivers a genuine wood appearance.



Standard fiberglass bullnose edge.
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.



Door Construction



Classic-Craft® Premium Entryways

1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.*

5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

*Comparison of fiberglass to wood doors (both without glass).



Fiber-Classic®
Mahogany
Collection™

Fiber-Classic®
Oak Collection™

Smooth-Star®



Door Options

Fiber-Classic® Doors

Get the look and feel of rich Mahogany or warm Oak with excellent performance and value.

Smooth-Star® Doors

Get a smooth surface for plenty of color options with exceptional performance and value.



Top: Fiber-Classic Oak Collection, Riserva Glass, Door – FC8529, Sidelites – FC8572SL
Bottom: Smooth-Star, Low-E Glass with SDLs, Door – S84816, Sidelites – S8000SL

Door Construction



Fiber-Classic® & Smooth-Star® Doors

1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency, offering up to four times the insulating R-Value of wood.*

*Comparison of fiberglass to wood doors (both without glass).

Decorative Glass

Classic-Craft®

Villager™



Brushed Nickel

Black Nickel



Homeward™



Brushed Nickel

Black Nickel



Augustine®



Wrought Iron



Arborwatch®



Brushed Nickel

Black Nickel



Borrassa®



Wrought Iron



Provincial™



Black Nickel



Zaha®



Black Nickel



Brushed Nickel

Lucerna®



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Decorative Glass

Fiber-Classic®, Smooth-Star®, Pulse® & Steel

Blackstone®



Brushed Nickel

Black Nickel



Privacy Rating



Crystalline™



Brushed Nickel

Black Nickel



Privacy Rating




Sedona



Brushed Nickel

Black Nickel




Privacy Rating



Salinas®



Wrought Iron



Privacy Rating



Maple Park®



Brushed Nickel

Black Nickel



Privacy Rating



Avonlea®



Black Nickel



Privacy Rating



Saratoga™



Brushed Nickel

Black Nickel



Privacy Rating



Texas Star



Brushed Nickel



Privacy Rating



Decorative Glass

Fiber-Classic®, Smooth-Star®, Pulse® & Steel

Wellesley™



Brushed Nickel

Black Nickel



Concorde™



Brushed Nickel

Black Nickel



Kensington™



Brushed Nickel


Black Nickel




Geometric (XG)



Pembridge™



Brushed Nickel



Brass

Black Nickel



Axis.



Black Nickel



Frosted Images.



Satin Etch (XE)



Chord (XC)



Privacy Rating 10



Chinchilla (XJ)



Privacy Rating 10



Rainglass (XR)



Privacy Rating 8 10



Granite (XN)



Privacy Rating 10




Internal Blinds



Screen Vented



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.

In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.


Specialty Glass

Simulated Divided Lites (SDL)



SDL Bar Options

Classic-Craft



(40.64 mm / 1.6 in.)
Look for the (SDL) designation.


(107.95 mm / 4.25 in.)
Look for the (SDLF3) and (DDBF3) designations.

(139.70 mm / 5.5 in.)
Look for the (SDLF4) and (DDBF4) designations.

(40.64 mm / 1.6 in.)
Look for the (SDL) designation.

Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (SDLF5) and (DDBF5) designations.

Fiber-Classic Smooth-Star



(28.6 mm / 1.125 in.)
Look for the (SDL) designation.

Smooth-Star



(28.6 mm / 1.125 in.)
Look for the (SDLF1) designation.

Fiber-Classic



Smooth-Star



(88.9 mm / 3.5 in.)
Look for the (SDLF2) designation.

Grilles Between Glass (GBG)



Fixed Grilles (FXG)



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.



Specialty Glass

Classic-Craft American Style Collection, Chord Glass with SDLs, Door – CCA8240XC



Contemporary SDL Doors with Glass

for Classic-Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Contact your local OrePac representative for specific availability

MAKE IT YOUR OWN

Configurations

Select the perfect life style for your door.



Classic-Craft American Style Collection, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL

Textures


Choose between smooth or woodgrain.



CLASSIC-CRAFT.
AMERICAN



FIBER-CLASSIC.
OAK



SMOOTH-STAR.

Glass

Choose between energy efficient privacy or textured glass.



CHINCHILLA



CHORD



CLEAR



GEOMETRIC



GRANITE



LOW-E



RAIN



SATIN ETCH

Choose Your Stain or Paint Color

Give your door the attention it deserves!



Refer to FinishKote and PrismaGuard pages for color options



EnLiten™ Flush-Glazed Designs

for Classic-Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. At Therma-Tru, we believe your door should always welcome you home – while playing seamlessly into your style. Our EnLiten flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)



Up to 16% Wider Daylight Opening

Let in more natural light with up to a 16% increase in visible glass area compared to a conventional lite frame.

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.
**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.



Smooth-Star®, Satin Etch Glass with OrePac SDLs,
Door – S2000XE ©TheHouseDesigners.com

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



FINISHKOTE™

PAINT & STAIN COLLECTION

FINISHKOTE™ by OrePac

Why FinishKote™?

- 9 Stain Options with a 10-Year Limited Warranty
- 15 Paint Options with a 10-Year Limited Warranty
- Stain Developed for Therma-Tru® Doors
- Single Source Supplier
- Slabs Inspected and Prepped for a Flawless Finish
- Fire-Rated Doors Available
- State-of-the-Art Finish Shop
- Shipped Promptly and Ready-to-Install




Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM608XC, Sidelites – FCM6126XC SL, Dentil Shelf

FINISHKOTE™ PAINT COLLECTION


Classic-Craft® | Fiber-Classic® | Smooth-Star®

10 YEAR
LIMITED
WARRANTY

Please refer to FinishKote™ limited 10-year paint warranty for more information.



Classic



Canvas



Sandstone



Kodiak



Earthen



Blossom



Forest



Surf



Atlantis



Engine



Cordovan




Vineyard



Stone



Thunder



Inkwell

STAIN COLLECTION




10 YEAR
LIMITED
WARRANTY

See your Therma-Tru seller for details on the PrismaGuard warranties and exclusions.

FINISHKOTE™ by OrePac

	Classic-Craft®				Fiber-Classic®	
	American Style Collection™	Mahogany Collection™	Oak Collection™	Rustic Collection™	Mahogany Collection™	Oak Collection™
Wildflower Honey						
Rustic Clay						
Barley						
New Earth						
Autumn Harvest						
Redwood						
Mulberry						
Driftwood						
Raven						

Colors may vary from the actual application due to fluctuations in the printing process of this catalog. This catalog may not be used as a color matching tool. **For true colors see actual samples.**



Full-Glass Options

Classic-Craft® Shaker EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Privacy SDL



Classic-Craft American Style
CCA2300()-SDF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2310()-SDF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2320()-SDF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2330()-SDF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2340()-SDLF3
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2350()-SDLF5
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2360()-SDLF5
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2380()-SDLF5
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2370()-SDLF4
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4900()-SDLF3
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4910L()-SDLF3
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4910R()-SDLF3
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4920L()-SDLF5
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4920R()-SDLF5
(XG, XE, XC, XJ, XR, XN)

Full-Glass Options

Key

- Flush-Glazed Glass
- XG Geometric
- XE Satin Etch

- XC Chord
- XJ Chinchilla
- XR Rainglass

- XN Granite
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites

- SDLF5 Simulated Divided Lites

Full-Glass Options

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Privacy SDL



Classic-Craft American Style
CCA4930()-SDLF5 (Low-E)
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA4940()-SDLF5 (Low-E)
(XG, XE, XC, XJ, XR, XN)

Privacy



Classic-Craft American Style
CCA2400() (Low-E)
(XG, XE, XC, XJ, XR, XN)

Low-E SDL



Classic-Craft American Style
CCA2300-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2310-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2320-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2330-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2340-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2350-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2360-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2380-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA2370-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4900-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4910L-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4910R-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4920L-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4920R-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4930-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA4940-SDLF5LE (Low-E)

Low-E



Classic-Craft American Style
CCA2400-LE (Low-E)

Key

- ◐ Flush-Glazed Glass
- XG Geometric
- XE Satin Etch

- XC Chord
- XJ Chinchilla
- XR Rainglass

- XN Granite
- LE Low-E
- SDLF3 Simulated Divided Lites


- SDLF4 Simulated Divided Lites
- SDLF5 Simulated Divided Lites

Full-Glass Options

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Homeward



Classic-Craft Mahogany
CCM9925 (1C)

Augustine



Classic-Craft Rustic
CCR30027 (1W)




Classic-Craft Canvas
CCV10027 (1W)

Arborwatch



Classic-Craft Oak
CC1423 (1D)

Borrassa



Classic-Craft Rustic
CCR1528 (1W)



Classic-Craft Canvas
CCV1528 (1W)

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Crystalline



Smooth-Star
S916 (1D) 2B

Zaha



Classic-Craft Mahogany
CCM1851 (1D)



Classic-Craft Rustic
CCR1851 (1D)



Classic-Craft Canvas
CCV1851 (1D)

Lucerna



Classic-Craft Mahogany
CCM10022 (1D, 1C)



Classic-Craft Rustic
CCR10022 (1D)



Classic-Craft Canvas
CCV10022 (1D)

Low-E



Classic-Craft Rustic
CCR30020-LE (Low-E)



Classic-Craft Canvas
CCV10020-LE (Low-E)

Crystalline



Smooth-Star
S668 (1D) 2B

Salinas



Smooth-Star
S6008 (1W) 2¹⁰ 2¹⁰

Fiber-Classic Mahogany
FCM113 (1W)

Salinas



Smooth-Star
S369 ■ (1W) 2¹⁰ 2¹⁰ 3⁶ 6⁶ 7⁰

Maple Park



Smooth-Star
S6100 (1D) 2¹⁰

Maple Park



Smooth-Star
S1006 ■ (1D) 2¹⁰

Avonlea



Fiber-Classic
Oak
FC758 (1D) 2¹⁰

Fiber-Classic Mahogany
FCM758 (1D)



Smooth-Star
S962 (1D) 2¹⁰

Avonlea



Smooth-Star
S1027 ■ (1D) 2¹⁰

Saratoga



Fiber-Classic
Oak
FC905 (1D) 2¹⁰



Smooth-Star
S154
(1D) 2¹⁰ 2¹⁰ 2¹⁰
(1C) 2¹⁰ 2¹⁰

Fiber-Classic Mahogany
FCM905 (1D)

Saratoga



Smooth-Star
S6093 ■
(1D) 2¹⁰
(1D, 1C) 2¹⁰ 2¹⁰ 3⁶ 6⁶ 7⁰

Kensington



Smooth-Star
S160 (1D) 2¹⁰

Kensington



Smooth-Star
S626 ■ (1D) 2¹⁰

Key

- No Stile Lines
- 1D Black Nickel
- 1C Brushed Nickel

- 1W Wrought Iron
- LE Low-E
- 6⁶ 6'6" Height in Select Sizes

- 7⁰ 7'0" Height in Select Sizes
- 2⁶ Available in 2'6" Width
- 2⁸ Available in 2'8" Width

- 2¹⁰ Available in 2'10" Width
- 3⁶ Available in 3'6" Width


Full-Glass Options

Full-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Pembridge



Smooth-Star
S6550 (1D) 2j6
(1C) 2j6 2j8
(1A) 2j8

Pembridge



Smooth-Star
S6500 ■
(1D) 2j6 ONLY
(1C) 2j6 2j8
(1A) 2j8

Axis



Smooth-Star
S1652 (1D) 2j6 2j8 2j10

Axis



Smooth-Star
S1651 ■ (1D)
2j6 2j8 2j10 3j6 6j6 7j0

Privacy



Fiber-Classic Mahogany
FCM10() (Geometric)
(XG, XE, XJ, XR, XN) 2j8 2j10




Smooth-Star
S118()
(XC) 2j8
(XE, XJ, XR) 2j8 2j10

Privacy



Smooth-Star
S140() ■
(XC) 2j8
(XE, XJ, XR) 2j8 2j10 3j6 6j6 7j0

Internal Blinds



Fiber-Classic Mahogany
FCM141-RTLE (Low-E) 2j8 2j10
FCM141-RT (Clear) 2j8 2j10



Fiber-Classic Oak
FC141-RTLE (Low-E)
2j8 2j10
FC141-RT (Clear)
2j8 2j10



Smooth-Star
S130-RTLE (Low-E)
2j6 2j8 2j10
S130-RT (Clear)
2j6 2j8 2j10

Internal Blinds



Fiber-Classic Mahogany
FCM1286-RTLE ■ (Low-E) 2j8
FCM1286-RT ■ (Clear) 2j8



Fiber-Classic Oak
1286-RTLE (Low-E)
2j6 2j8 2j10
1286-RT (Clear) 2j6 2j8



Smooth-Star
S6061-RTLE ■
(Low-E) 2j4 2j8 2j8
2j10 3j6 6j6 7j0
S6061-RT ■ (Clear)
2j6 2j8 2j10 3j6 6j6 7j0

GBG Flat White



Smooth-Star
S128-GBGFWLE (Low-E)
2j6 2j8 2j10
S128-GBGFW (Clear)
2j6 2j8 2j10

Fixed Grilles




Smooth-Star
S128-FXG (Clear)
2j6 2j8 2j10

Key

■ No Stile Lines	1A Brass	XC Chord	XN Granite	FXG Fixed Grilles
1D Black Nickel	XG Geometric	XJ Chinchilla	LE Low-E	6j6 6'6" Height in Select Sizes
1C Brushed Nickel	XE Satin Etch	XR Rainglass	GBG Grilles Between Glass	7j0 7'0" Height in Select Sizes


GBG Flat White



Smooth-Star
S141-GBGFWLE (Low-E)
2'6 2'8 2'10 3'6 6'6 7'0

S141-GBGFW (Clear)
2'6 2'8 2'10 3'6 6'6 7'0


Fixed Grilles



Smooth-Star
S6063-FXGLE (Low-E)
2'6 2'10 3'6 6'6 7'0


S6063-FXG (Clear)
2'6 2'10 3'6 6'6 7'0

Fixed Grilles



Smooth-Star
S141-FXG (Clear)
2'6 2'8 2'10 3'6 6'6 7'0

GBG Flat White



Smooth-Star
S108-GBGFWLE (Low-E) 2'8 2'10
S108-GBGFW (Clear) 2'8 2'10

Fixed Grilles



Smooth-Star
S108-FXGLE (Low-E) 2'8 2'10
S108-FXG (Clear) 2'8 2'10

GBG Flat White



Smooth-Star
S6063-GBGFWLE (Low-E)
2'8 2'10 3'6 6'6 7'0

S6063-GBGFW (Clear)
2'8 2'10 3'6 6'6 7'0

Low-E / Clear



Fiber-Classic Mahogany
FCM10-LE (Low-E) 2'8 2'10
FCM10 (Clear) 2'8 2'10



Fiber-Classic Oak
FC10-LE (Low-E)
2'6 2'8 2'10
FC10 (Clear)
2'8 2'10



Smooth-Star
S118-LE (Low-E)
2'6 2'8 2'10
S118 (Clear)
2'6 2'8 2'10

Low-E / Clear



Fiber-Classic Mahogany
FCM1283-LE (Low-E) 2'6 2'8
FCM1283 (Clear) 2'8



Fiber-Classic Oak
1283-LE (Low-E)
2'6 2'8 2'10
1283 (Clear)
2'8 2'10

Low-E / Clear



Smooth-Star
S140-LE (Low-E)
2'0 2'4 2'6 2'8 2'10 3'6 7'0
S140 (Clear)
2'0 2'6 2'8 2'10 3'6 7'0

- 2'0 Available in 2'0" Width
- 2'4 Available in 2'4" Width
- 2'6 Available in 2'6" Width

- 2'8 Available in 2'8" Width
- 2'10 Available in 2'10" Width
- 3'6 Available in 3'6" Width

Full-Glass Options

Fiber-Classic® & Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Privacy SDL



Smooth-Star
S1205()-SDLF1 ▲
(XG, XE)

Privacy SDL



Smooth-Star
S5705()-SDLF1 ▲
(XG, XE)

Privacy SDL



Smooth-Star
S5715()-SDLF1 ▲
(XG, XE)

Privacy SDL



Smooth-Star
S5725()-SDLF1 ▲
(XG, XE)

Privacy SDL



Smooth-Star
S2010()-SDL ▲
(XG) 216 218
(XE) 216 218

Privacy SDL



Smooth-Star
S685L()-SDLF2 ▲
(XG, XE)

Privacy SDL



Smooth-Star
S685R()-SDLF2 ▲
(XG, XE)

Privacy



Fiber-Classic Oak
2000XE ▲ (Satin Etch)



Smooth-Star
S2000() ▲
(XG)
(XE) 218 218

Internal Blinds




Smooth-Star
S2600-LE ▲ (Low-E) 216 218

Low-E / Clear SDL



Smooth-Star
S1205-SDLF1LE ▲ (Low-E) 210
S1205-SDLF1 ▲ (Clear)

Low-E / Clear SDL



Smooth-Star
S5705-SDLF1LE (Low-E) 2'10"
S5705-SDLF1 (Clear)

Low-E / Clear SDL



Smooth-Star
S5715-SDLF1LE (Low-E) 2'10"
S5715-SDLF1 (Clear)

Low-E / Clear SDL



Smooth-Star
S5725-SDLF1LE (Low-E) 2'10"
S5725-SDLF1 (Clear)

Low-E / Clear SDL



Smooth-Star
S2010-SDLLE (Low-E)
2'6" 2'8" 2'10"
S2010-SDL (Clear)
2'6" 2'8"

Low-E / Clear SDL



Smooth-Star
S685L-SDLF2LE (Low-E) 2'10"
S685L-SDLF2 (Clear)

Low-E / Clear SDL



Smooth-Star
S685R-SDLF2LE (Low-E) 2'10"
S685R-SDLF2 (Clear)

Low-E / Clear



Smooth-Star
S2000-LE (Low-E)
2'6" 2'8" 2'10"
S2000 (Clear)
2'8" 2'6"

Fiber-Classic Oak
2000-LE (Low-E) 2'6" 2'8"

Key

- Flush-Glazed Glass
- XG Geometric
- XE Satin Etch

- LE Low-E
- SDL Simulated Divided Lites
- SDLF1 Simulated Divided Lites

- SDLF2 Simulated Divided Lites
- 2'6" Available in 2'6" Width
- 2'8" Available in 2'8" Width

- 2'10" Available in 2'10" Width





3/4-Glass Options

3/4-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Homeward



Classic-Craft Canvas
CCV9922 (1D)

Augustine



Classic-Craft Canvas
CCV05027 (1W)

Arborwatch



Classic-Craft Canvas
CCV1418 (1D)

Borrassa



Classic-Craft Canvas
CCV1519 (1W)

Provincial



Classic-Craft Canvas
CCV05028 (1D)

Zaha



Classic-Craft Canvas
CCV1843 (1D)

Privacy



Classic-Craft Canvas
CCV05020(____)
(XC, XN)

Low-E



Classic-Craft Canvas
CCV05020-LE (Low-E)

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Blackstone



Fiber-Classic Oak
FC770 (1D)

Salinas



Smooth-Star
S6009 (1W)

Key

1D Black Nickel
1W Wrought Iron
XC Chord

XN Granite
LE Low-E

3/4-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Salinas



Smooth-Star
S6010 (1W) 2B

Maple Park



Fiber-Classic Mahogany
FCM902 (1D)



Fiber-Classic Oak
FC902 (1D) 2B



Smooth-Star
S6102 (1D)

Maple Park



Fiber-Classic Oak
FC777
(1D) 2B
(1C)



Smooth-Star
S6103 (1D) 2B

Saratoga



Fiber-Classic Oak
FC776 (1D, 1C)

Kensington



Fiber-Classic Mahogany
FCM156 (1D, 1C)



Fiber-Classic Oak
FC156 (1D, 1C)
2B

Kensington



Fiber-Classic Oak
FC20042 (1D, 1C) 2B

Axis



Smooth-Star
S1647 (1D)

Axis



Smooth-Star
S1646 (1D) 2B

Privacy SDL



Fiber-Classic Mahogany
FCM82XN-SDL
(Granite)




Fiber-Classic Oak
FC82XN-SDL
(Granite) 2B

Privacy SDL



Fiber-Classic Oak
FC92()-SDL
(XR)
(XN) 2B

Privacy



Fiber-Classic Oak
FC32XN
(Granite) 2jB

Smooth-Star
S80()
(XE, XJ)

Fiber-Classic Mahogany
FCM32XN (Granite)

Privacy



Smooth-Star
S90()
(XE, XJ) 2jB

Fiber-Classic Oak
FC766()
(XR)
(XN) 2jB

Internal Blinds




Smooth-Star
S5425-RTLE (Low-E)
S5425-RT (Clear)

Internal Blinds



Smooth-Star
S682-RTLE (Low-E)
S682-RT (Clear) 2jB

Low-E / Clear SDL



Fiber-Classic Oak
FC82-SDLLE
(Low-E) 2jB
FC82-SDL
(Clear) 2jB


Fiber-Classic Mahogany
FCM82-SDLLE (Low-E)
FCM82-SDL (Clear)

Low-E / Clear SDL



Fiber-Classic Oak
FC92-SDLLE (Low-E) 2jB
FC92-SDL (Clear) 2jB

GBG Flat White



Fiber-Classic Oak
FC2106-GBGFW
(Clear) 2jB


Fiber-Classic Mahogany
FCM2106-GBGFW (Clear)

GBG Flat White



Fiber-Classic Oak
FC1089-GBGFW (Clear) 2jB

Low-E / Clear



Fiber-Classic Oak
FC32-LE
(Low-E) 2jB
FC32
(Clear) 2jB

Smooth-Star
S80-LE (Low-E)
S80 (Clear)

Fiber-Classic Mahogany
FCM32-LE (Low-E)
FCM32 (Clear)

Low-E / Clear



Smooth-Star
S90-LE (Low-E) 2jB
S90 (Clear) 2jB

Fiber-Classic Oak
FC766-LE (Low-E) 2jB
FC766 (Clear) 2jB

Key

1D Black Nickel	XE Satin Etch	XN Granite
1C Brushed Nickel	XJ Chinchilla	LE Low-E
1W Wrought Iron	XR Rainglass	SDL Simulated Divided Lites

GBG Grilles Between Glass
2jB Available in 2'8" Width

2/3-Glass Options



Classic-Craft Rustic Collection, Augustine Glass, Door - CCR20537; Granite Glass, Sidelites - CCR3400XNSL

2/3-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Augustine



Classic-Craft Rustic
CCR20527 (1W)

Augustine



Classic-Craft Rustic
CCR04037 (1W)

Augustine



Classic-Craft Rustic
CCR20537 (1W)

Augustine



Classic-Craft Rustic
CCR20027 (1W)

Augustine



Classic-Craft Rustic
CCR20037 (1W)

Arborwatch



Classic-Craft Rustic
CCR1417 (1D)

Arborwatch



Classic-Craft Rustic
CCR1415 (1D)

Arborwatch



Classic-Craft Rustic
CCR1414 (1D)

Borrassa



Classic-Craft Rustic
CCR1514 (1W)

Borrassa



Classic-Craft Rustic
CCR1516 (1W)

2/3-Glass Options

Key

- 1D Black Nickel
- 1W Wrought Iron

2/3-Glass Options

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Borrassa



Classic-Craft Rustic
CCR1512 (1W)

Borrassa



Classic-Craft Rustic
CCR1515 (1W)

Borrassa



Classic-Craft Rustic
CCR1511 (1W)

Zaha



Classic-Craft Rustic
CCR1841 (1D)

Zaha



Classic-Craft Rustic
CCR1839 (1D)

Zaha



Classic-Craft Rustic
CCR1838 (1D)

Lucerna



Classic-Craft Rustic
CCR20522 (1D, 1C)

Lucerna



Classic-Craft Rustic
CCR20022 (1D, 1C)

Privacy



Classic-Craft Rustic
CCR04020XN (Granite)

Privacy



Classic-Craft Rustic
CCR20520XN (Granite)

2/3-Glass Options

Key

- | | | | |
|----|----------------|----|---------|
| 1D | Black Nickel | XN | Granite |
| 1C | Brushed Nickel | LE | Low-E |
| 1W | Wrought Iron | | |

Note: Product images show exterior side of door.

Privacy



Classic-Craft Rustic
CCR20020XN (Granite)

Low-E



Classic-Craft Rustic
CCR04020-LE (Low-E)

Low-E



Classic-Craft Rustic
CCR20520-LE (Low-E)

Low-E



Classic-Craft Rustic
CCR20020-LE (Low-E)



2/3-Glass Options



1/2-Glass Options

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

Privacy




Classic-Craft
Oak
CC48XE
(Satin Etch)

Classic-Craft Mahogany
CCM600XE (Satin Etch)

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Blackstone



Fiber-Classic Oak
FC109 (1D)
2|8



Smooth-Star
S6000 (1D, 1C)
2|8

Fiber-Classic Mahogany
FCM109 (1D)

Blackstone



Smooth-Star
S6032 (1D, 1C)
2|8

Fiber-Classic Mahogany
FCM6032 (1D)

Blackstone



Smooth-Star
S6052 (1D, 1C)

Fiber-Classic Mahogany
FCM6052 (1D)

Crystalline



Fiber-Classic Oak
FC45 (1D)
2|8



Smooth-Star
S926 (1C)
2|8 2|10

Fiber-Classic Mahogany
FCM45 (1D)

Crystalline



Smooth-Star
S6027 (1C)
2|8

Fiber-Classic Mahogany
FCM6027 (1D)

Crystalline



Smooth-Star
S6047 (1C)
2|8

Fiber-Classic Mahogany
FCM6047 (1D)

Sedona



Smooth-Star
S211 (1D) 2|8

Sedona



Smooth-Star
S6025 (1D) 2|8

Sedona



Smooth-Star
S6045 (1D)

Salinas



Fiber-Classic Oak
FC114 (1W)
2|8



Smooth-Star
S6006 (1W)
2|8 2|10

Fiber-Classic Mahogany
FCM114 (1W)

1/2-Glass Options

Key

1D Black Nickel
1C Brushed Nickel
1W Wrought Iron

XE Satin Etch
2|8 Available in 2'8" Width
2|10 Available in 2'10" Width

1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Salinas



Fiber-Classic Mahogany
FCM6031 (1W)

Salinas



Fiber-Classic Mahogany
FCM6051 (1W)



Smooth-Star
S6051 (1W) 2B

Maple Park



Fiber-Classic Mahogany
FCM901 (1D, 1C)



Fiber-Classic
Oak
FC901 (1D, 1C)
2B



Smooth-Star
S6101 (1D, 1C)
2B

Maple Park



Fiber-Classic Mahogany
FCM6107 (1D, 1C)

Maple Park



Fiber-Classic Mahogany
FCM6108 (1D, 1C)

Avonlea



Fiber-Classic Mahogany
FCM761 (1D)



Fiber-Classic
Oak
FC761 (1D)
2B



Smooth-Star
S964 (1D)
2B

Avonlea



Fiber-Classic Mahogany
FCM968 (1D)



Smooth-Star
S968 (1D)
2B

Avonlea



Fiber-Classic Mahogany
FCM966 (1D)



Smooth-Star
S966 (1D)

Saratoga



Smooth-Star
S213 (1D, 1C) 2B 2H

Saratoga



Smooth-Star
S6029 (1D, 1C) 2B

Saratoga



Smooth-Star
S6049 (1D, 1C) 2/8

Texas Star



Smooth-Star
S6073 (1C) 2/8 2/10

Texas Star



Smooth-Star
S6074 (1C) 2/8

Texas Star



Smooth-Star
S6075 (1C) 2/8

Wellesley



Smooth-Star
S214
(1D) 2/8 2/10 ONLY
(1C) 2/8 ONLY

Wellesley



Smooth-Star
S6030 (1D, 1C) 2/8

Wellesley



Smooth-Star
S6050
(1D) 2/8
(1C)

Concorde



Fiber-Classic Mahogany
FCM911 (1C)



Fiber-Classic Oak
FC911 (1C)
2/8



Smooth-Star
S426
(1D) 2/8 2/10
(1C) 2/8

Concorde



Fiber-Classic Mahogany
FCM6026 (1C)



Smooth-Star
S6026 (1D, 1C)
2/8

Concorde



Fiber-Classic Mahogany
FCM6046 (1C)



Smooth-Star
S6046
(1D) 2/8
(1C)



1/2-Glass Options

Key

- 1D Black Nickel
- 1C Brushed Nickel
- 1W Wrought Iron

- 2/8 Available in 2'8" Width
- 2/10 Available in 2'10" Width

1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Kensington



Fiber-Classic Oak
FC149 (1D) 2B



Smooth-Star
S161 (1D) 2B

Fiber-Classic Mahogany
FCM149 (1D) 2B 210

Kensington



Smooth-Star
S6036
(1D) 2B

Fiber-Classic Mahogany
FCM6036 (1D) 2B

Kensington



Smooth-Star
S6056 (1D)

Fiber-Classic Mahogany
FCM6056 (1D) 2B

Pembridge



Smooth-Star
S6560
(1D, 1C) 2B
(1A) 2B

Fiber-Classic Oak
FC6560
(1D, 1C, 1A) 2B

Pembridge



Smooth-Star
S6565
(1A) 2B

Pembridge



Smooth-Star
S6568
(1A) 2B

Frosted Images



Smooth-Star
S6023 2B ONLY

Privacy SDL



Smooth-Star
S262XE-SDL (Satin Etch) 2B 210

Privacy SDL




Smooth-Star
S6022XE-SDL (Satin Etch) 2B

Privacy SDL



Smooth-Star
S6042XE-SDL (Satin Etch) 2B

Privacy



Fiber-Classic Oak
FC62XR
(Rainglass) 2jB



Smooth-Star
S206()
(XE) 2jB 2j10
(XR) 2jB

Fiber-Classic Mahogany
FCM62XR (Rainglass)

Privacy



Smooth-Star
S6021()
(XE, XR) 2jB

Fiber-Classic Mahogany
FCM6021XR (Rainglass)

Privacy



Smooth-Star
S6041()
(XE) 2jB
(XR)

Fiber-Classic Mahogany
FCM6041XR (Rainglass)

Privacy



Smooth-Star
S104()
(XE) 2jB 2j10 7j0
(XR) 2jB

Internal Blinds



Fiber-Classic Oak
FC678-RTLE
(Low-E) 2jB 2j10
FC678-RT
(Clear) 2jB 2j10



Smooth-Star
S132-RTLE
(Low-E) 2jB 2jB 2j10
S132-RT
(Clear) 2jB 2jB 2j10

Fiber-Classic Mahogany
FCM678-RTLE (Low-E) 2jB 2j10
FCM678-RT (Clear) 2jB 2j10

Internal Blinds



Smooth-Star
S6035-RTLE
(Low-E) 2jB
S6035-RT
(Clear) 2jB

Fiber-Classic Mahogany
FCM6035-RTLE (Low-E) 2jB
FCM6035-RT (Clear) 2jB

Internal Blinds



Smooth-Star
S6055-RTLE
(Low-E) 2jB
S6055-RT
(Clear) 2jB

Fiber-Classic Mahogany
FCM6055-RTLE (Low-E) 2jB
FCM6055-RT (Clear) 2jB

Internal Blinds



Fiber-Classic Oak
FC116-RTLE
(Low-E) 2jB 2j10
FC116-RT
(Clear) 2jB 2j10



Smooth-Star
S131-RTLE (Low-E)
2jB 2jB 2j10 7j0
S131-RT (Clear)
2jB 2jB 2j10 7j0

Fiber-Classic Mahogany
FCM116-RTLE (Low-E) 2jB
FCM116-RT (Clear) 2jB

Screen Vented



Smooth-Star
S243 2jB 2j10

Screen Vented



Smooth-Star
S6034 2jB

1/2-Glass Options

Key

- No Stile Lines
- 1D Black Nickel
- 1C Brushed Nickel
- 1A Brass
- XE Satin Etch
- XR Rainglass
- LE Low-E
- SDL Simulated Divided Lites
- 7j0 7'0" Height in Select Sizes
- 2jB Available in 2'6" Width
- 2jB Available in 2'8" Width
- 2j10 Available in 2'10" Width

1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Screen Vented



Smooth-Star
S6054 2j8

Screen Vented



Smooth-Star
S137 2j8 2j10 7j0

Low-E / Clear SDL



Smooth-Star
S262-SDLLE (Low-E) 2j8 2j10
S262-SDL (Clear) 2j8 2j10

Low-E / Clear SDL



Smooth-Star
S6042-SDLLE (Low-E) 2j8
S6042-SDL (Clear) 2j8

Low-E / Clear SDL



Smooth-Star
S6022-SDLLE (Low-E) 2j8
S6022-SDL (Clear) 2j8

GBG Flat White



Fiber-Classic Mahogany
FCM65-GBGFWLE (Low-E) 2j8 2j10



Fiber-Classic
Oak
FC65-GBGFWLE
(Low-E) 2j8 2j10



Smooth-Star
S262-GBGFWLE
(Low-E) 2j8 2j10
S262-GBGFW
(Clear) 2j8 2j10

GBG Flat White



Fiber-Classic Mahogany
FCM6022-GBGFWLE (Low-E) 2j8



Smooth-Star
S6022-GBGFWLE
(Low-E) 2j8
S6022-GBGFW
(Clear) 2j8

GBG Flat White



Fiber-Classic Mahogany
FCM6042-GBGFWLE (Low-E) 2j8



Smooth-Star
S6042-GBGFWLE
(Low-E) 2j8
S6042-GBGFW
(Clear) 2j8

Fixed Grilles



Smooth-Star
S262-FXGLE (Low-E) 2j8 2j10
S262-FXG (Clear) 2j6 2j8 2j10

Fixed Grilles



Smooth-Star
S6022-FXGLE (Low-E) 2j8
S6022-FXG (Clear) 2j8

Fixed Grilles



Smooth-Star
S6042-FXGLE (Low-E) 2|8
S6042-FXG (Clear) 2|8

Low-E / Clear



Fiber-Classic Mahogany
FCM62-LE (Low-E) 2|8 2|10
FCM62 (Clear) 2|8 2|10



Fiber-Classic Oak
FC62-LE (Low-E) 2|8 2|10
FC62 (Clear) 2|8 2|10



Smooth-Star
S206-LE (Low-E) 2|6 2|8 2|10
S206 (Clear) 2|6 2|8 2|10

Low-E / Clear



Fiber-Classic Mahogany
FCM6021-LE (Low-E) 2|8
FCM6021 (Clear) 2|8



Smooth-Star
S6021-LE (Low-E) 2|8
S6021 (Clear) 2|8

Low-E / Clear



Fiber-Classic Mahogany
FCM6041-LE (Low-E) 2|8
FCM6041 (Clear) 2|8



Smooth-Star
S6041-LE (Low-E) 2|8
S6041 (Clear) 2|8

Smooth-Star® EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Low-E SDL



Smooth-Star
S1350-SDLF1LE (Low-E) 2|6 2|8

Low-E / Clear



Fiber-Classic Mahogany
FCM670-LE (Low-E) 2|8
FCM670 (Clear) 2|8



Fiber-Classic Oak
FC670-LE (Low-E) 2|8 2|10
FC670 (Clear) 2|8 2|10



Smooth-Star
S104-LE (Low-E) 2|6 2|8 2|10 7|0
S104 (Clear) 2|6 2|8 2|10 7|0

Fixed Grilles



Smooth-Star
S115-FXG (Clear) 2|6 2|8 2|10 7|0

Low-E



Smooth-Star
S105-LE (Low-E) 2|6 2|8 2|10 7|0

Low-E



Smooth-Star
S2100-LE (Low-E) 2|6 2|8

Key

- No Stile Lines
- ▲ Flush-Glazed Glass
- LE Low-E

- SDL Simulated Divided Lites
- GBG Grilles Between Glass
- FXG Fixed Grilles

- 7|0 7'0" Height in Select Sizes
- 2|6 Available in 2'6" Width
- 2|8 Available in 2'8" Width

- 2|10 Available in 2'10" Width



Oval-Glass Options

Smooth-Star, Wellesley Glass, Door - S774, Sidelites - S155SL, Transom - 19730T

Oval-Glass Options

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Blackstone



Fiber-Classic Oak
FC794 (1D, 1C)

Wellesley



Smooth-Star
S774 (1D, 1C)

Wellesley



Smooth-Star
S6082 (1D, 1C)

Wellesley



Fiber-Classic Oak
FC796 (1D, 1C)

Concorde



Smooth-Star
S773 (1C)



Smooth-Star
S999 (1D, 1C)

2|B

Concorde



Smooth-Star
S6084 (1C)

Concorde



Smooth-Star
S1000 (1C) 2|B

Kensington



Fiber-Classic Mahogany
FCM151 (1D, 1C)



Fiber-Classic
Oak

FC709
(1D, 1C)

Kensington



Fiber-Classic Mahogany
FCM789 (1D, 1C)



Fiber-Classic
Oak

FC151
(1D, 1C) 2|B

Kensington



Fiber-Classic Oak
FC798 (1D, 1C) 2|B

Key

- 1D Black Nickel
- 1C Brushed Nickel
- 2|B Available in 2'8" Width

Oval-Glass Options



Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Villager SDL



Classic-Craft American Style
CCA232-SDL (1D)

Homeward SDL



Classic-Craft American Style
CCA231-SDL (1D)

Homeward



Classic-Craft American Style
CCA211 (1D, 1C)

Arborwatch SDL



Classic-Craft American Style
CCA9300-SDL (1D)

Arborwatch



Classic-Craft American Style
CCA9100 (1D)

Privacy SDL



Classic-Craft American Style
CCA220()-SDL
(XG, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft Canvas
CCV920XG-SDL
(Geometric)

Privacy SDL



Classic-Craft American Style
CCA230()-SDL
(XG, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft Canvas
CCV930XG-SDL
(Geometric)

Privacy SDL



Classic-Craft American Style
CCA240XR-SDL
(Rainglass)

Privacy SDL



Classic-Craft American Style
CCA260()-SDL
(XG, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft Canvas
CCV960XG-SDL
(Geometric)

Privacy



Classic-Craft American Style
CCA210()
(XG, XC, XJ, XR, XN)

Privacy



Classic-Craft Canvas
CCV910XG
(Geometric)



Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 3'0" width.

Low-E SDL



Classic-Craft American Style
CCA220-SDLLE 🍷
(Low-E)

Low-E SDL



Classic-Craft Canvas
CCV920-SDLLE 🍷
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA230-SDLLE 🍷
(Low-E)

Low-E SDL



Classic-Craft Canvas
CCV930-SDLLE 🍷
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA240-SDLLE 🍷
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA260-SDLLE 🍷
(Low-E)

Low-E SDL



Classic-Craft Canvas
CCV960-SDLLE 🍷
(Low-E)

Low-E



Classic-Craft American Style
CCA210-LE 🍷
(Low-E)

Low-E



Classic-Craft Canvas
CCV910-LE 🍷
(Low-E)

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Sedona



Smooth-Star
S604 (1C)

Maple Park



Fiber-Classic Mahogany
FCM609 (1D, 1C) ²/₈



Smooth-Star
S609
(1D, 1C) ²/₈

Saratoga



Fiber-Classic Mahogany
FCM602 (1D) ²/₈



Smooth-Star
S602
(1D, 1C) ²/₈

Pembridge



Smooth-Star
S2640-FF (1C, 1A)

Pembridge



Smooth-Star
S6520 (1A)

Axis



Smooth-Star
S2620-FF (1D) ²/₈

Axis



Fiber-Classic Mahogany
FCM1650 (1D) ²/₈



Smooth-Star
S1650 (1D) ²/₈

Privacy SDL



Fiber-Classic Mahogany
FCM605()-SDL
(XE, XC, XJ, XN) ²/₈



Smooth-Star
S605()-SDL
(XE, XC, XJ,
XR, XN) ²/₈

Privacy SDL



Fiber-Classic Mahogany
FCM606()-SDL
(XE, XC, XJ, XN) ²/₈



Smooth-Star
S606()-SDL
(XE, XC, XJ,
XR, XN) ²/₈

Privacy SDL



Smooth-Star
S607()-SDL
(XE, XC, XJ, XR, XN) ²/₈

Craftsman Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.


Privacy SDL



Smooth-Star
S608()-SDL
(XE, XC, XJ,
XR, XN) 2|B

Fiber-Classic Mahogany
FCM608()-SDL
(XE, XC, XJ, XN) 2|B

Privacy



Smooth-Star
S2610()-FF
(XG, XE, XC, XJ, XR, XN) 2|B

Privacy



Smooth-Star
S601()
(XE, XC, XJ,
XR, XN) 2|B

Fiber-Classic Mahogany
FCM601()
(XE, XC, XJ, XN) 2|B

Low-E SDL



Smooth-Star
S605-SDLLE
(Low-E) 2|B

Fiber-Classic Mahogany
FCM605-SDLLE (Low-E) 2|B

Low-E SDL



Smooth-Star
S606-SDLLE
(Low-E) 2|B

Fiber-Classic Mahogany
FCM606-SDLLE (Low-E) 2|B

Low-E SDL



Smooth-Star
S607-SDLLE (Low-E) 2|B

Low-E SDL



Smooth-Star
S608-SDLLE
(Low-E) 2|B

Fiber-Classic Mahogany
FCM608-SDLLE (Low-E) 2|B

Low-E



Smooth-Star
S2610-FFLE (Low-E) 2|B

Low-E



Smooth-Star
S601-LE
(Low-E) 2|B


Fiber-Classic Mahogany
FCM601-LE (Low-E) 2|B

Smooth-Star®

EnLiten™ Flush-Glazed Designs


All doors available in 6'8" height and 3'0" width.

Privacy SDL




Smooth-Star
S4812XE-SDLF1 (Satin Etch)

Privacy SDL




Smooth-Star
S4813XE-SDLF1 (Satin Etch)

Privacy SDL




Smooth-Star
S4814XE-SDLF1 (Satin Etch)

Privacy SDL




Smooth-Star
S4816XE-SDLF1 (Satin Etch)

Privacy




Smooth-Star
S4810XE (Satin Etch)

Low-E SDL




Smooth-Star
S4812-SDLF1LE (Low-E) 2/B

Low-E SDL




Smooth-Star
S4814-SDLF1LE (Low-E) 2/B

Low-E SDL




Smooth-Star
S4816-SDLF1LE (Low-E) 2/B

Low-E SDL



Smooth-Star
S4813-SDLF1LE (Low-E) 2/B

Low-E




Smooth-Star
S4810-LE (Low-E) 2/B





Minimal-Glass Options



Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM736, Sidelites – FCM812SL

Minimal-Glass Options

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Saratoga



Smooth-Star
S291 (1C)

Privacy



Smooth-Star
S289XE (Satin Etch) 2|B

GBG Flat White



Smooth-Star
S807-GBGFWE
(Low-E) 2|B

Fixed Grilles



Smooth-Star
S807-FXG (Clear) 2|B

Low-E / Clear



Fiber-Classic Oak
FC48 (Clear)



Smooth-Star
S289-LE
(Low-E) 2|B
S289
(Clear) 2|B

Saratoga



Smooth-Star
S9354 (1C) 2|B

GBG Flat White



Smooth-Star
S93203-GBGFWE (Low-E) 2|B

Fixed Grilles



Smooth-Star
S93203-FXG (Clear) 2|B

Privacy



Smooth-Star
S9320XE (Satin Etch) 2|B

Low-E / Clear



Fiber-Classic Oak
FC80920 (Clear) 2|B



Smooth-Star
S9320-LE
(Low-E) 2|B
S9320
(Clear) 2|B



Minimal-Glass Options

Key

1C Brushed Nickel
XE Satin Etch
LE Low-E

GBG Grilles Between Glass
FXG Fixed Grilles
2|B Available in 2'8" Width

Minimal-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

Maple Park



Fiber-Classic Oak
FC736 (1D) 2j8

Saratoga



Smooth-Star
S707 (1D) 2j8

Concorde



Smooth-Star
S735 (1C) 2j8 2j10

Pembridge



Smooth-Star
S745 (1D, 1C, 1A) 2j8

Low-E



Fiber-Classic Mahogany
FCM708-LE (Low-E) 2j8 2j10



Fiber-Classic Oak
FC708-LE
(Low-E)
2j8 2j10

GBG Flat White



Smooth-Star
S255-GBGFW (Clear) 2j8

Fixed Grilles



Smooth-Star
S255-FXGLE (Low-E) 2j8
S255-FXG (Clear) 2j8

Low-E / Clear



Smooth-Star
S256-LE (Low-E) 2j8
S256 (Clear) 2j8

Pembridge



Smooth-Star
S6570 (1D, 1C, 1A) 2j6 2j8

Axis



Smooth-Star
S1645 (1D) 2j6 2j8 2j10

Minimal-Glass Options

Key

1D Black Nickel
1C Brushed Nickel
1A Brass

XE Satin Etch
XC Chord
XR Rainglass

XN Granite
LE Low-E
GBG Grilles Between Glass

FXG Fixed Grilles
2j6 Available in 2'6" Width
2j8 Available in 2'8" Width

2j10 Available in 2'10" Width

Note: Product images show exterior side of door.

Privacy



Fiber-Classic Oak
FC61XR
(Rainglass)
2j6 2j8 2j10



Smooth-Star
S296(____)
(XE, XC, XR, XN)
2j6 2j8 2j10

Fiber-Classic Mahogany
FCM61XR (Rainglass) 2j8 2j10

Low-E / Clear



Fiber-Classic Oak
FC61-LE (Low-E)
2j6 2j8 2j10



Smooth-Star
S296-LE (Low-E)
2j6 2j8 2j10
S296 (Clear)
2j6 2j8 2j10

Fiber-Classic Mahogany
FCM61-LE (Low-E) 2j8 2j10
FCM61 (Clear) 2j8 2j10

Fixed Grilles



Smooth-Star
S236-FXG (Clear) 2j8 2j10



Minimal-Glass Options



Classic-Craft American Style Collection, Door – CCA1145; Low-E Glass with SDLs, Sidelites – CCA2310SL

Solid Panel Options

Note: Product images show exterior side of door.

Classic-Craft® Shaker

All doors available in 6'8" height and 3'0" width.

1-Panel Shaker



Classic-Craft American Style
CCA1100

3-Panel Shaker



Classic-Craft American Style
CCA1133-DDBF4

4-Panel Shaker



Classic-Craft American Style
CCA1145-DDBF4

5-Panel Shaker



Classic-Craft American Style
CCA1150-DDBF3

2-Panel Craftsman Shaker



Classic-Craft American Style
CCA1125-DDBF5

4-Panel Craftsman Shaker



Classic-Craft American Style
CCA1149-DDBF5

4-Panel Square Top Shaker



Classic-Craft American Style
CCA1147-DDBF5

6-Panel Shaker



Classic-Craft American Style
CCA1166-DDBF5

5-Panel Square Top Shaker



Classic-Craft American Style
CCA1158-DDBF3

2-Panel Square Top Shaker



Classic-Craft American Style
CCA1127-DDBF4

Key

- DDBF3 Door Divider Bars
- DDBF4 Door Divider Bars
- DDBF5 Door Divider Bars

Solid Panel Options

Classic-Craft® Shaker

All doors available in 6'8" height and 3'0" width.

X-Brace



Classic-Craft American Style
CCA4905-DDBF3

Z-Brace-Left



Classic-Craft American Style
CCA4915L-DDBF3

Z-Brace-Right



Classic-Craft American Style
CCA4915R-DDBF3

Double-Z-Left



Classic-Craft American Style
CCA4925L-DDBF5

Double-Z-Right



Classic-Craft American Style
CCA4925R-DDBF5

Double-X



Classic-Craft American Style
CCA4935-DDBF5

Bottom-X



Classic-Craft American Style
CCA4945-DDBF5

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 3'0" width.

2-Panel 3/4 Top



Classic-Craft Oak
CC91

2-Panel Plank Soft Arch



Classic-Craft Rustic
CCR205

4-Panel Round Top



Classic-Craft Rustic
CCR040

2-Panel Soft Arch



Classic-Craft Rustic
CCR200

Full Plank



Classic-Craft Rustic
CCR100

6-Panel



Classic-Craft Mahogany
CCM60



Classic-Craft Oak
CC60

5-Panel



Classic-Craft Canvas
CCV050

4-Panel Square Top



Classic-Craft Canvas
CCV400

Note: Product images show exterior side of door.

Solid Panel Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 3'0" width.

3-Panel Square Top



Fiber-Classic Mahogany
FCM31



Fiber-Classic Oak
FC31 ^{2|6}

2-Panel 3/4 Top



Fiber-Classic Oak
FC809 ^{2|6}



Smooth-Star
S93 ^{2|6}

2-Panel Square Top



Fiber-Classic Mahogany
FCM220 ^{2|6}



Smooth-Star
S220* ^{2|6}
SSF220 ^{2|6}

1-Panel Shaker



Smooth-Star
S1100 ^{2|6}

2-Panel Square Top Shaker



Smooth-Star
S120 ^{2|6}

2-Panel Soft Arch



Smooth-Star
S200 ^{2|6} ^{2|6}

2-Panel Plank Soft Arch



Fiber-Classic Mahogany
FCM205 ^{2|6}



Smooth-Star
S205 ^{2|6}

3-Panel Scroll



Fiber-Classic Mahogany
FCM755



Fiber-Classic Oak
FC755



Smooth-Star
S755

8-Panel



Fiber-Classic Oak
FC134



Smooth-Star
S11

4-Panel Square Top



Fiber-Classic Oak
FC808




Smooth-Star
S960 ^{2|6}

Key

- No Stile Lines
- 20-Minute Fire-Rated**
- 6'6" Height in Select Sizes
- 7'0" Height in Select Sizes
- Available in 2'0" Width
- Available in 2'4" Width
- Available in 2'6" Width
- Available in 2'8" Width
- Available in 2'10" Width
- Available in 3'6" Width

2-Panel Craftsman Shaker



Smooth-Star
S4800 218
SSF4800 210

2-Panel Craftsman



Fiber-Classic Mahogany
FCM600 218



Smooth-Star
S600 218

6-Panel



Fiber-Classic Mahogany
FCM60 218 210



Fiber-Classic
Oak
FC60* 216 218 210



Smooth-Star
S210* 216 218 210
SSF160 210 218

Flush Panel



Fiber-Classic Mahogany
FCM1000 216 218



Fiber-Classic
Oak
1000 216 218 210



Smooth-Star
S100 210 214 216 218 210 216 218 210 216 218
SSF100 210



*Select sizes available with elevated 10" bottom rail.

**To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

Pulse® Options

All doors available in 6'8" height and 3'0" width.


Ari

Sedona



Smooth
S2SN (1C) 2/8

Saratoga



Oak
FC2SG
(1D)

2/8 2/10

Smooth
S2SG
(1D, 1C)

2/8 2/10 3/6


Mahogany
FCM2SG (1D) 2/8

Pembridge



Smooth
S2PB-FF (1C, 1A) 2/8
S2PB (1A) 2/8

Axis



Oak
FC2AX
(1D)

2/8 2/10

Smooth
S2AX-FF
S2AX
(1D)

2/8 2/10 3/6

Mahogany
FCM2AX (1D) 2/8

Privacy



Oak
FC2(____)
(XE, XC, XJ, XN) 2'8" 2'10"



Smooth
S2(____)-FF
(XG, XE, XC, XJ, XR, XN) 2'8" 2'10" 3'6"

S2(____)
(XE, XC, XJ, XR, XN) 2'8" 2'10" 3'6"

Mahogany
FCM2(____)
(XE, XC, XJ, XN) 2'8"

Low-E



Oak
FC2CL-LE
(Low-E) 2'8" 2'10"




Smooth
S2CL-FFLE
S2CL-LE
(Low-E) 2'8" 2'10" 3'6"

Mahogany
FCM2CL-LE (Low-E) 2'8"


Línea

Sedona



Smooth
S1(L, C, R)SN (1D) 2'6" 2'8" 2'10" 3'6"

Salinas



Smooth
S1(L, C, R)SA
(1W) 2'6" 2'8" 2'10" 3'6"

Saratoga




Oak
FC1(L, C, R)SG
(1D) 2'6" 2'8" 2'10"



Smooth
S1(L, C, R)SG
(1D, 1C) 2'6" 2'8" 2'10" 3'6"


Mahogany
FCM1(L, C, R)SG
(1D) 2'6" 2'8"

Pembridge



Smooth
S1(L, C, R)PB-FF (1C) 2'6" 2'8"
S1(L, C, R)PB (1A) 2'6" 2'8"

Axis



Smooth
S1(L, C, R)AX
(1D) 2'6" 2'8" 2'10" 3'6"

Privacy



Oak
FC1(L, C, R)XE
(Satin Etch) 2'6" 2'8" 2'10"



Smooth
S1(L, C, R)(____)-FF
(XE, XC, XR) 2'6" 2'8" 2'10" 3'6"
S1(L, C, R)(____)
(XE, XC, XJ, XR, XN) 2'6" 2'8" 2'10" 3'6"

Mahogany
FCM1(L, C, R)XE
(Satin Etch) 2'6" 2'8"

Low-E / Clear



Oak
FC1(L, C, R)CL-LE (Low-E) 2'6" 2'8"
FC1(L, C, R)CL (Clear) 2'6" 2'8" 2'10"



Smooth
S1(L, C, R)CL-FFLE (Low-E)
S1(L, C, R)CL-LE (Low-E)
S1(L, C, R)CL (Clear) 2'6" 2'8" 2'10" 3'6"

Mahogany
FCM1(L, C, R)CL-LE (Low-E) 2'6" 2'8"
FCM1(L, C, R)CL (Clear) 2'6" 2'8"

Key


1D	Black Nickel	1W	Wrought Iron	XC	Chord	XN	Granite	FF	Flat Frame	2'10"	Available in 2'10" Width
1C	Brushed Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E	2'6"	Available in 2'6" Width	3'6"	Available in 3'6" Width
1A	Brass	XE	Satin Etch	XR	Rainglass	CL	Clear	2'8"	Available in 2'8" Width		

Pulse® Options

All doors available in 6'8" height and 3'0" width.

Echo


Pembridge



Smooth

S4(L, C, R)PB-FF (1D, 1C) 2/6 2/8
S4(L, C, R)PB (1D, 1C, 1A) 2/6 2/8

Pembridge



Smooth

S5(L, C, R)PB-FF (1D, 1C) 2/6 2/8
S5(L, C, R)PB (1D, 1C, 1A) 2/6 2/8

Pembridge



Smooth

S9(L, C, R)PB-FF (1D, 1C) 2/6 2/8
S9(L, C, R)PB (1D, 1C, 1A) 2/6 2/8


Pembridge



Smooth

S8(L, C, R)PB-FF (1D, 1C) 2/6 2/8
S8(L, C, R)PB (1D, 1C, 1A) 2/6 2/8


Axis



Smooth

S4(L, C, R)AX
(1D) 2/6 2/8 2/10 3/6


Axis



Smooth

S5(L, C, R)AX
(1D) 2/6 2/8 2/10 3/6

Axis



Smooth

S9(L, C, R)AX
(1D) 2/6 2/8 2/10 3/6

Axis



Smooth

S8(L, C, R)AX
(1D) 2/6 2/8 2/10 3/6

Privacy



Mahogany

FCM4(L, C, R)XR
(Rainglass) 2/6 2/8



Oak

FC4(L, C, R)XR
(Rainglass)
2/6 2/8 2/10



Smooth

S4(L, C, R)(_)FF
(XG, XE, XC, XJ, XR,
XN) 2/6 2/8 2/10 3/6

S4(L, C, R)(_)
(XE, XC, XR, XN)
2/6 2/8 2/10 3/6

Privacy



Mahogany

FCM5(L, C, R)XR
(Rainglass) 2/6 2/8



Oak

FC5(L, C, R)XR
(Rainglass)
2/6 2/8 2/10



Smooth

S5(L, C, R)(_)FF
(XG, XE, XC, XJ, XR,
XN) 2/6 2/8 2/10 3/6

S5(L, C, R)(_)
(XE, XC, XR, XN)
2/6 2/8 2/10 3/6

Privacy



Mahogany
FCM9(L, C, R)XR
(Rainglass) 2j6 2j8



Oak
FC9(L, C, R)XR
(Rainglass) 2j6 2j8 2j10



Smooth
S9(L, C, R)(_)FF
(XG, XE, XC, XJ, XR, XN) 2j6 2j8 2j10 3j6
S9(L, C, R)(_)
(XE, XC, XR, XN) 2j6 2j8 2j10 3j6

Privacy



Mahogany
FCM8(L, C, R)XR
(Rainglass) 2j6 2j8



Oak
FC8(L, C, R)XR
(Rainglass) 2j6 2j8 2j10



Smooth
S8(L, C, R)(_)FF
(XG, XE, XC, XJ, XR, XN) 2j6 2j8 2j10 3j6
S8(L, C, R)(_)
(XE, XC, XR, XN) 2j6 2j8 2j10 3j6

Low-E / Clear



Mahogany
FCM4(L, C, R)CL-LE
(Low-E) 2j6 2j8
FCM4(L, C, R)CL
(Clear) 2j6 2j8



Oak
FC4(L, C, R)CL-LE
(Low-E) 2j6 2j8 2j10
FC4(L, C, R)CL
(Clear) 2j6 2j8 2j10



Smooth
S4(L, C, R)CL-FFLE
(Low-E)
S4(L, C, R)CL-LE
(Low-E)
S4(L, C, R)CL
(Clear) 2j6 2j8 2j10 3j6

Low-E / Clear



Mahogany
FCM5(L, C, R)CL-LE
(Low-E) 2j6 2j8
FCM5(L, C, R)CL
(Clear) 2j6 2j8



Oak
FC5(L, C, R)CL-LE
(Low-E) 2j6 2j8 2j10
FC5(L, C, R)CL
(Clear) 2j6 2j8 2j10



Smooth
S5(L, C, R)CL-FFLE
(Low-E)
S5(L, C, R)CL-LE
(Low-E)
S5(L, C, R)CL
(Clear) 2j6 2j8 2j10 3j6

Low-E / Clear



Mahogany
FCM9(L, C, R)CL-LE
(Low-E) 2j6 2j8
FCM9(L, C, R)CL
(Clear) 2j6 2j8



Oak
FC9(L, C, R)CL-LE
(Low-E) 2j6 2j8 2j10
FC9(L, C, R)CL
(Clear) 2j6 2j8 2j10



Smooth
S9(L, C, R)CL-FFLE
(Low-E)
S9(L, C, R)CL-LE
(Low-E)
S9(L, C, R)CL
(Clear) 2j6 2j8 2j10 3j6

Low-E / Clear



Mahogany
FCM8(L, C, R)CL-LE
(Low-E) 2j6 2j8
FCM8(L, C, R)CL
(Clear) 2j6 2j8



Oak
FC8(L, C, R)CL-LE
(Low-E) 2j6 2j8 2j10
FC8(L, C, R)CL
(Clear) 2j6 2j8 2j10



Smooth
S8(L, C, R)CL-FFLE
(Low-E)
S8(L, C, R)CL-LE
(Low-E)
S8(L, C, R)CL
(Clear) 2j6 2j8 2j10 3j6

Key

1D	Black Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E	2j6	Available in 2'6" Width	3j6	Available in 3'6" Width
1C	Brushed Nickel	XE	Satin Etch	XR	Rainglass	CL	Clear	2j8	Available in 2'8" Width		
1A	Brass	XC	Chord	XN	Granite	FF	Flat Frame	2j10	Available in 2'10" Width		



Full-Glass Sidelites

Classic-Craft® Shaker EnLiten™ Flush-Glazed Designs

All sidelites available in 6'8" height and 12" and 14" widths.

Villager



Classic-Craft American Style
CCA2430SL
(1D, 1C)

Homeward



Classic-Craft American Style
CCA2420SL
(1D, 1C)

Arborwatch



Classic-Craft American Style
CCA2410SL
(1D, 1C)

Privacy SDL



Classic-Craft American Style
CCA2300()SL-SDLF4
(XG, XE, XC, XJ, XR, XN)

Sidelite Configurations

Configure a beautiful look to suit your home.



Privacy SDL



Classic-Craft American Style
CCA2310()SL-SDLF4
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2320()SL-SDLF3
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2330()SL-SDLF3
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA2340()SL-SDLF3
(XG, XE, XC, XJ, XR, XN)

Key

● Flush-Glazed Glass	XG Geometric	XJ Chinchilla
1D Black Nickel	XE Satin Etch	XR Rainglass
1C Brushed Nickel	XC Chord	XN Granite

Note: Product images show exterior side of sidelite.

Privacy



Classic-Craft American Style
CCA2400()SL
(XG, XE, XC, XJ, XR, XN)

Low-E SDL



Classic-Craft American Style
CCA2300SL-SDLF4LE
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA2310SL-SDLF4LE
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA2320SL-SDLF3LE
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA2330SL-SDLF3LE
(Low-E)

Low-E SDL



Classic-Craft American Style
CCA2340SL-SDLF3LE
(Low-E)

Low-E



Classic-Craft American Style
CCA2400SL-LE
(Low-E)

Classic-Craft EnLiten™ Flush-Glazed Designs

All sidelites available in 6'8" height and 12" and 14" widths.

Homeward



Classic-Craft American Style
CCA3401SL
▲ (1D) 14 ONLY

Privacy SDL



Classic-Craft Canvas
CCV950()SL-SDL
▲ (XG, XE)

Classic-Craft American Style
CCA3450XGSL-SDL
▲ (Geometric)

Privacy



Classic-Craft Mahogany
CCM3400()SL
▲ (XG, XE)



Classic-Craft Rustic
CCR3400()SL
▲ (XG, XE, XR, XN)

Classic-Craft American Style
CCA3400XGSL
▲ (Geometric)

Privacy



Classic-Craft Canvas
CCV100()SL
▲ (XG, XE)

Classic-Craft Oak
CC2020()SL
▲ (XG, XE)

Low-E SDL



Classic-Craft American Style
CCA3450SL-SDLLE
▲ (Low-E)

Low-E



Classic-Craft Rustic
CCR3400SL-LE
▲ (Low-E)

Classic-Craft American Style
CCA3400SL-LE
▲ (Low-E)

Full-Glass Sidelites

LE Low-E
SDL Simulated Divided Lites
SDLF3 Simulated Divided Lites
SDLF4 Simulated Divided Lites Available in 14" Width

Full-Glass Sidelites

Fiber-Classic® & Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

Full-Glass Sidelites

Sedona



Smooth-Star
S139SL (1D)

Sedona



Smooth-Star
S604SL (1D) 10

Salinas



Smooth-Star
S6008SL (1W)

Salinas



Smooth-Star
S6134SL (1W) 10

Maple Park



Smooth-Star
S6100SL (1D, 1C)

Fiber-Classic Oak
FC900SL (1D)

Maple Park



Fiber-Classic Oak
FC812SL (1D)

Fiber-Classic Mahogany
FCM812SL (1D) 10

Saratoga



Smooth-Star
S154SL (1D, 1C)

Fiber-Classic Oak
FC905SL (1D)

Saratoga



Fiber-Classic Mahogany
FCM815SL (1D) 10



Fiber-Classic Oak
FC815SL (1D)



Smooth-Star
S602SL (1D, 1C) 10 ONLY

Wellesley



Smooth-Star
S155SL (1D)

Wellesley



Smooth-Star
S5870SL (1D) 10

Concorde



Smooth-Star
S416SL (1D)

Concorde



Smooth-Star
S4070SL (1D) 10

Kensington



Fiber-Classic Oak
FC813SL (1C)

Fiber-Classic Mahogany
FCM813SL (1C) 10 ONLY



Smooth-Star
S6132SL (1C) 10

Kensington



Smooth-Star
S160SL (1D)

Fiber-Classic Oak
FC148SL (1C)

Axis




Smooth-Star
S1652SL (1D)

Axis



Smooth-Star
S1651SL (1D)
10

Privacy



Fiber-Classic Oak Mahogany
FCM12101XESL (Satin Etch) 10

Privacy



Fiber-Classic Oak
FC47XESL (Satin Etch)

Internal Blinds




Fiber-Classic Oak
FC141SL-RTLE (Low-E)

Privacy



Smooth-Star
S2000XESL (Satin Etch)
10

Internal Blinds



Fiber-Classic Oak Mahogany
FCM1286SL-RTLE (Low-E) 10

GBG Flat White




Smooth-Star
S308SL-GBGFWLE (Low-E)
S308SL-GBGFW (Clear)

GBG Flat White




Smooth-Star
S1170SL-GBGFWLE (Low-E) 10
S1170SL-GBGFW (Clear) 10

Low-E / Clear




Fiber-Classic Oak Mahogany
FCM12101SL-LE (Low-E) 10
FCM12101SL (Clear) 10 ONLY

Low-E / Clear



Smooth-Star
S100SL-FFLE (Low-E)
S100SL-LE (Low-E)
S100SL (Clear)

Low-E / Clear



Smooth-Star
S2000SL (Low-E) 10 12 14 ONLY
(10" No Vented)

Fiber-Classic® & Smooth-Star® EnLiten™ Flush-Glazed Designs
All sidelites available in 6'8" height and 12" and 14" widths.

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- 1D Black Nickel
- 1C Brushed Nickel
- 1W Wrought Iron
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- GBG Grilles Between Glass
- FF Flat Frame
- 10 Available in 10" Width
- 12 Available in 12" Width
- 14 Available in 14" Width



3/4 & 1/2-Glass Sidelites

Fiber-Classic® & Smooth-Star®

All sidelites available in 6'8" height and 12" and 14" widths.

Low-E



Smooth-Star
S751SL-LE
(Low-E)

Saratoga



Smooth-Star
S291SL
(1C)

Privacy



Smooth-Star
S210XESL
(Satin Etch)

Sidelite Configurations

Configure a beautiful look to suit your home.



GBG Flat White



Smooth-Star
S263SL-GBGFWE
(Low-E)

Fixed Grilles



Smooth-Star
S263SL-FXG
(Clear)

Low-E / Clear



Fiber-Classic Mahogany
FCM62SL (Clear)



Fiber-Classic Oak
FC48SL
(Clear)



Smooth-Star
S210SL-LE
(Low-E)
S210SL
(Clear)

Key

- Flush-Glazed Glass
- 1D Black Nickel
- 1C Brushed Nickel
- XG Geometric
- XE Satin Etch
- LE Low-E
- SDL Simulated Divided Lites
- SDLF1 Simulated Divided Lites
- GBG Grilles Between Glass
- FXG Fixed Grilles

Above: Smooth-Star, Saratoga Glass, Door – S6029, Sidelites – S291SL, Transom – 19750T



Craftsman Sidelites

Note: Product images show exterior side of sidelite.

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All sidelites available in 6"8" height and 12" and 14" widths.

Smooth-Star®

EnLiten™ Flush-Glazed Designs

All sidelites available in 6"8" height and 12" and 14" widths.

Arborwatch



Classic-Craft American Style
CCA9100SL ▲
(1D)

Privacy SDL



Classic-Craft American Style
CCA220XGSL-SDL ▲
(Geometric)

Privacy SDL



Classic-Craft Canvas
CCV920XGSL-SDL ▲
(Geometric)

Privacy



Classic-Craft American Style
CCA210XGSL ▲
(Geometric)

Low-E SDL



Smooth-Star
S4812SL-SDLF1LE ▲
(Low-E)

Sidelite Configurations

Configure a beautiful look to suit your home.



Privacy



Classic-Craft Canvas
CCV910XGSL ▲
(Geometric)

Low-E SDL



Classic-Craft American Style
CCA220SL-SDLLE ▲
(Low-E)

Low-E



Classic-Craft American Style
CCA210SL-LE ▲
(Low-E)

Low-E



Smooth-Star
S4810SL-LE ▲
(Low-E)

Above: Classic-Craft American Style Collection, Low-E Glass with SDLs,
Door – CCA230, Sidelites – CCA210SL

Pulse® Sidelites

All sidelites available in 6'8" height and 12" and 14" widths.

Axis



Smooth
S5AXSL (1D)

Axis



Smooth
S4AXSL (1D)

Axis




Smooth
S9AXSL (1D)

Axis




Smooth
S10AXSL (1D)

Privacy



Mahogany
FCM5XRSL ●
(Rainglass)

Privacy




Mahogany
FCM4XRSL ●
(Rainglass)

Privacy



Mahogany
FCM9XRSL ●
(Rainglass)


Privacy



Mahogany
FCM10XRSL ●
(Rainglass)

Sidelite Configurations

Configure a beautiful look to suit your home.



Key

- Vented Sidelite
- 1D Black Nickel
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- CL Clear
- FF Flat Frame

Above: Pulse Echo, Geometric Glass with Flat Lite Frame, Door – S9XG, Sidelite – S9XGSL

Note: Product images show exterior side of sidelite.

Low-E / Clear



Oak
 FC5CLSL-LE ●
 (Low-E)
 FC5CLSL ●
 (Clear)



Smooth
 S5CLSL-FFLE ●
 (Low-E)
 S5CLSL-LE ●
 (Low-E)
 S5CLSL ●
 (Clear)

Mahogany
 FCM5CLSL-LE ●
 (Low-E)
 FCM5CLSL ●
 (Clear)

Low-E / Clear



Oak
 FC4CLSL-LE ●
 (Low-E)
 FC4CLSL ●
 (Clear)



Smooth
 S4CLSL-FFLE ●
 (Low-E)
 S4CLSL-LE ●
 (Low-E)
 S4CLSL ●
 (Clear)

Mahogany
 FCM4CLSL-LE ●
 (Low-E)
 FCM4CLSL ●
 (Clear)

Low-E / Clear



Oak
 FC9CLSL-LE ●
 (Low-E)
 FC9CLSL ●
 (Clear)



Smooth
 S9CLSL-FFLE ●
 (Low-E)
 S9CLSL-LE ●
 (Low-E)
 S9CLSL ●
 (Clear)

Mahogany
 FCM9CLSL-LE ●
 (Low-E)
 FCM9CLSL ●
 (Clear)

Low-E / Clear



Oak
 FC10CLSL-LE ●
 (Low-E)
 FC10CLSL ●
 (Clear)



Smooth
 S10CLSL-FFLE ●
 (Low-E)
 S10CLSL-LE ●
 (Low-E)
 S10CLSL ●
 (Clear)

Mahogany
 FCM10CLSL-LE ●
 (Low-E)
 FCM10CLSL ●
 (Clear)





8'0" Full-Glass Options

8'0" Full-Glass Options

Note: Product images show exterior side of door.

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Privacy SDL



Classic-Craft American Style
CCA82300()-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82310()-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82320()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82330()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82340()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82350()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82360()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82380()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA82370()-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84900()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Key

- Flush-Glazed Glass
- XG Geometric
- XE Satin Etch

- XC Chord
- XJ Chinchilla
- XR Rainglass

- XN Granite
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites

- SDLF5 Simulated Divided Lites

8'0" Full-Glass Options

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Privacy SDL



Classic-Craft American Style
CCA84910L()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84910R()-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84920L()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84920R()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84930()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA84940()-SDLF5 ●
(XG, XE, XC, XJ, XR, XN)

Privacy



Classic-Craft American Style
CCA82400() ●
(XG, XE, XC, XJ, XR, XN)

Low-E SDL



Classic-Craft American Style
CCA82300-SDLF4LE ● (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82310-SDLF4LE ● (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82320-SDLF3LE ● (Low-E)

8'0" Full-Glass Options

Low-E SDL



Classic-Craft American Style
CCA82330-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82340-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82350-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82360-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82380-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82370-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84900-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84910L-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84910R-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84920L-SDLF5LE (Low-E)

Key

- Flush-Glazed Glass
- XG Geometric
- XE Satin Etch

- XC Chord
- XJ Chinchilla
- XR Rainglass

- XN Granite
- LE Low-E
- SDLF3 Simulated Divided Lites

- SDLF4 Simulated Divided Lites
- SDLF5 Simulated Divided Lites

8'0" Full-Glass Options

Classic-Craft® Shaker

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Low-E SDL



Classic-Craft American Style
CCA84920R-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84930-SDLF5LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA84940-SDLF5LE (Low-E)

Low-E




Classic-Craft American Style
CCA82400-LE (Low-E)

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Crystalline



Smooth-Star
S814 (1C)

Crystalline



Smooth-Star
S815 (1C)
2/8 3/6

Salinas



Smooth-Star
S85893 (1W)

Salinas



Smooth-Star
S817 (1W)
2/8 3/6

Pembridge



Smooth-Star
S86550 (1D)

Pembridge



Smooth-Star
S86500 (1D)
2/8 3/6

8'0" Full-Glass Options

Privacy



Smooth-Star
S818(□)
(XE, XC, XJ, XR, XN)
2/6

Privacy



Smooth-Star
S8140(□) ■
(XE, XC, XJ, XR, XN)
2/6 2/10 3/6

Internal Blinds



Fiber-Classic Mahogany
FCM8115-RTLE (Low-E)



Fiber-Classic Oak
81225P-RTLE
(Low-E) 2/6



Smooth-Star
S829-RTLE
(Low-E) 2/6 2/8
S829-RT
(Clear) 2/6 2/8

Internal Blinds



Fiber-Classic Mahogany
FCM81225-RTLE ■ (Low-E)



Fiber-Classic Oak
81225-RTLE ■
(Low-E) 2/6



Smooth-Star
S81225-RTLE ■
(Low-E)
2/6 2/8 2/10 3/6
S81225-RT ■
(Clear)
2/6 2/8 2/10 3/6

Low-E / Clear



Fiber-Classic Mahogany
FCM870-LE (Low-E)



Fiber-Classic Oak
81200P-LE
(Low-E) 2/6



Smooth-Star
S818-LE (Low-E)
2/6 2/8
S818 (Clear)
2/6 2/8

Low-E / Clear



Fiber-Classic Mahogany
FCM81200-LE ■ (Low-E)



Fiber-Classic Oak
81200-LE ■
(Low-E) 2/6



Smooth-Star
S8140-LE ■
(Low-E)
2/6 2/8 2/10 3/6
S8140 ■ (Clear)
2/6 2/8 2/10 3/6

Noise Reduction



Smooth-Star
S8140STC-NRLE ■

Key

■ No Stile Lines	1C Brushed Nickel	XC Chord	XN Granite	2/6 Available in 2'6" Width	3/6 Available in 3'6" Width
● Flush-Glazed Glass	1W Wrought Iron	XJ Chinchilla	LE Low-E	2/8 Available in 2'8" Width	
1D Black Nickel	XE Satin Etch	XR Rainglass	SDLF5 Simulated Divided Lites	2/10 Available in 2'10" Width	

8'0" Full-Glass Options

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Privacy SDL



Smooth-Star
S85705XE-SDLF1 (Satin Etch)

Privacy SDL



Smooth-Star
S85715XE-SDLF1 (Satin Etch)

Privacy SDL



Smooth-Star
S85725XE-SDLF1 (Satin Etch)

Privacy



Smooth-Star
S8000XE (Satin Etch) 2'6" 2'8"

Internal Blinds



Smooth-Star
S82600-LE (Low-E) 2'6"

Low-E / Clear SDL



Smooth-Star
S85705-SDLF1LE (Low-E)
S85705-SDLF1 (Clear)

Low-E / Clear SDL



Smooth-Star
S85715-SDLF1LE (Low-E)
S85715-SDLF1 (Clear)

Low-E / Clear SDL



Smooth-Star
S85725-SDLF1LE (Low-E)
S85725-SDLF1 (Clear)

Low-E / Clear



Fiber-Classic Oak
8000-LE (Low-E) 2'6" 2'8"



Smooth-Star
S8000-LE (Low-E) 2'6" 2'8"
S8000 (Clear) 2'6" 2'8"

8'0" Full-Glass Options

Key

Flush-Glazed Glass
XE Satin Etch
LE Low-E

SDLF1 Simulated Divided Lites
2'6" Available in 2'6" Width
2'8" Available in 2'8" Width



8'0" Full-Glass Options



8'0" 3/4-Glass Options

Classic-Craft Mahogany Collection, Lucerna Glass, Door - CCM898, Sidelites - CCM8102SL

8'0" 3/4-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

Homeward



Classic-Craft Mahogany
CCM89922 (1C)

Augustine



Classic-Craft Mahogany
CCM805027 (1W)

Borrassa




Classic-Craft Mahogany
CCM81519 (1W)

Zaha



Classic-Craft Mahogany
CCM81843 (1D, 1C)

Lucerna



Classic-Craft Mahogany
CCM898 (1D, 1C)

Low-E



Classic-Craft Mahogany
CCM891-LE (Low-E)

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Crystalline



Smooth-Star
S888 (1D)

Salinas



Smooth-Star
S895 (1W) ²¹⁸

Maple Park



Smooth-Star
S85898 (1D)

Avonlea



Fiber-Classic Oak
81967P (1D)



Smooth-Star
S85900 (1D)

Key

- 1D Black Nickel
- 1C Brushed Nickel
- 1W Wrought Iron

- LE Low-E
- ²¹⁸ Available in 2'8" Width

8'0" 3/4-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Saratoga



Fiber-Classic Oak
81956P (1D)



Smooth-Star
S891 (1D, 1C) 2|B

Kensington



Smooth-Star
S902 (1D)

Pembridge



Smooth-Star
S86580 (1C, 1A)

Axis



Smooth-Star
S81646 (1D) 2|B

Privacy



Smooth-Star
S880(____)
(XE, XJ, XR) 2|B
(XC)

Internal Blinds



Fiber-Classic Oak
81964P-RTLE (Low-E)
81964P-RT (Clear)



Smooth-Star
S8682-RTLE
(Low-E) 2|B
S8682-RT
(Clear) 2|B

GBG Flat White



Smooth-Star
S881-GBGFWLE (Low-E) 2|B
S881-GBGFW (Clear) 2|B

Fixed Grilles



Smooth-Star
S881-FXG (Clear) 2|B

GBG Flat White



Smooth-Star
S882-GBGFWLE (Low-E)
S882-GBGFW (Clear) 2|B

Fixed Grilles



Smooth-Star
S882-FXGLE (Low-E) 2|B
S882-FXG (Clear) 2|B

8'0" 3/4-Glass Options

Key

1D	Black Nickel	XE	Satin Etch	XR	Rainglass	FXG	Fixed Grilles
1C	Brushed Nickel	XC	Chord	LE	Low-E	2 B	Available in 2'8" Width
1A	Brass	XJ	Chinchilla	GBG	Grilles Between Glass		


Note: Product images show exterior side of door.

Low-E / Clear



Smooth-Star
S880-LE
(Low-E) 218
S880
(Clear) 218

Fiber-Classic Oak
81943P-LE (Low-E)
81943P (Clear)



8'0" 3/4-Glass Options



8'0" 2/3-Glass Options



8'0" 2/3-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

Homeward



Classic-Craft Rustic
CCR89921 (1D)



Classic-Craft
Canvas
CCV89921 (1D)

Homeward



Classic-Craft Rustic
CCR89919 (1D) 3/6

Homeward



Classic-Craft Rustic
CCR89918 (1D)

Homeward



Classic-Craft Rustic
CCR822218 (1D) 3/6

Augustine



Classic-Craft Rustic
CCR804037 (1W)

Augustine



Classic-Craft Rustic
CCR820527 (1W)

Augustine



Classic-Craft Rustic
CCR820537 (1W) 3/6

Augustine



Classic-Craft Rustic
CCR820027 (1W)

Augustine



Classic-Craft Rustic
CCR822227 (1W)

Augustine



Classic-Craft Rustic
CCR820037 (1W)

Key

- 1D Black Nickel
- 1W Wrought Iron
- 3/6 Available in 3'6" Width

8'0" 2/3-Glass Options

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

Arborwatch



Classic-Craft
Canvas
CCV81417 (1D)

Classic-Craft Rustic
CCR81417 (1D)

Arborwatch



Classic-Craft Rustic
CCR81415 (1D)

Arborwatch



Classic-Craft Rustic
CCR81414 (1D)

Arborwatch



Classic-Craft Rustic
CCR822214 (1D)

Borrassa



Classic-Craft
Canvas
CCV81518 (1W)

Classic-Craft Rustic
CCR81518 (1W)

Borrassa



Classic-Craft Rustic
CCR81514 (1W)

Borrassa



Classic-Craft Rustic
CCR81516 (1W)

Borrassa



Classic-Craft Rustic
CCR81512 (1W)

Borrassa



Classic-Craft Rustic
CCR81515 (1W)

Borrassa



Classic-Craft Rustic
CCR822215 (1W)

8'0" 2/3-Glass Options

Note: Product images show exterior side of door.

Borrassa



Classic-Craft Rustic
CCR81511 (1W)

Provincial



Classic-Craft Rustic
CCR820528 (1D)

Provincial



Classic-Craft Rustic
CCR820028 (1D)

Provincial



Classic-Craft Rustic
CCR822228 (1D)

Zaha



Classic-Craft Rustic
CCR81841 (1D)



Classic-Craft
Canvas
CCV81841 (1D)

Zaha



Classic-Craft Rustic
CCR81839 (1D)

Zaha



Classic-Craft Rustic
CCR81838 (1D)

Zaha



Classic-Craft Rustic
CCR822238 (1D)

Lucerna



Classic-Craft Rustic
CCR820522 (1D, 1C) ^{3/8} ONLY

Lucerna



Classic-Craft Rustic
CCR822222 (1D, 1C) ^{3/8} ONLY

8'0" 2/3-Glass Options

Key

- 1D Black Nickel
- 1C Brushed Nickel
- 1W Wrought Iron

^{3/8} Available in 3'6" Width

8'0" 2/3-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

Lucerna



Classic-Craft Rustic
CCR820532 (1C)

Lucerna



Classic-Craft Rustic
CCR820032 (1C)

Privacy



Classic-Craft Rustic
CCR804020(____)
(XC, XN)



Classic-Craft Canvas
CCV806020(____)
(XC, XN)

Privacy



Classic-Craft Rustic
CCR820520(____)
(XC, XN)

Privacy



Classic-Craft Rustic
CCR820020(____)
(XC, XN)

Privacy



Classic-Craft Rustic
CCR822220(____)
(XC, XN)

Low-E



Classic-Craft Rustic
CCR804020-LE (Low-E)



Classic-Craft Canvas
CCV806020-LE
(Low-E)

Low-E



Classic-Craft Rustic
CCR820520-LE (Low-E) 36

Low-E



Classic-Craft Rustic
CCR820020-LE (Low-E)

Low-E




Classic-Craft Rustic
CCR822220-LE (Low-E) 36

8'0" 2/3-Glass Options

Key

1C Brushed Nickel
XC Chord
XN Granite

LE Low-E
36 Available in 3'6" Width



8'0" 2/3-Glass Options



8'0" 1/2-Glass Options

24815

Smooth-Star, Salinas Glass, Door - S81937P

8'0" 1/2-Glass Options

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Blackstone



Fiber-Classic Oak
81933P (1D)

Fiber-Classic Mahogany
FCM863 (1D)

Salinas



Smooth-Star
S81937P (1W) 2B

Maple Park



Fiber-Classic Oak
81939P
(1D) 2B
(1C)



Smooth-Star
S81939P (1D)
2B

Fiber-Classic Mahogany
FCM886 (1D, 1C)

Saratoga



Fiber-Classic Oak
81938P (1C)



Smooth-Star
S81938P (1D)

Fiber-Classic Mahogany
FCM888 (1D, 1C)

Kensington



Fiber-Classic Oak
FC8149 (1D, 1C)
2B

Fiber-Classic Mahogany
FCM8149 (1D, 1C)

Pembridge



Smooth-Star
S86560
(1C, 1A)

Axis



Smooth-Star
S81654 (1D) 2B

Privacy SDL



Fiber-Classic Oak
FC8321()-SDL
(XR)
(XN) 2B

Fiber-Classic Mahogany
FCM8321XN-SDL
(Granite)

Privacy



Fiber-Classic Oak
81929P()
(XR)
(XN) 2B



Smooth-Star
S81929P()
(XE, XJ) 2B
(XR)

Fiber-Classic Mahogany
FCM862()
(XR, XN)

Internal Blinds



Smooth-Star
S8132-RTLE (Low-E) 2B
S8132-RT (Clear) 2B

Key

1D	Black Nickel	1W	Wrought Iron	XR	Rainglass	SDL	Simulated Divided Lites
1C	Brushed Nickel	XE	Satin Etch	XN	Granite	2B	Available in 2'8" Width
1A	Brass	XJ	Chinchilla	LE	Low-E		

8'0" 1/2-Glass Options

8'0" 1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Low-E / Clear SDL



Fiber-Classic Oak
FC8321-SDLLE
(Low-E) 2B
FC8321-SDL
(Clear) 2B

Fiber-Classic Mahogany
FCM8321-SDLLE (Low-E)
FCM8321-SDL (Clear)

GBG Flat White



Fiber-Classic Oak
FC8322-GBGFW
(Clear) 2B

Fiber-Classic Mahogany
FCM8322-GBGFW (Clear)

Low-E / Clear



Fiber-Classic Oak
81929P-LE
(Low-E) 2B
81929P
(Clear) 2B

Fiber-Classic Mahogany
FCM862-LE (Low-E)
FCM862 (Clear)



Smooth-Star
S81929P-LE
(Low-E) 2B
S81929P
(Clear) 2B

Blackstone



Fiber-Classic Oak
81975P (1D)

Salinas



Smooth-Star
S893 (1W) 2B

Maple Park



Smooth-Star
S85897 (1D)
2B

Fiber-Classic Oak
81982P (1D, 1C)

Saratoga



Smooth-Star
S85908 (1D)

Fiber-Classic Oak
81981P (1D, 1C)

Kensington



Fiber-Classic Oak
FC89701 (1D, 1C)

Pembridge



Smooth-Star
S86536
(1C, 1A)

Axis



Smooth-Star
S81653 (1D) 2B

8'0" 1/2-Glass Options

Key

1D	Black Nickel	1W	Wrought Iron	XR	Rainglass	SDL	Simulated Divided Lites
1C	Brushed Nickel	XE	Satin Etch	XN	Granite	GBG	Grilles Between Glass
1A	Brass	XJ	Chinchilla	LE	Low-E	2B	Available in 2'8" Width

Note: Product images show exterior side of door.

Privacy SDL



Fiber-Classic Oak
FC832(__)-SDL
(XN, XR)

Privacy



Fiber-Classic Oak
81971P(__)
(XN, XR)



Smooth-Star
S830(__)
(XE, XJ) 2|B
(XR)

Internal Blinds



Smooth-Star
S8197-RTLE (Low-E) 2|B
S8197-RT (Clear) 2|B

Low-E / Clear SDL



Fiber-Classic Oak
FC832-SDLLE (Low-E)
FC832-SDL (Clear)

GBG Flat White



Fiber-Classic Oak
FC8318-GBGFW (Clear)

Low-E / Clear



Fiber-Classic Oak
81971P-LE (Low-E)
81971P (Clear)



Smooth-Star
S830-LE
(Low-E) 2|B
S830
(Clear) 2|B



8'0" 1/2-Glass Options

8'0" Craftsman Options



Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8220; Smooth-Star, Satin Etch Glass, Sidelites – S8601XESL

8'0" Craftsman Options

Note: Product images show exterior side of door.

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Arborwatch



Classic-Craft American Style
CCA89100 (1D)

Privacy SDL



Classic-Craft American Style
CCA8220()-SDL
(XG, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA87200()-SDL
(XG, XR) ^{3/8} ONLY

Privacy SDL



Classic-Craft American Style
CCA8230()-SDL
(XG, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA87300()-SDL
(XG, XR) ^{3/8} ONLY

Privacy SDL



Classic-Craft American Style
CCA8240XR-SDL
(Rainglass)

Privacy SDL



Classic-Craft American Style
CCA8260()-SDL
(XG, XJ, XR, XN)

Privacy SDL



Classic-Craft American Style
CCA87600()-SDL
(XG, XR) ^{3/8} ONLY

Privacy



Classic-Craft American Style
CCA8210()
(XG, XJ, XR, XN)

Privacy



Classic-Craft American Style
CCA87100()
(XG, XR) ^{3/8} ONLY

Key

- Flush-Glazed Glass
- 1D Black Nickel
- XG Geometric

- XJ Chinchilla
- XR Rainglass
- XN Granite

- SDL Simulated Divided Lites
- ^{3/8} Available in 3'6" Width

8'0" Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 8'0" height and 3'0" width.

Low-E SDL



Classic-Craft American Style
CCA8220-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA87200-SDLLE (Low-E) ONLY

Low-E SDL



Classic-Craft American Style
CCA8230-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA87300-SDLLE (Low-E) ONLY

Low-E SDL



Classic-Craft American Style
CCA8240-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA8260-SDLLE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA87600-SDLLE (Low-E) ONLY

Low-E



Classic-Craft American Style
CCA8210-LE (Low-E)

Low-E




Classic-Craft American Style
CCA87100-LE (Low-E) ONLY

Smooth-Star®


All doors available in 8'0" height and 3'0" width.

Sedona




Smooth-Star
S8604 (1C)

Maple Park



Smooth-Star
S8609 (1D, 1C)

Saratoga




Smooth-Star
S8602 (1D, 1C)

Pembridge




Smooth-Star
S86520 (1A)

Axis




Smooth-Star
S82620-FF (1D)

Axis




Smooth-Star
S81650 (1D)

Privacy SDL



Smooth-Star
S8605()-SDL
(XE, XC, XJ, XR, XN)

Privacy SDL



Smooth-Star
S8606()-SDL
(XE, XC, XJ, XR, XN)

Privacy SDL



Smooth-Star
S8607()-SDL
(XE, XC, XJ, XR, XN)

Privacy SDL



Smooth-Star
S8608()-SDL
(XE, XC, XJ, XR, XN)

Key

- ◐ Flush-Glazed Glass
- 1D Black Nickel
- 1C Brushed Nickel

- 1A Brass
- XE Satin Etch
- XC Chord

- XJ Chinchilla
- XR Rainglass
- XN Granite

- LE Low-E
- FF Flat Frame
- SDL Simulated Divided Lites


Ⓜ Available in 3'6" Width

8'0" Craftsman Options

Smooth-Star®


All doors available in 8'0" height and 3'0" width.

Privacy




Smooth-Star
S82610()-FF
(XE, XC, XJ, XR, XN)

Privacy



Smooth-Star
S8600()
(XE, XC, XJ, XR, XN)

Low-E SDL



Smooth-Star
S8605-SDLLE (Low-E)

Low-E SDL




Smooth-Star
S8606-SDLLE (Low-E)

Smooth-Star®

EnLiten™ Flush-Glazed Designs


All doors available in 8'0" height and 3'0" width.

Low-E SDL




Smooth-Star
S84812-SDLF1LE
(Low-E)

Low-E SDL




Smooth-Star
S8607-SDLLE (Low-E)

Low-E SDL



Smooth-Star
S8608-SDLLE (Low-E)

Low-E




Smooth-Star
S82610-FFLE (Low-E)

Low-E



Smooth-Star
S8601-LE (Low-E)

Low-E SDL



Smooth-Star
S84813-SDLF1LE
(Low-E)

Key

 Flush-Glazed Glass
 XE Satin Etch
 XC Chord


XJ Chinchilla
 XR Rainglass
 XN Granite

LE Low-E
 FF Flat Frame
 SDL Simulated Divided Lites

SDLF1 Simulated Divided Lites


Note: Product images show exterior side of door.

Low-E SDL




Smooth-Star
S84814-SDLF1LE (Low-E)

Low-E SDL



Smooth-Star
S84816-SDLF1LE (Low-E)

Low-E



Smooth-Star
S84810-LE (Low-E)



8'0" Craftsman Options



8'0" Minimal-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

Saratoga



Smooth-Star
S83154 (1C) 2B

Pembridge



Smooth-Star
S86533 (1C, 1A)

Privacy



Smooth-Star
S83120XE
(Satin Etch) 2B

GBG Flat White



Smooth-Star
S831203-GBGFWLE
(Low-E) 2B

Fixed Grilles



Smooth-Star
S831203-FXG (Clear) 2B

Low-E / Clear



Fiber-Classic Oak
FC86220 (Clear)



Smooth-Star
S83120-LE
(Low-E) 2B
S83120
(Clear) 2B

Saratoga



Smooth-Star
S8707 (1D) 216

Concorde



Smooth-Star
S8735 (1D, 1C)

Pembridge



Smooth-Star
S8745 (1D, 1C, 1A)

Low-E



Fiber-Classic Mahogany
FCM8708-LE (Low-E)



Fiber-Classic Oak
FC8708-LE (Low-E) 216



Smooth-Star
S8708-LE (Low-E) 216

Fixed Grilles



Smooth-Star
S8317-FXG (Clear) 216

Pembridge



Smooth-Star
S86570 (1D, 1C, 1A)

Axis



Smooth-Star
S81645 (1D) 216 218

Privacy



Fiber-Classic Mahogany
FCM861XR (Rainglass)



Fiber-Classic Oak
FC861XR (Rainglass) 216



Smooth-Star
S896() (XE, XC, XR, XN) 216 218

Low-E / Clear



Fiber-Classic Mahogany
FCM861-LE (Low-E)
FCM861 (Clear)



Fiber-Classic Oak
FC861-LE (Low-E) 216
FC861 (Clear) 216



Smooth-Star
S896-LE (Low-E) 216 218
S896 (Clear) 216 218

Key

1D	Black Nickel	XE	Satin Etch	XN	Granite	FXG	Fixed Grilles
1C	Brushed Nickel	XC	Chord	LE	Low-E	216	Available in 2'6" Width
1A	Brass	XR	Rainglass	GBG	Grilles Between Glass	218	Available in 2'8" Width

8'0" Solid Panel Options

Classic-Craft® Shaker

All doors available in 8'0" height and 3'0" width.

1-Panel Shaker



Classic-Craft American Style
CCA81100

3-Panel Shaker



Classic-Craft American Style
CCA81133-DDBF4

4-Panel Shaker



Classic-Craft American Style
CCA81145-DDBF4

5-Panel Shaker



Classic-Craft American Style
CCA81150-DDBF3

2-Panel Craftsman Shaker



Classic-Craft American Style
CCA81125-DDBF5

4-Panel Craftsman Shaker



Classic-Craft American Style
CCA81149-DDBF5

4-Panel Square Top Shaker



Classic-Craft American Style
CCA81147-DDBF5

6-Panel Shaker



Classic-Craft American Style
CCA81166-DDBF5

5-Panel Square Top Shaker



Classic-Craft American Style
CCA81158-DDBF3

2-Panel Square Top Shaker



Classic-Craft American Style
CCA81127-DDBF4

X-Brace



Classic-Craft American Style
CCA84905-DDBF3

Z-Brace-Left



Classic-Craft American Style
CCA84915L-DDBF3

Z-Brace-Right



Classic-Craft American Style
CCA84915R-DDBF3

Double-Z-Left



Classic-Craft American Style
CCA84925L-DDBF5

8'0" Solid Panel Options

Classic-Craft® Shaker

All doors available in 8'0" height and 3'0" width.

Double-Z-Right



Classic-Craft American Style
CCA84925R-DDBF5

Double-X



Classic-Craft American Style
CCA84935-DDBF5

Bottom-X



Classic-Craft American Style
CCA84945-DDBF5

Classic-Craft®

All doors available in 8'0" height and 3'0" width.

2-Panel 3/4 Top



Classic-Craft Mahogany
CCM890

2-Panel Plank Soft Arch



Classic-Craft Rustic
CCR8205 

4-Panel Round Top



Classic-Craft Rustic
CCR8040

2-Panel Square Top



Classic-Craft Rustic
CCR8222 

2-Panel Soft Arch



Classic-Craft Rustic
CCR8200

6-Panel



Classic-Craft Canvas
CCV860

Fiber-Classic® & Smooth-Star®

All doors available in 8'0" height and 3'0" width.

2-Panel Square Top




Smooth-Star
S8200

1-Panel Shaker



Smooth-Star
S81100

2-Panel Square Top Shaker



Smooth-Star
S8120

2-Panel Soft Arch



Smooth-Star
S897

2-Panel Plank Soft Arch



Smooth-Star
S8201


3-Panel



Smooth-Star
S831 2/8

Fiber-Classic Oak
FC862

2-Panel Craftsman Shaker



Smooth-Star
S84800

2-Panel Craftsman



Smooth-Star
S8600

6-Panel



Fiber-Classic
Oak
FC860 2/8



Smooth-Star
S810 2/8 2/8

Fiber-Classic Mahogany
FCM860

Flush Panel



Fiber-Classic
Oak
81000
2/6 2/8 ONLY



Smooth-Star
S81000
2/6 2/8 2/10 3/6

Fiber-Classic Mahogany
FCM81000

8'0" Solid Panel Options

Key

- No Stile Lines
- DDBF5 Door Divider Bars
- 2/6 Available in 2'6" Width
- 2/8 Available in 2'8" Width
- 2/10 Available in 2'10" Width
- 3/6 Available in 3'6" Width




8'0" Pulse® Options

All doors available in 8'0" height and 3'0" width.

Note: Product images show exterior side of door.

Ari

Sedona



Smooth
S83SN
(1C)
2'6 3'6

Saratoga



Mahogany
FCM83SG
(1D)



Oak
FC83SG
(1D) 2'6



Smooth
S83SG
(1D, 1C)
2'6 2'10 3'6


Pembridge



Smooth
S83PB-FF (1C, 1A) 2'6 3'6
S83PB (1A) 2'6 3'6

Línea

Pembridge



Smooth
S81(L, C, R)PB-FF (1D, 1C) 2'6 2'8 2'10 3'6
S81(L, C, R)PB (1D) 2'6 2'8 3'6

Axis



Smooth
S81(L, C, R)AX
(1D)
2'6 2'8 2'10 3'6

Axis



Mahogany
FCM83AX
(1D)



Oak
FC83AX
(1D) 2'6



Smooth
S83AX-FF (1D)
S83AX (1D)
2'6 2'10 3'6

Privacy



Mahogany
FCM83(____)
(XE, XC, XJ, XN)



Oak
FC83(____)
(XE, XC, XJ, XN)
2'6



Smooth
S83(____)-FF
(XG) 2'6 3'6
(XE, XC, XJ, XR,
XN) 2'6 2'10 3'6
S83(____)
(XE, XC, XJ, XR,
XN) 2'6 2'10 3'6

Low-E



Mahogany
FCM83CL-LE (Low-E)



Oak
FC83CL-LE
(Low-E)



Smooth
S83CL-FFLE
(Low-E)
2'6 2'10 3'6
S83CL-LE
(Low-E)
2'6 2'10 3'6

Privacy



Mahogany
FCM81(L, C, R)XJ (Chinchilla)



Oak
FCM81(L, C, R)XJ
(Chinchilla)
2'6 2'8



Smooth
S81(L, C, R)XE-FF
(Satin Etch)
2'6 2'8 2'10 3'6
S81(L, C, R)(____)
(XE, XJ, XR, XN)
2'6 2'8 2'10 3'6

Low-E / Clear



Mahogany
FCM81(L, C, R)CL (Clear)



Oak
FC81(L, C, R)CL
(Clear)
2'6 2'8



Smooth
S81(L, C, R)CL-LE
(Low-E)
2'6 2'8 2'10 3'6
S81(L, C, R)CL
(Clear)
2'6 2'8 2'10 3'6

Key

1D	Black Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E	2'6	Available in 2'6" Width	3'6	Available in 3'6" Width
1C	Brushed Nickel	XE	Satin Etch	XR	Rainglass	CL	Clear	2'8	Available in 2'8" Width		
1A	Brass	XC	Chord	XN	Granite	FF	Flat Frame	2'10	Available in 2'10" Width		


8'0" Pulse® Options

8'0" Pulse® Options

All doors available in 8'0" height and 3'0" width.

Echo

Pembridge




Smooth

S84(L, C, R)PB-FF
(1D, 1C) 2j6 2j8 3j6

S84(L, C, R)PB
(1D, 1C, 1A) 2j6 2j8 3j6

Pembridge



Smooth

S85(L, C, R)PB-FF
(1D, 1C) 2j6 2j8 3j6

S85(L, C, R)PB
(1D, 1C, 1A) 2j6 2j8 3j6

Pembridge




Smooth

S86(L, C, R)PB-FF
(1D, 1C) 2j6 2j8 3j6

S86(L, C, R)PB
(1D, 1C, 1A) 2j6 2j8 3j6

Pembridge



Smooth

S811(L, C, R)PB-FF
(1D, 1C) 2j6 2j8 3j6

S811(L, C, R)PB
(1D, 1C, 1A) 2j6 2j8 3j6

Pembridge




Smooth

S810(L, C, R)PB-FF
(1D, 1C) 2j6 2j8 3j6

S810(L, C, R)PB
(1D, 1C, 1A) 2j6 2j8 3j6


Axis



Smooth

S84(L, C, R)AX
(1D) 2j6 2j8 2j10 3j6


Axis



Smooth

S85(L, C, R)AX
(1D) 2j6 2j8 2j10 3j6


Axis



Smooth

S86(L, C, R)AX
(1D) 2j6 2j8 2j10 3j6

Axis



Smooth

S811(L, C, R)AX
(1D) 2j6 2j8 2j10 3j6

Axis



Smooth

S810(L, C, R)AX
(1D) 2j6 2j8 2j10 3j6

8'0" Pulse® Options

Key

1D	Black Nickel	1A	Brass	XE	Satin Etch	XJ	Chinchilla	XN	Granite	CL	Clear
1C	Brushed Nickel	XG	Geometric	XC	Chord	XR	Rainglass	LE	Low-E	FF	Flat Frame

Privacy



Oak
FC84(L, C, R)XR
(Rainglass) 2'6 2'8



Smooth
S84(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
2'6 2'8 2'10 3'6
S84(L, C, R)(__)
(XE, XC, XR, XN)
2'6 2'8 2'10 3'6

Mahogany
FCM84(L, C, R)XR
(Rainglass)

Privacy



Oak
FC85(L, C, R)XR
(Rainglass) 2'6 2'8



Smooth
S85(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
2'6 2'8 2'10 3'6
S85(L, C, R)(__)
(XE, XC, XR, XN)
2'6 2'8 2'10 3'6

Mahogany
FCM85(L, C, R)XR
(Rainglass)

Privacy



Oak
FC86(L, C, R)XR
(Rainglass) 2'6 2'8



Smooth
S86(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
2'6 2'8 2'10 3'6
S86(L, C, R)(__)
(XE, XC, XR, XN)
2'6 2'8 2'10 3'6

Mahogany
FCM86(L, C, R)XR
(Rainglass)

Privacy



Oak
FC811(L, C, R)XR
(Rainglass) 2'6 2'8



Smooth
S811(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
2'6 2'8 2'10 3'6
S811(L, C, R)(__)
(XE, XC, XR, XN)
2'6 2'8 2'10 3'6

Mahogany
FCM811(L, C, R)XR
(Rainglass)

Privacy



Oak
FC810(L, C, R)XR
(Rainglass) 2'6 2'8



Smooth
S810(L, C, R)(__)-FF
(XG, XE, XC, XJ, XR, XN)
2'6 2'8 2'10 3'6
S810(L, C, R)(__)
(XE, XC, XR, XN)
2'6 2'8 2'10 3'6

Mahogany
FCM810(L, C, R)XR
(Rainglass)

Low-E / Clear



Oak
FC84(L, C, R)CL-LE
(Low-E) 2'6 2'8
FC84(L, C, R)CL
(Clear) 2'6 2'8



Smooth
S84(L, C, R)CL-FFLE
(Low-E) 2'6 2'8 2'10 3'6
S84(L, C, R)CL-LE
(Low-E) 2'6 2'8 2'10 3'6
S84(L, C, R)CL
(Clear) 2'6 2'8 2'10 3'6

Mahogany
FCM84(L, C, R)CL-LE (Low-E)
FCM84(L, C, R)CL (Clear)

Low-E / Clear



Oak
FC85(L, C, R)CL-LE
(Low-E) 2'6 2'8
FC85(L, C, R)CL
(Clear) 2'6 2'8



Smooth
S85(L, C, R)CL-FFLE
(Low-E) 2'6 2'8 2'10 3'6
S85(L, C, R)CL-LE
(Low-E) 2'6 2'8 2'10 3'6
S85(L, C, R)CL
(Clear) 2'6 2'8 2'10 3'6

Mahogany
FCM85(L, C, R)CL-LE (Low-E)
FCM85(L, C, R)CL (Clear)

Low-E / Clear



Oak
FC86(L, C, R)CL-LE
(Low-E) 2'6 2'8
FC86(L, C, R)CL
(Clear) 2'6 2'8



Smooth
S86(L, C, R)CL-FFLE
(Low-E) 2'6 2'8 2'10 3'6
S86(L, C, R)CL-LE
(Low-E) 2'6 2'8 2'10 3'6
S86(L, C, R)CL
(Clear) 2'6 2'8 2'10 3'6

Mahogany
FCM86(L, C, R)CL-LE (Low-E)
FCM86(L, C, R)CL (Clear)

Low-E / Clear



Oak
FC811(L, C, R)CL-LE
(Low-E) 2'6 2'8
FC811(L, C, R)CL
(Clear) 2'6 2'8



Smooth
S811(L, C, R)CL-FFLE
(Low-E) 2'6 2'8 2'10 3'6
S811(L, C, R)CL-LE
(Low-E) 2'6 2'8 2'10 3'6
S811(L, C, R)CL
(Clear) 2'6 2'8 2'10 3'6

Mahogany
FCM811(L, C, R)CL-LE (Low-E)
FCM811(L, C, R)CL (Clear)

Low-E / Clear



Oak
FC810(L, C, R)CL-LE
(Low-E) 2'6 2'8
FC810(L, C, R)CL
(Clear) 2'6 2'8



Smooth
S810(L, C, R)CL-FFLE
(Low-E) 2'6 2'8 2'10 3'6
S810(L, C, R)CL-LE
(Low-E) 2'6 2'8 2'10 3'6
S810(L, C, R)CL
(Clear) 2'6 2'8 2'10 3'6

Mahogany
FCM810(L, C, R)CL-LE (Low-E)
FCM810(L, C, R)CL (Clear)

2'6 Available in 2'6" Width
2'8 Available in 2'8" Width

2'10 Available in 2'10" Width
3'6 Available in 3'6" Width

8'0" Full-Glass Sidelites

Classic-Craft. Shaker EnLiten™ Flush-Glazed Designs

All sidelites available in 8'0" height and 12" and 14" widths.



Villager
Classic-Craft American Style
CCA82430SL ●
(1D, 1C)



Homeward
Classic-Craft American Style
CCA82420SL ●
(1D, 1C)



Arborwatch
Classic-Craft American Style
CCA82410SL ●
(1D, 1C)



Privacy SDL
Classic-Craft American Style
CCA82300()SL-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)



Privacy SDL
Classic-Craft American Style
CCA82310()SL-SDLF4 ●
(XG, XE, XC, XJ, XR, XN)



Privacy SDL
Classic-Craft American Style
CCA82320()SL-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)




Privacy SDL
Classic-Craft American Style
CCA82330()SL-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)



Privacy SDL
Classic-Craft American Style
CCA82340()SL-SDLF3 ●
(XG, XE, XC, XJ, XR, XN)

Sidelite Configurations

Configure a beautiful look to suit your home.



Note: Product images show exterior side of sidelite.

Privacy



Classic-Craft American Style
CCA82400()SL (XG, XE, XC, XJ, XR, XN)

Low-E SDL



Classic-Craft American Style
CCA82300SL-SDLF4LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82310SL-SDLF4LE (Low-E)

Low-E SDL




Classic-Craft American Style
CCA82320SL-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82330SL-SDLF3LE (Low-E)

Low-E SDL



Classic-Craft American Style
CCA82340SL-SDLF3LE (Low-E)

Low-E



Classic-Craft American Style
CCA82400SL-LE (Low-E)

Classic-Craft

EnLiten™ Flush-Glazed Designs

All sidelites available in 8'0" height and 12" and 14" widths.

Arborwatch



Classic-Craft American Style
CCA81423SL (1D) ONLY

Privacy SDL



Classic-Craft American Style
CCA3560()SL-SDL (XG, XR)



Classic-Craft Canvas
CCV8950XGSL-SDL (Geometric)

Privacy



Classic-Craft American Style
CCA3500()SL (XG, XR)



Classic-Craft Mahogany
CCM8000XGSL (Geometric)



Classic-Craft Rustic
CCR8000()SL (XG, XR, XN)



Classic-Craft Oak
CC8000XGSL

Privacy



Classic-Craft Canvas
CCV8100XGSL (Geometric)

Low-E SDL



Classic-Craft American Style
CCA3560SL-SDLLE (Low-E)

Low-E



Classic-Craft American Style
CCA3500SL-LE (Low-E)



Classic-Craft Rustic
CCR8000SL-LE (Low-E)



Classic-Craft Oak
CC8000SL-LE (Low-E)

Key

- Flush-Glazed Glass
- 1D Black Nickel
- 1C Brushed Nickel
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- SDL Simulated Divided Lites
- SDLF3 Simulated Divided Lites
- SDLF4 Simulated Divided Lites Available in 14" Width

8'0" Full-Glass Sidelites

8'0" Full-Glass Sidelites

Fiber-Classic® & Smooth-Star®

All sidelites available in 8'0" height and 12" and 14" widths.

Axis




Smooth
S81652SL (1D)

Axis




Smooth
S81651SL (1D)

Privacy



Fiber-Classic Oak
81200PXJSL
(Chinchilla)
12" ONLY



Smooth
S8601XESL-FF
(Satin Etch)
S8601()SL
(XE, XJ, XR, XN)

Privacy



Smooth
S81086XESL-FF
(Satin Etch)
S81086()SL
(XE, XJ, XR, XN)

Fiber-Classic Oak
81200XJSL
(Chinchilla)

Smooth-Star®

EnLiten™ Flush-Glazed Designs

All sidelites available in 8'0" height and 12" and 14" widths.

Privacy



Smooth
S8000XESL
(Satin Etch)

Low-E / Clear SDL




Smooth
S8606SL-SDLLE
(Low-E)
S8606SL-SDL
(Clear)

Low-E / Clear SDL



Smooth
S85925SL-SDLLE
(Low-E)
S85925SL-SDL
(Clear)

Low-E / Clear




Fiber-Classic Oak
81200PSL
(Clear)



Smooth
S8601SL-LE
(Low-E)
S8601SL
(Clear)

Low-E / Clear



Smooth
S81086SL-LE
(Low-E)
S81086SL
(Clear) 12" ONLY

Fiber-Classic Oak
81200SL
(Clear)

Low-E



Smooth
S8000SL-LE
(Low-E)



8'0" 3/4 & 1/2-Glass Sidelites

Fiber-Classic® & Smooth-Star®


All sidelites available in 8'0" height and 12" and 14" widths.

Sedona




Smooth
S887SL (1D)

Salinas



Smooth
S895SL (1W)

Maple Park




Fiber-Classic Mahogany
FCM887SL (1D)

Fiber-Classic Oak
81957PSL
(1D) ¹² ONLY

Smooth
S85898SL
(1D, 1C)

Saratoga



Fiber-Classic Mahogany
FCM889SL (1D)

Fiber-Classic Oak
81956PSL
(1D) ¹² ONLY

Smooth
S891SL
(1D, 1C)

Sidelite Configurations

Configure a beautiful look to suit your home.



Wellesley




Smooth
S892SL (1D)

Concorde



Smooth
S85902SL (1D)

Kensington



Fiber-Classic Mahogany
FCM8107SL (1C)

Fiber-Classic Oak
81961PSL
(1C) ¹² ONLY

Smooth
S902SL
(1C)

Axis



Smooth
S81646SL (1D)

Above: Smooth-Star, Sedona Glass, Door – S887, Sidelites – S887SL

Key

■ No Stile Lines	1D Black Nickel	XE Satin Etch	XN Granite	¹² Available in 12" Width
● Flush-Glazed Glass	1C Brushed Nickel	XJ Chinchilla	LE Low-E	
● Vented Sidelite	1W Wrought Iron	XR Rainglass	FF Flat Frame	

8'0" 3/4 & 1/2-Glass Sidelites

8'0" 3/4 & 1/2-Glass Sidelites

Fiber-Classic® & Smooth-Star®

All sidelites available in 8'0" height and 12" and 14" widths.

Privacy



Fiber-Classic Oak
81943PXESL
(Satin Etch)
12" ONLY



Smooth
S880(__)SL
(XE, XC, XJ, XR, XN)

Fiber-Classic Mahogany
FCM881XESL
(Satin Etch)

Clear



Fiber-Classic Oak
81943PSL
(Clear)
12" ONLY



Smooth
S880SL-LE
(Low-E)
S880SL
(Clear)

Fiber-Classic Mahogany
FCM881SL-LE (Low-E)
FCM881SL (Clear)

Internal Blinds



Fiber-Classic Oak
81964PSL-RTLE
(Low-E)
12" ONLY



Smooth
S8682SL-RTLE
(Low-E)

Fiber-Classic Mahogany
FCM8110SL-RTLE
(Low-E)

GBG Flat White



Smooth
S881SL-GBGFWLE
(Low-E)
S881SL-GBGFW
(Clear)

Low-E



Smooth
S85910SL-LE
(Low-E)

8'0" 3/4 & 1/2-Glass Sidelites



8'0" Craftsman Sidelites

Note: Product images show exterior side of sidelite.

Smooth-Star.

EnLiten™ Flush-Glazed Designs

All sidelites available in 8'0" height and 12" and 14" widths.

Low-E SDL

Low-E



Smooth
S84812SL-SDLF1LE
(Low-E)



Smooth
S84810SL-LE
(Low-E)

Sidelite Configurations

Configure a beautiful look to suit your home.



Above: Smooth-Star, Low-E Glass with SDLs, Door – S4814, Sidelites – S4812SL
(Home image shown is of a 6'8" door.)

Key

- Flush-Glazed Glass
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- SDLF1 Simulated Divided Lites
- GBG Grilles Between Glass

¹² Available in 12" Width

8'0" Craftsman Sidelites

8'0" Pulse® Sidelites

All sidelites available in 8'0" height and 12" and 14" widths.

Axis



Smooth
S86AXSL (1D)

Axis



Smooth
S85AXSL (1D)

Axis



Smooth
S84AXSL (1D)

Axis



Smooth
S811AXSL (1D)

Axis



Smooth
S810AXSL (1D)

Privacy



Oak
FC86XRSL (Rainglass)

Privacy



Oak
FC85XRSL (Rainglass)

Privacy



Oak
FC84XRSL (Rainglass)

Smooth
S86(__)SL-FF
(XG, XE, XR, XN)
● Vented in 14 Only
(XC, XJ)
S86(__)SL
(XE, XC, XR, XN)

Smooth
S85(__)SL-FF
(XG, XE, XC,
XJ, XR, XN)
● Vented in 14 Only
S85(__)SL
(XE, XC, XR, XN)

Smooth
S84(__)SL-FF
(XG, XE, XC,
XJ, XR, XN)
● Vented in 14 Only
S84(__)SL
(XE, XC, XR, XN)

Sidelite Configurations

Configure a beautiful look to suit your home.




Privacy



Smooth
 S811()SL-FF
 (XG, XE, XR, XN)
 ● Vented in 14 Only
 (XC, XJ)
 S811()SL
 (XE, XC, XR, XN)

Oak
 FC811XRSL (Rainglass)

Privacy



Smooth
 S810()SL-FF
 (XG, XE, XR, XN)
 ● Vented in 14 Only
 (XC, XJ)
 S810()SL
 (XE, XC, XR, XN)

Oak
 FC810XRSL (Rainglass)

Low-E / Clear



Smooth
 S85CLSL-FFLE
 (Low-E)
 ● Vented in 14 Only
 S85CLSL-LE
 (Low-E)
 S85CLSL
 (Clear)

Oak
 FC85CLSL-LE (Low-E)
 FC85CLSL (Clear)

Low-E / Clear



Smooth
 S84CLSL-FFLE
 (Low-E)
 ● Vented in 14 Only
 S84CLSL-LE
 (Low-E)
 S84CLSL
 (Clear)

Oak
 FC84CLSL-LE (Low-E)
 FC84CLSL (Clear)

Low-E / Clear



Smooth
 S810CLSL-FFLE
 (Low-E)
 ● Vented in 14 Only
 S810CLSL-LE
 (Low-E)
 S810CLSL
 (Clear)

Oak
 FC810CLSL-LE (Low-E)
 FC810CLSL (Clear)

Low-E / Clear



Smooth
 S811CLSL-FFLE
 (Low-E)
 ● Vented in 14 Only
 S811CLSL-LE
 (Low-E)
 S811CLSL
 (Clear)

Oak
 FC811CLSL-LE (Low-E)
 FC811CLSL (Clear)

Low-E / Clear



Smooth
 S86CLSL-FFLE
 (Low-E)
 ● Vented in 14 Only
 S86CLSL-LE
 (Low-E)
 S86CLSL
 (Clear)

Oak
 FC86CLSL-LE (Low-E)
 FC86CLSL (Clear)

8'0" Pulse Sidelites



Steel Options

Profiles Door - 978HD

Steel Options

Note: Product images show exterior side of door.

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.


Crystalline



Traditions
TS916 (1D)
2/8

Profiles
916 (1D)

Salinas



Traditions
TS369 (1W)
2/8 2/10

Profiles
369 (1W) 2/8 3/6 7/0

Maple Park



Traditions
TS962 (1D)
2/8

Profiles
1006 (1D)

Avonlea



Traditions
TS1027 (1D)
2/8

Profiles
1027 (1D)

Saratoga



Traditions
TS610
(1D, 1C)
2/6 2/8 2/10

Profiles
610 (1D, 1C) 2/8 3/6 7/0

Kensington



Traditions
TS626 (1D)
2/8

Profiles
626 (1D)

Pembridge



Traditions
TS6500
(1D 2/8 ONLY,
1C 2/6 2/8,
1A 2/8)

Profiles
6500HD (1D, 1C, 1A)

Axis



Traditions
TS1651 (1D)
2/8 2/8 2/10

Profiles
1651HD (1D) 2/8 3/6 7/0

Privacy



Traditions
TS118(____)
(XC) 2/8
(XE, XJ,
XR) 2/8 2/10

Profiles
118(____)
(XC)
(XE, XJ, XR) 2/8 3/6 7/0

Internal Blinds



Traditions
TS130-RTLE
(Low-E)
2/4 2/6 2/8 2/10
TS130-RT
(Clear)
2/6 2/8 2/10

Profiles
130-RTLE (Low-E) 2/8 3/6 7/0
130-RT (Clear) 2/8 3/6 7/0

GBG Flat White



Traditions
TS128-GBGFWE
(Low-E)
2/8
TS128-GBGFW
(Clear)
2/6 2/8 2/10

Profiles
128-GBGFWE (Low-E) 2/8 3/6 7/0
128-GBGFW (Clear) 2/8 3/6 7/0

GBG Flat White



Traditions
TS108-GBGFWE
(Low-E)
2/8 2/10
TS108-GBGFW
(Clear)
2/8 2/10

Profiles
108-GBGFWE (Low-E) 2/8 3/6 7/0
108-GBGFW (Clear) 2/8 3/6 7/0

Key

1D Black Nickel
1C Brushed Nickel
1A Brass

1W Wrought Iron
XE Satin Etch
XC Chord

XJ Chinchilla
XR Rainglass
LE Low-E

GBG Grilles Between Glass
7/0 7'0" Height in Select Sizes
2/4 Available in 2'4" Width

2/6 Available in 2'6" Width
2/8 Available in 2'8" Width
2/10 Available in 2'10" Width

3/6 Available in 3'6" Width

Steel Options

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.

Fixed Grilles



Traditions
TS128-FXG
(Clear) 2j6 2j8 2j10

Profiles
128-FXG (Clear) 2j6 2j8 2j10 3j6 7j0

Fixed Grilles



Traditions
TS108-FXGLE
(Low-E)
2j8 2j10
TS108-FXG
(Clear)
2j8 2j10

Profiles
108-FXGLE (Low-E) 2j8 3j6 7j0
108-FXG (Clear) 2j8 3j6 7j0

Low-E / Clear



Traditions
TS118-LE
(Low-E) 2j0 2j4
2j8 2j8 2j10
TS118
(Clear)
2j0 2j6 2j8 2j10

Profiles
118-LE (Low-E) 2j8 3j6 7j0
118 (Clear) 2j8 3j6 7j0

Maple Park



Profiles
1009HD (1D)

Salinas



Profiles
968HD (1W)

Axis



Profiles
1644HD (1D)

Privacy



Profiles
959HD() (XE, XJ)

Internal Blinds



Profiles
5425-RTLE (Low-E)
5425-RT (Clear)

Low-E / Clear



Profiles
959HD-LE (Low-E)
959HD (Clear)

Blackstone



Profiles
1001HD (1D, 1C)



Traditions
TS309
(1D, 1C)
2j8

Crystalline



Profiles
926HD (1C) 2j8



Traditions
TS926
(1C)
2j8 2j10

Crystalline



Profiles
991HD (1C) 2j8



Note: Product images show exterior side of door.

Crystalline



Profiles
1119HD (1C) 2j8

Sedona



Traditions
TS211 (1D) 2j8

Sedona



Profiles
996HD (1D)

Salinas



Profiles
374HD (1W) 2j8



Traditions
TS374 (1W)
2j8 2j10

Salinas



Profiles
1002HD (1W) 2j8

Salinas



Profiles
1115HD (1W) 2j8

Avonlea



Profiles
1034HD (1D)



Traditions
TS1031 (1D)
2j8

Saratoga



Profiles
613HD (1D, 1C) 2j8



Traditions
TS613
(1D, 1C)
2j8 2j10

Saratoga



Profiles
988HD (1D, 1C) 2j8

Saratoga



Profiles
1112HD (1D, 1C) 2j8

Texas Star



Profiles
1032HD (1C) 2j8



Traditions
TS1032
(1C) 2j8 2j10

Texas Star



Profiles
1035HD (1C) 2j8

Steel Options

Key

1D	Black Nickel	XE	Satin Etch	FXG	Fixed Grilles	2j4	Available in 2'4" Width	2j10	Available in 2'10" Width
1C	Brushed Nickel	XJ	Chinchilla	7j0	7'0" Height in Select Sizes	2j6	Available in 2'6" Width	3j6	Available in 3'6" Width
1W	Wrought Iron	LE	Low-E	2j0	Available in 2'0" Width	2j8	Available in 2'8" Width		

Steel Options

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.

Texas Star



Profiles
1111HD (1C) 2/B

Wellesley



Profiles
623HD (1D) 2/B



Traditions
TS623
(1D) 2/B 2/HO
(1C) 2/B

Wellesley



Profiles
989HD
(1D) 2/B
(1C)

Wellesley



Profiles
1120HD (1D) 2/B

Concorde



Profiles
426HD (1D) 2/B



Traditions
TS426
(1D, 1C)
2/B 2/HO

Concorde



Profiles
999HD
(1D) 2/B
(1C)

Concorde



Profiles
1118HD (1D) 2/B

Kensington



Traditions
TS627 (1D) 2/B

Kensington



Profiles
631HD (1D)

Pembridge



Traditions
TS6560 (1A) 2/B

Pembridge



Profiles
6565HD (1A)

Privacy SDL



Profiles
262HDXE-SDL (Satin Etch) 2/B



Traditions
TS262XE-SDL
(Satin Etch)
2/B 2/HO



Privacy SDL



Profiles
982HDXE-SDL (Satin Etch) 2/8

Privacy SDL



Profiles
1123HDXE-SDL (Satin Etch) 2/8

Privacy



Traditions
TS206()
(XE) 2/8 2/10
(XR) 2/8

Profiles
206HDXE (Satin Etch) 2/8

Privacy



Profiles
980HD()
(XR)
(XE) 2/8

Privacy



Profiles
1101XEHD (Satin Etch) 2/8

Privacy



Traditions
TS104()
(XE) 2/8 2/10
(XR) 2/8

Profiles
104XE (Satin Etch) 2/8 7/10

Internal Blinds



Traditions
TS132-RTLE
(Low-E)
2/6 2/8 2/10
TS132-RT
(Clear)
2/6 2/8 2/10

Profiles
132HD-RTLE (Low-E) 2/8 2/10
132HD-RT (Clear) 2/8 2/10

Internal Blinds



Profiles
984HD-RTLE (Low-E) 2/8
984HD-RT (Clear) 2/8

Internal Blinds



Profiles
1121HD-RTLE (Low-E) 2/8
1121HD-RT (Clear) 2/8

Internal Blinds



Traditions
TS131-RTLE
(Low-E)
2/6 2/8 2/10
TS131-RT
(Clear)
2/6 2/8 2/10

Profiles
131-RTLE (Low-E) 2/8 7/10
131-RT (Clear) 2/8 7/10

Screen Vented



Traditions
TS243
2/8 2/10

Profiles
243HD 2/8

Screen Vented



Profiles
1004HD 2/8

Key

1D	Black Nickel	XE	Satin Etch	SDL	Simulated Divided Lites
1C	Brushed Nickel	XR	Rainglass	FXG	Fixed Grilles
1A	Brass	LE	Low-E	2/6	Available in 2'6" Width

2/8	Available in 2'8" Width
2/10	Available in 2'10" Width

Steel Options

Profiles & Traditions


All doors available in 6'8" height and 3'0" width.

Screen Vented



Profiles
1102HD 218


Screen Vented



Profiles
137 218 710

Traditions
TS137
218 210

Low-E / Clear SDL



Profiles
262HD-SDLLE (Low-E) 218
262HD-SDL (Clear) 218

Traditions
TS262-SDLLE
(Low-E) 218 210
TS262-SDL
(Clear) 218 210

Low-E / Clear SDL



Profiles
982HD-SDLLE (Low-E) 218
982HD-SDL (Clear) 218

Low-E / Clear SDL



Profiles
1123HD-SDLLE (Low-E) 218
1123HD-SDL (Clear) 218

GBG Flat White



Profiles
262HD-GBGFWLE (Low-E) 218
262HD-GBGFW (Clear) 218

Traditions
TS262-GBGFWLE
(Low-E) 218 210
TS262-GBGFW
(Clear) 218 210

GBG Flat White




Profiles
982HD-GBGFWLE (Low-E) 218
982HD-GBGFW (Clear) 218

GBG Flat White



Profiles
1123HD-GBGFWLE (Low-E) 218
1123HD-GBGFW (Clear) 218

Fixed Grilles



Profiles
262HD-FXGLE (Low-E) 218
262HD-FXG (Clear) 218

Traditions
TS262-FXGLE
(Low-E)
218 210
TS262-FXG
(Clear)
218 218 210

Fixed Grilles



Profiles
982HD-FXGLE (Low-E) 218
982HD-FXG (Clear) 218

Fixed Grilles



Profiles
1123HD-FXGLE (Low-E) 218
1123HD-FXG (Clear) 218

Low-E / Clear



Profiles
206HD-LE (Low-E) 218
206HD (Clear) 218

Traditions
TS206-LE
(Low-E)
218 218 210
TS206
(Clear)
218 218 210

Low-E / Clear



Profiles
980HD-LE (Low-E) 2'6"
980HD (Clear) 2'8"

Low-E / Clear



Profiles
1101HD-LE (Low-E) 2'6"
1101HD (Clear) 2'8"

Low-E / Clear



Profiles
104-LE (Low-E) 2'6" 2'8" 7'0"
104 (Clear) 2'6" 2'8" 7'0"



Traditions
TS104-LE
(Low-E)
2'6" 2'8" 2'10"
TS104
(Clear)
2'6" 2'8" 2'10"

Saratoga



Profiles
615HD (1C) 2'8"



Traditions
TS615
(1C)
2'6" 2'8" 2'10"

Pembridge



Traditions
TS6572 (1C, 1A) 2'8"

Privacy



Profiles
289HDXE (Satin Etch) 2'8"



Traditions
TS289XE
(Satin Etch)
2'6" 2'8" 2'10"

GBG Flat White



Profiles
263HD-GBGFWLE (Low-E) 2'8"



Traditions
TS263-GBGFWLE
(Low-E)
2'6" 2'8" 2'10"

Fixed Grilles



Profiles
263HD-FXG (Clear) 2'8"



Traditions
TS263-FXG
(Clear)
2'6" 2'8" 2'10"

Low-E / Clear SDL



Profiles
289-LE (Low-E) 2'6" 2'8"
289 (Clear) 2'8"



Traditions
TS289-LE
(Low-E)
2'6" 2'8" 2'10"
TS289
(Clear)
2'6" 2'8" 2'10"

Fixed Grilles



Profiles
115HD-FXG (Clear) 2'8" 7'0"



Traditions
TS115-FXG
(Clear)
2'6" 2'8" 2'10"

Low-E



Profiles
105-LE (Low-E) 2'6" 7'0"



Traditions
TS105-LE
(Low-E)
2'6" 2'8" 2'10"

Wellesley



Profiles
1022HD (1D, 1C)

Key

1D Black Nickel
1C Brushed Nickel
1A Brass

XE Satin Etch
LE Low-E
SDL Simulated Divided Lites

GBG Grilles Between Glass
FXG Fixed Grilles
7'0" 7'0" Height in Select Sizes

2'6" Available in 2'6" Width
2'8" Available in 2'8" Width
2'10" Available in 2'10" Width



Steel Options

Steel Options

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.

Concorde



Profiles
1024HD (1C)

Maple Park



Profiles
609HD (1D, 1C)

Saratoga



Profiles
602HD (1D, 1C)

Axis



Profiles
1650HD (1D)

Privacy SDL



Profiles
605HD(____)
(XE, XC, XJ, XR, XN)

Privacy SDL



Profiles
606HD(____)
(XE, XC, XJ, XR, XN)

Privacy SDL



Profiles
607HD(____)
(XE, XC, XJ, XR, XN)

Privacy SDL



Profiles
608HD(____)
(XE, XC, XJ, XR, XN)

Privacy



Profiles
601(____)HD
(XE, XC, XJ, XR, XN)

Low-E SDL



Profiles
605HD-SDLLE (Low-E)

Low-E SDL



Profiles
606HD-SDLLE (Low-E)

Low-E SDL



Profiles
607HD-SDLLE (Low-E)

Steel Options

Low-E SDL



Profiles
608HD-SDLLE (Low-E)

Low-E



Profiles
601HD-LE (Low-E)

Saratoga



Traditions
TS707 (1D) 2j6

Concorde



Traditions
TS735 (1C)

Low-E



Traditions
TS708-LE (Low-E) 2j6

GBG Flat White



Traditions
TS255-GBGFW (Clear) 2j6

Fixed Grilles



Traditions
TS255-FXGLE (Low-E) 2j6
TS255-FXG (Clear) 2j6

Fixed Grilles



Traditions
TS256-LE (Low-E) 2j6
TS256 (Clear) 2j6

Pembridge



Traditions
TS6570 (1D, 1C, 1A) 2j6

Axis



Profiles
1643HD (1D) 2j6



Traditions
TS1643 (1D)
2j6 2j8 2j10

Privacy



Profiles
296HD(____)
(XE, XC, XR, XN) 2j6



Traditions
TS296(____)
(XE, XC, XR, XN)
2j6 2j8 2j10

Clear



Profiles
296HD-LE (Low-E) 2j6
296HD (Clear) 2j6



Traditions
TS296-LE
(Low-E)
2j6 2j8 2j10
TS296
(Clear)
2j6 2j8 2j10



Key

1D	Black Nickel	XE	Satin Etch	XR	Rainglass	SDL	Simulated Divided Lites	2j6	Available in 2'6" Width
1C	Brushed Nickel	XC	Chord	XN	Granite	GBG	Grilles Between Glass	2j8	Available in 2'8" Width
1A	Brass	XJ	Chinchilla	LE	Low-E	FXG	Fixed Grilles	2j10	Available in 2'10" Width

Steel Options

Profiles & Traditions

All doors available in 6'8" height and 3'0" width.

Fixed Grilles



Traditions
TS236-FXG
(Clear) 2|8 2|10

Profiles
236HD-FXG (Clear) 2|8

3-Panel Scroll



Profiles
969HD

2-Panel Square Top



Profiles
978HD 2|8

2-Panel Soft Arch



Profiles
1005HD 2|8

2-Panel Plank Soft Arch 2-Panel Craftsman



Profiles
205HD 2|8



Profiles
203HD

4-Panel Square Top



Traditions
TS214 2|8

6-Panel




Profiles
210HD 2|8



Traditions
TS210
2|6 2|8 2|10

Flush Panel



Profiles
100 2|8 3|6 7|0



Traditions
TS100 2|0 2|4
2|6 2|8 2|10

Saratoga



Steel
2SG (1D, 1C)
2|8 3|6

Axis



Steel
2AX-FF (1D)
2AX (1D)
2|8 3|6

Privacy



Steel
2()-FF
(XE, XC, XJ, XR, XN) 2|8 3|6
2()
(XG) 3|6 ONLY
(XE, XC, XJ, XR, XN) 2|8 3|6

Low-E



Steel
 2CL-FFLE (Low-E) 2j6 3j6
 2CL-LE (Low-E) 2j8 3j6

Sedona



Steel
 1(L, C, R)SN (1D)
 2j8 3j6

Salinas



Steel
 1(L, C, R)SA (1W)
 2j8 3j6

Saratoga



Steel
 1(L, C, R)SG (1D, 1C)
 2j8 3j6

Axis




Steel
 1(L, C, R)AX (1D)
 2j8 3j6

Privacy



Steel
 1(L, C, R)(__)-FF
 (XE, XC, XR) 2j8 3j6
 1(L, C, R)(__)
 (XE, XC, XJ, XR, XN) 2j8 3j6

Low-E / Clear




Steel
 1(L, C, R)CL-FFLE (Low-E) 2j6
 1(L, C, R)CL-LE (Low-E) 3j6 ONLY
 1(L, C, R)CL (Clear) 3j6 ONLY

Axis



Steel
 4(L, C, R)AX (1D)
 2j8 3j6

Axis



Steel
 5(L, C, R)AX (1D)
 2j8 3j6

Axis



Steel
 9(L, C, R)AX (1D)
 2j8 3j6

Axis



Steel
 8(L, C, R)AX (1D)
 2j8 3j6

Privacy



Steel
 4(L, C, R)(__)-FF
 (XG, XE, XC, XJ, XR, XN) 2j8 3j6
 4(L, C, R)(__)
 (XE, XC, XR, XN) 2j8 3j6

Key

1D	Black Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E	FXG	Fixed Grilles	2j6	Available in 2'6" Width	3j6	Available in 3'6" Width
1C	Brushed Nickel	XE	Satin Etch	XR	Rainglass	CL	Clear	2j0	Available in 2'0" Width	2j8	Available in 2'8" Width		
1W	Wrought Iron	XC	Chord	XN	Granite	FF	Flat Frame	2j4	Available in 2'4" Width	2j10	Available in 2'10" Width		

Steel Options

Steel Options

Profiles.

All doors available in 6'8" height and 3'0" width.

Privacy



Steel
5(L, C, R)()-FF
(XG, XE, XC, XJ, XR, XN) 2|8 3|6
5(L, C, R)()
(XE, XC, XR, XN) 2|8 3|6

Privacy



Steel
9(L, C, R)()-FF
(XG, XE, XC, XJ, XR, XN) 2|8 3|6
9(L, C, R)()
(XE, XC, XR, XN) 2|8 3|6

Privacy



Steel
8(L, C, R)()-FF
(XG, XE, XC, XJ, XR, XN) 2|8 3|6
8(L, C, R)()
(XE, XC, XR, XN) 2|8 3|6

Low-E / Clear



Steel
4(L, C, R)CL-FFLE (Low-E) 2|8 3|6
4(L, C, R)CL-LE (Low-E) 2|8 3|6
4(L, C, R)CL (Clear) 2|8 3|6

Low-E / Clear




Steel
5(L, C, R)CL-FFLE (Low-E) 2|8 3|6
5(L, C, R)CL-LE (Low-E) 2|8 3|6
5(L, C, R)CL (Clear) 2|8 3|6

Low-E / Clear



Steel
9(L, C, R)CL-FFLE (Low-E) 2|8 3|6
9(L, C, R)CL-LE (Low-E) 2|8 3|6
9(L, C, R)CL (Clear) 2|8 3|6

Low-E / Clear



Steel
8(L, C, R)CL-FFLE (Low-E) 2|8 3|6
8(L, C, R)CL-LE (Low-E) 2|8 3|6
8(L, C, R)CL (Clear) 2|8 3|6

Steel Options

Steel Sidelites

Note: Product images show exterior side of sidelite.

Profiles & Traditions

All sidelites available in 6'8" height and 12" and 14" width.

Sedona




Profiles
139SL
(1D)

Salinas



Profiles
369SL
(1W)

Maple Park



Profiles
1006SL
(1D, 1C)

Saratoga



Profiles
610SL
(1D, 1C)

Wellesley



Profiles
620SL
(1D)

Concorde



Profiles
416SL
(1D)

Kensington



Profiles
626SL
(1C)

Axis



Profiles
1651SL
(1D)

Privacy



Profiles
100()SL-FF
(XE, XC, XR)
100()SL
(XE, XC, XJ, XR, XN)

Internal Blinds



Profiles
130SL-RTL
(Low-E)

GBG Flat White



Profiles
632SL-GBGFWLE
(Low-E)
632SL-GBGF
(Clear)

Low-E / Clear



Profiles
100SL-FFLE (Low-E)
100SL-LE (Low-E)
100SL (Clear)

Saratoga



Traditions
TS615SL
(1C)
14 ONLY

Privacy



Traditions
TS210XESL
(Satin Etch)
14 ONLY

GBG Flat White



Traditions
TS263SL-GBGFWLE
(Low-E)
14 ONLY

Fixed Grilles



Traditions
TS263SL-FXG
(Clear)
14 ONLY

Key

1D	Black Nickel	XG	Geometric	XJ	Chinchilla	LE	Low-E	GBG	Grilles Between Glass
1C	Brushed Nickel	XE	Satin Etch	XR	Rainglass	CL	Clear	FXG	Fixed Grilles
1W	Wrought Iron	XC	Chord	XN	Granite	FF	Flat Frame	218	Available in 2'8" Width

316	Available in 3'6" Width
14	Available in 14" Width

Steel Sidelites

Note: Product images show exterior side of sidelite.

Profiles. & Traditions

All sidelites available in 6'8" height and 12" and 14" width.

Low-E / Clear



Traditions
TS210SL-LE (Low-E)
14 ONLY
TS210SL (Clear)
14 ONLY



Traditions
TS1643SL
(1D)
14 ONLY

Privacy



Traditions
TS296()SL
(XE, XC, XR, XN)
14 ONLY

Low-E / Clear



Traditions
TS296SL-LE
(Low-E) 14 ONLY
TS296SL
(Clear) 14 ONLY

Axis



Steel
TS4AXSL
(1D)

Axis



Steel
TS5AXSL
(1D)

Axis



Steel
TS9AXSL
(1D)

Axis



Steel
TS10AXSL
(1D)

Privacy



Steel
TS10()SL-FFLE
(XG, XE, XC, XJ, XR, XN)
TS10()SL
(XE, XC, XR, XN)

Privacy



Steel
TS4()SL-FFLE
(XG, XE, XC, XJ, XR, XN)
TS4()SL
(XE, XC, XR, XN)

Privacy



Steel
TS5()SL-FFLE
(XG, XE, XC, XJ, XR, XN)
TS5()SL
(XE, XC, XR, XN)

Privacy



Steel
TS9()SL-FFLE
(XG, XE, XC, XJ, XR, XN)
TS9()SL
(XE, XC, XR, XN)

Low-E / Clear



Steel
TS5CLSL-FFLE
(Low-E)
TS5CLSL-LE
(Low-E)
TS5CLSL
(Clear)

Low-E / Clear



Steel
TS4CLSL-FFLE
(Low-E)
TS4CLSL-LE
(Low-E)
TS4CLSL
(Clear)

Low-E / Clear



Steel
TS9CLSL-FFLE
(Low-E)
TS9CLSL-LE
(Low-E)
TS9CLSL
(Clear)

Low-E / Clear



Steel
TS10CLSL-FFLE
(Low-E)
TS10CLSL-LE
(Low-E)
TS10CLSL
(Clear)

8'0" Steel Options

Note: Product images show exterior side of door.

Traditions


All doors available in 8'0" height and 3'0" width.

Crystalline



Traditions
814 (1C)

Salinas



Traditions
817 (1W)

Pembridge



Traditions
86500 (1D)

Privacy



Traditions
818(____)
(XE, XC, XJ, XR, XN) 21B

Internal Blinds



Traditions
829-RTLE (Low-E) 21B 21B
829-RT (Clear) 21B 21B

Low-E / Clear



Traditions
818-LE (Low-E) 21B 21B
818 (Clear) 21B 21B

Salinas



Traditions
8374 (1W)

Maple Park



Traditions
8963 (1D)

Axis



Traditions
81660 (1D)

Privacy



Traditions
8206(____)
(XE, XJ)

Internal Blinds



Traditions
8132-RTLE (Low-E)
8132-RT (Clear)

Low-E / Clear



Traditions
8206-LE (Low-E)
8206 (Clear)

Key

1D Black Nickel	XG Geometric	XJ Chinchilla	LE Low-E	21B Available in 2'6" Width
1C Brushed Nickel	XE Satin Etch	XR Rainglass	CL Clear	21B Available in 2'8" Width
1W Wrought Iron	XC Chord	XN Granite	FF Flat Frame	14 Available in 14" Width

8'0" Steel Options

Traditions

All doors available in 8'0" height and 3'0" width.

Saratoga



Traditions
8707 (1D)

Low-E



Traditions
8708-LE (Low-E)

Fixed Grilles



Traditions
8317-FXG (Clear)

Axis



Traditions
81643 (1D)

Privacy



Traditions
896()
(XE, XC, XR, XN)

Low-E / Clear




Traditions
896-LE (Low-E)
896 (Clear)

6-Panel



Traditions
810

Flush Panel



Traditions
800 (2/8, 2/8)

Sedona




Steel
TS83SN
(1C)

Saratoga



Steel
TS83SG
(1D, 1C) (2/8)

Pembridge



Steel
TS83PB-FF
(1C, 1A) (2/8)
TS83PB
(1D, 1C) (2/8, 2/10) ONLY
(1A)

Axis



Steel
TS83AX-FF
TS83AX
(1D) (2/8)

Privacy




Steel
 TS83()-FF
 (XG)
 (XE, XC, XJ, XR, XN) ^{21B}
 TS83()
 (XE, XC, XJ, XR, XN) ^{21B}

Low-E



Steel
 TS83CL-FFLE (Low-E)
 TS83CL-LE (Low-E) ^{21B}

Pembridge



Steel
 TS81(L, C, R)PB-FF
 (1D, 1C)
 TS81(L, C, R)PB
 (1D)

Axis



Steel
 TS81(L, C, R)AX
 (1D) ^{21B} ^{21B}

Privacy



Steel
 TS81(L, C, R)XE-FF
 (Satin Etch) ^{21B} ^{21B}
 TS81(L, C, R)()
 (XE, XJ, XR, XN) ^{21B} ^{21B}

Low-E / Clear



Steel
 TS81(L, C, R)CL-LE (Low-E)
^{21B} ^{21B}
 TS81(L, C, R)CL (Clear)
^{21B} ^{21B}

Pembridge



Steel
 TS84(L, C, R)PB-FF
 (1D, 1C)
 TS84(L, C, R)PB
 (1D, 1C, 1A)

Pembridge



Steel
 TS85(L, C, R)PB-FF
 (1D, 1C)
 TS85(L, C, R)PB
 (1D, 1C, 1A)

Pembridge



Steel
 TS86(L, C, R)PB-FF
 (1D, 1C)
 TS86(L, C, R)PB
 (1D, 1C, 1A)

Pembridge



Steel
 TS811(L, C, R)PB-FF
 (1D, 1C)
 TS811(L, C, R)PB
 (1D, 1C, 1A)

Pembridge



Steel
 TS810(L, C, R)PB-FF
 (1D, 1C)
 TS810(L, C, R)PB
 (1D, 1C, 1A)

Axis



Steel
 TS84(L, C, R)AX
 (1D) ^{21B} ^{21B}

Key

1D Black Nickel
 1C Brushed Nickel
 1A Brass

XG Geometric
 XE Satin Etch
 XC Chord

XJ Chinchilla
 XR Rainglass
 XN Granite

LE Low-E
 CL Clear
 FF Flat Frame

FXG Fixed Grilles
^{21B} Available in 2'6" Width
^{21B} Available in 2'8" Width

²¹⁰ Available in 2'10" Width

8'0" Steel Options

Traditions

All doors available in 8'0" height and 3'0" width.



Steel
TS85(L, C, R)AX
(1D) 2'6 2'8



Steel
TS86(L, C, R)AX
(1D) 2'6 2'8



Steel
TS811(L, C, R)AX
(1D) 2'6 2'8



Steel
TS810(L, C, R)AX
(1D) 2'6 2'8



Steel
TS84(L, C, R)() - FF
(XG, XE, XC, XJ, XR, XN) 2'6 2'8
TS84(L, C, R)()
(XE, XC, XR, XN) 2'6 2'8



Steel
TS85(L, C, R)() - FF
(XG, XE, XC, XJ, XR, XN) 2'6 2'8
TS85(L, C, R)()
(XE, XC, XR, XN) 2'6 2'8



Steel
TS86(L, C, R)() - FF
(XG, XE, XC, XJ, XR, XN) 2'6 2'8
TS86(L, C, R)()
(XE, XC, XR, XN) 2'6 2'8



Steel
TS811(L, C, R)() - FF
(XG, XE, XC, XJ, XR, XN) 2'6 2'8
TS811(L, C, R)()
(XE, XC, XR, XN) 2'6 2'8



Steel
TS810(L, C, R)() - FF
(XG, XE, XC, XJ, XR, XN) 2'6 2'8
TS810(L, C, R)()
(XE, XC, XR, XN) 2'6 2'8



Steel
TS84(L, C, R)CL-FFLE (Low-E) 2'6 2'8
TS84(L, C, R)CL-LE (Low-E) 2'6 2'8
TS84(L, C, R)CL (Clear) 2'6 2'8



Steel
TS85(L, C, R)CL-FFLE (Low-E) 2'6 2'8
TS85(L, C, R)CL-LE (Low-E) 2'6 2'8
TS85(L, C, R)CL (Clear) 2'6 2'8



Steel
TS86(L, C, R)CL-FFLE (Low-E) 2'6 2'8
TS86(L, C, R)CL-LE (Low-E) 2'6 2'8
TS86(L, C, R)CL (Clear) 2'6 2'8

Key

1D	Black Nickel	XC	Chord	XN	Granite	FF	Flat Frame
XG	Geometric	XJ	Chinchilla	LE	Low-E	2'6	Available in 2'6" Width
XE	Satin Etch	XR	Rainglass	CL	Clear	2'8	Available in 2'8" Width

Low-E / Clear



Steel


- TS811(L, C, R)CL-FFLE (Low-E) 216 218
- TS811(L, C, R)CL-LE (Low-E) 216 218
- TS811(L, C, R)CL (Clear) 216 218

Low-E / Clear



Steel

- TS810(L, C, R)CL-FFLE (Low-E) 216 218
- TS810(L, C, R)CL-LE (Low-E) 216 218
- TS810(L, C, R)CL (Clear) 216 218



Hinged Patio Door Systems

A Therma-Tru® patio door with genuine Therma-Tru parts is a complete door system with doors, glass and parts engineered to work together for durability and reliability through the years.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Rain Deflector (Inswing Only)
- 7 Sill Pan (Recommended)
- 8 Astragal
- 9 Frame Components

Vented Sidelites*



Enjoy the view – and a fresh breeze, too.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

*For inswing use only.


Top: Smooth-Star, Clear Glass, Doors – S2000, Sidelites – S2000SL
 Bottom: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL

EnLiten™ Flush-Glazed Internal Blinds



Available Door Collections
Smooth-Star.

Available Door Styles & Sizes




Widths

- 5'0"
- 5'4"
- 5'8" (Can be used as a 6'0" replacement size.)
- 6'0"

Heights

- 6'6"
- 6'8"
- 8'0"

Available Configurations



EnLiten™ Flush-Glazed Low-E Grilles Between Glass



Available Door Collections
Fiber-Classic. Oak / Smooth-Star.

Available Door Styles & Sizes




Widths

- 5'0"
- 5'4"
- 5'8" (Can be used as a 6'0" replacement size.)
- 6'0"

Heights

- 6'6"
- 6'8"
- 8'0"

Available Configurations



EnLiten™ Flush-Glazed Low-E Glass



Available Door Collections
 Classic-Craft® / Fiber-Classic® Oak / Smooth-Star®

Available Door Styles & Sizes




Widths

- 5'0"
- 5'4"
- 5'8" (Can be used as a 6'0" replacement size.)
- 6'0"

Heights

- 6'6"
- 6'8"
- 8'0"

Available Configurations




Low-E Internal Blinds



Available Door Collections
 Fiber-Classic® Mahogany / Fiber-Classic® Oak / Smooth-Star®

Available Door Styles & Sizes




Widths

- 5'0"
- 5'4"
- 5'8" (Can be used as a 6'0" replacement size.)
- 6'0"

Heights

- 6'6"
- 6'8"
- 8'0"

Available Configurations



Low-E Glass



Available Door Collections

Fiber-Classic. Mahogany / Fiber-Classic. Oak / Smooth-Star.

Available Door Styles & Sizes



Widths

4'8" (Can be used as a 5'0" replacement size.)

5'0"

5'4"

5'8" (Can be used as a 6'0" replacement size.)

6'0"


Heights

6'6"

6'8"

8'0"

Available Configurations




Multi-Point Locking Systems (MPLS)

Lever-Style MPLS

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

Exterior Handlesets




Heirloom Venture Millennium
Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)

Standard Door Options



Tongue

Shootbolt
(For door systems with an astragal.)



Engages at three critical points.

Exterior view of door with lever-style MPLS.

Finish Options




Bright Brass Antique Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Grip-Style MPLS

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)

Handlesets



Interior

Interior

Forte


Prospect

Standard Door Options



Tongue

Heights: 6'8" | Configurations: Inswing
7'0" | Outswing
8'0"



- ①
- ②
- ③

Engages at three critical points.

Interior view of door.

Finish Options



Brushed Nickel Black Nickel Oil-Rubbed Bronze

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Hardware

Alta Handleset



Trim Options



Durango Knob



Snowbird Lever



Trim Options



Durango Knob



Snowbird Lever



Stockholm Handleset



Trim Options



Basel Lever



Trim Options



Basel Lever



Lever / Knob & Deadbolt Combinations



Durango Knob & Contemporary Deadbolt



Snowbird Lever & Contemporary Deadbolt



Basel Lever & Square Deadbolt

Finishing Options



Vintage Bronze



Satin Nickel

Peep Holes



Vintage Bronze



Satin Nickel



Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E 331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames and dividers must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames and dividers are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought

iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems.
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems.
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems.
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems.
- PrismaGuard. Limited Warranty Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft and Fiber-Classic. Door Systems.
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products.

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Therma-Tru. Owner's Manual & Warranties


www.thermatru.com/warranty



THERMA-TRU[®]
DOORS

fabricated by
OREPAC

BOISE, ID
BOZEMAN, MT
DENVER, CO
ONTARIO, CA
PHOENIX, AZ
SACRAMENTO, CA
SALT LAKE CITY, UT
SPOKANE, WA
TACOMA, WA
WILSONVILLE, OR



Mountain Region
2020 Featured Products Catalog
www.orepac.com

Above: Classic-Craft American Style Collection, Satin Etch Glass with SDLs, Doors – CCA82320XE, Door Surround – TDS-CRSFLT

©2020 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. All trademarks are property of their respective owners. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. MET20.3291 JULY 2020