
Craftsman Doors & Sidelites

Fiberglass & Steel Door Systems



Where Home Begins_™





The beauty of choice.


You're in expert hands with Therma-Tru, the most preferred brand of entry doors among builders. Year after year, building professionals rank Therma-Tru #1 – as the brand they use most.* It's a reputation built on more than 60 years of experience and technical know-how. Therma-Tru introduced the world to fiberglass doors and continues to make door systems that are held to high standards for quality and performance.

That's where the beauty of choosing Therma-Tru begins.

^{*}Brand Use Study, 2022 Builder magazine.

Classic Craft_® Artíssa Collection_™

Rooted in simple nostalgia, the Artíssa Collection pays homage to the handmade culture of the American Arts and Crafts movement. Highlighting the beauty of straight-forward design, this selection of premium Classic Craft. doors features clean lines, Shaker styling and Craftsman-inspired glass for a casual and welcoming approach to the entryway.



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain_® technology.



Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Classic Craft_® Craftsman-Lite Options & Accessories

Decorative & Specialty Glass Designs









Black Nickel

Brushed Nickel

Brushed Nickel

Homeward...

Glass Privacy Rating: 4



Arborwatch,* Glass Privacy Rating: 6




Privacy & Textured Glass






Chord (XC)

Glass Privacy Rating: 10



Chinchilla (XJ)

Glass Privacy Rating: 10



Rainglass (XR) Glass Privacy Rating: 8

Granite (XN)

Glass Privacy Rating: 10

Also Available: Divided Lites, Low-E Glass

^{*}The use of pale amber artique glass varies based on glass size. Refer to the image on the back cover to see an example on a home.

^{**}Pairs with 3'6" wide doors.

^{***}Brand Use Study, 2022 *Builder* magazine.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

EnLiten™ Flush-Glazed Designs

All Classic Craft Craftsman doors and sidelites are made with flush-glazed glass for a truly seamless, consistent appearance and a high-performance weather seal. Look for the (▲) and (▲) icons.

Simulated Divided Lites (SDLs)

Available to create authentic Craftsman glass configurations.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf**



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf





Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.*** This comprehensive lifetime limited warranty can TRANSFERABLE be transferred one time to a new owner, should you ever sell your home.



Classic Craft_® Fir Grain



Canvas

Homeward_™ ◆::








CCA87132 3'6"x 8'0"



CCA8211 3'0"x 6'8" 3'0"x 8'0"



CCA3401SL 3'6"x 8'0"



12"x 6'8" 14"x 6'8"



Key

- Low-E Glass (LE)
- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XC = ChordXR = Rainglass XN = Granite XJ = Chinchilla

Arborwatch. +::



CCA211SL 12"x 6'8" 14" x 6'8"

CCA1423SL

12"x 6'8"

14"x 6'8"



△ ≈ 3'0"x 6'8" 3'0"x 8'0"



3'6"x 8'0"



CCA9100 CCA89100 3'0"x 6'8" 3'0"x 8'0"



CCA87111 3'6"x 8'0"


Optional Dentil Shelves





Classic Craft. Fir Grain 16-Block

Privacy & Textured Glass













Low-E Glass



Classic Craft, Fir Grain



Canvas

Low-E Glass Continued



♦ * ■ 3'6"x 8'0"







- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)
- Door Divider Bars (DDBF5)

Solid Panel

3'0"x 8'0"

3'0"x 6'8"



3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass

XC = ChordXR = Rainglass XN = Granite XJ = Chinchilla

CCA3400SL 12"x 6'8" 14"x 6'8"

♦ * ■ 3'0"x 6'8"



CCA220SL **♦ * ■** 12"x 6'8" 14"x 6'8"

CCA210SL 12"x 6'8" 14"x 6'8"

3'0"x 6'8"

combination.

Optional Dentil Shelves



Classic Craft. Fir Grain 4-Block*

Classic Craft. Fir Grain 16-Block

Classic Craft. Canvas 4-Block



^{*}Pairs with 3'6" wide doors. Bottom: Classic Craft Fir Grain, Low-E Glass, Door - CCA210, Finish - New Earth

Classic Craft_® Canvas




Privacy & Textured Glass



Low-E Glass





Fiber-Classic.



Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.

Smooth-Star.



Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Contributes to an energy-efficient home and is backed by the industry's most comprehensive lifetime limited warranty.

Fiber-Classic. & Smooth-Star. Craftsman-Lite Options & Accessories

Decorative & Specialty Glass Designs



Sedona

Glass Privacy Rating: 7



Maple Park

Glass Privacy Rating: 6



Saratoga™ Glass Privacy Rating: 7



Riserva_®

Glass Privacy Rating: 10



Pembridge_™

Glass Privacy Rating: 7



Axis_®

Glass Privacy Rating: 7



Calix_®

Glass Privacy Rating: 1



Privacy & Textured Glass

Also Available: Divided Lites, Clear Glass



SDL Bar Options

Fiber-Classic

Buff-Grained Scrolled (28.6 mm / 1.125 in.) Look for the () icon.

Fiber-Classic

Buff-Grained Flat (28.6 mm / 1.125 in.) Look for the () icon.

Smooth-Star Smooth Scrolled (28.6 mm / 1.125 in.) Look for the () icon.

Smooth-Star Smooth Flat (28.6 mm / 1.125 in.) Look for the () icon.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*



EnLiten™ Flush-Glazed Designs

During construction, double- or triple-pane glass is built directly into the door during the manufacturing process, providing enduring strength and durability to the unit.

Look for the () icons and / or a blue highlight.



Fiber-Classic. Mahogany Collection_™

Features deep Mahogany graining.

Smooth-Star.

Features a smooth, ready-to-paint surface.

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDLF1)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)
- E Elevated 10" Bottom Rail Options
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **WBDR Options**
- WBDR / HVHZ Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Optional Dentil Shelves



Fiber-Classic_® Mahogany Collection_™ & Smooth-Star_®

EnLiten™ Flush-Glazed Designs

Saratoga_™ ♦ ♦



FCM86240


2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM6240

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM6201SL

12"x 6'8" (7'0") 14"x 6'8" (7'0") | 14"x 8'0"



FCM86201SL

12"x 8'0"

FCM6240SL

12"x 6'8" (7'0") 12"x 8'0" 14" x 6'8" (7'0") 14"x 8'0"

NEW




S6240

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Privacy & Textured Glass **♦**

FCM86240SL





FCM4812 **AR** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

NEW



ARIE 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

2'8"x 8'0" 2'10"x 8'0"



FCM4814 **å**₽ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

FCM84814 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0"



FCM4816 **ARIE** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

FCM84816 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FCM4810


♦E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

FCM84810_ FCM2050_SL | FCM84886_SL 12"x 6'8"(7'0") 12"x 8'0" 14"x 6'8"(7'0") | 14"x 8'0"





S4810_SL

Fiber-Classic. Mahogany Collection_™

Features deep Mahogany graining.

Smooth-Star.

Features a smooth, ready-to-paint surface.

Key

- No Stile Lines
- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Contour or Flat White Grilles Between Glass (GBGC / GBGF)
- Flat or Contour Almond Grilles Between Glass (GBGF/GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF/GBGC)
- E Elevated 10" Bottom Rail Options
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame
- **NEW Scrolled** Advanta Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- 6 WBDR / HVHZ Options
- 6'6" Height Available

Optional Dentil Shelves



Smooth-Star. 4-Block*

EnLiten™ Flush-Glazed Designs continued

Clear Glass Continued



FCM4810 **♦ # E** 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10"x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") | 3'0" x 8'0"



FCM2050SL **△** * **©** † † † • 12"x 6'8" (7'0") 14" x 6'8" (7'0") | 14" x 8'0"





FCM2000SL FCM8000SL 12"x 8'0" 12"x 6'8" (7'0") 14"x 6'8" (7'0") | 14"x 8'0"



FCM4812SL **♦ * □** 12"x 6'8" (7'0") 14"x 6'8" (7'0")

FCM84812SL ***** 👣 12"x 8'0" 14" x 8'0'



FCM4810SL

FCM84810SL 12"x 6'8" (7'0") | 12"x 8'0" 14" x 6'8" (7'0") | 14" x 8'0"



♦ # N E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") / 3'0"x 8'0"



♦ ₩ 📵 2'8"x 8'0" 2'10"x 8'0"



S4813 S84813 **♦ * □** 2'8"x 8'0" **♦ * 🛐 E** 2'8"x 6'8" (7'0") 2'10"x 8'0' 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



♦ * N E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

♦ * □ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S4816 **♦ * N** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S84816 *** *** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



♦ # E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") | 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"

2'8"x 8'0"

S84886SL S2010SL **▲ * ≈ ™ † ▲ * ₽** 12"x 8'0" 14"x 8'0" 14"x 6'8" \$\(\bar{\Delta}\) (7'0")



S2000SL 10"x 6'8" ₺ 12"x 6'8" \$\(\frac{1}{2}\) (7'0") | 14"x 8'0" 14" x 6'8" Å (7'0")

S8000SL 12"x 8'0"

^{*}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

^{**}Available with flat lite frame or Advanta flat lite frame only.

^{****}Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

Lite Frame



S2000SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

S8000SL 12"x 8'0" 14"x 8'0"



S4812SL **♦ * 1**12" x 6'8" (7'0")

12" x 8'0" 14" x 6'8"(7'0") | 14" x 8'0"

S84812SL





Sedona ◆::

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



10"x 6'8" 12"x 6'8" 14"x 6'8"



S2650** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82650** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Maple Park₃ ♦::



S604 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



_ 12"x 6'8" 2'10"x 8'0" 14"x 6'8"

2'8"x 8'0"


3'0"x 8'0"



10"x 6'8" 12" x 6'8" 14" x 6'8"



FCM609 **6** 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"




■ **6 1** 10"x 6'8" _16 **E** □ 2'8"x 6'8" 12"x 6'8" 2'10"x 6'8" 14"x 6'8" 3'0"x 6'8"



16 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



S6100SL 15 12"x 6'8" 14"x 6'8"



Saratoga_™ ♦::



FCM602 5 2 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM815SL • 6 2 10"x 6'8" 12"x 6'8" 14"x 6'8"



S2660*** **16 E □** 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"


S82660*** **46** 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"




6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S8602 2'10"x 8'0" 3'0"x 8'0"



\$154\$L 12"x 6'8" 14"x 6'8"



S602SL 10"x 6'8" 12"x 6'8" 14"x 6'8"

\$8602 15 12"x 8'0"

14"x 8'0"



Fiber-Classic. Mahogany Collection...

Features deep Mahogany graining.

Smooth-Star.

Features a smooth, ready-to-paint surface.

Key

- No Stile Lines
- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- **Contour or Flat White Grilles** Between Glass (GBGC / GBGF)
- **Flat or Contour Almond Grilles** Between Glass (GBGF/GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF/GBGC)
- E Elevated 10" Bottom Rail Options
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame
- **NEW Scrolled Advanta Lite Frame**
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **WBDR Options**
- **WBDR / HVHZ Options**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XF = Satin Ftch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Optional **Dentil Shelves**



Fiber-Classic_® Mahogany Collection_™ & Smooth-Star_®

Riserva. X







FCM572SL **- 6** 10"x 6'8" 12"x 6'8" 14"x 6'8"



S2670** **⊿6 E** 🛭 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S82670** 2'10"x 8'0" 3'0"x 8'0"



S508 S8508 52'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8' 3'0"x 8'0'



S8573SL 12"x 8'0" 14"x 8'0" 14"x 6'8"

S572SI 10"x 6'8" 12"x 6'8" 14" x 6'8"



Pembridge_™ ◆ :: ❖



FCM6520 9 🛮 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6500SL 10"x 6'8" 12"x 6'8" 14"x 6'8"




S2640** _16 E □ 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



46 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0'



6 🛮 **6** 2[']8"x 8'0" 2'8"x 6'8" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 8'0" 3'0"x 6'8"




S6550SL **16** 12"x 6'8" 14"x 6'8"

16

12"x 8'0"

14"x 8'0"



S6500SL **⊿ ■ ● 6** 🛚 10"x 6'8 12"x 6'8" 14"x 6'8"

S86500SL **4** • 6 **4** 12"x 8'0 14"x 8'0"

Axis.



FCM1650 6 🛮 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



• • 6 1 10"x 6'8" 12"x 6'8" 14"x 6'8"



_16 **E** ▮ 2'8"x 6'8" 2'10"x 6'8'



16 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8' 3'0"x 8'0'



S1650 6 🛮 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S81650

6 🚪 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0"



S1652SL **-16 46** 12"x 6'8" 12"x 8'0" 14"x 8'0' 14" x 6'8"




S1651SL **⊿ ■ ● 6** 🔏 10"x 6'8' 12"x 6'8' 14"x 6'8'

S81651SL **⊿∎** ● 6 🔏 12"x 8'0" 14"x 8'0'

^{*}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

^{**}Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

NEW Calix ♦:: ❖



Privacy & Textured Glass





Fiber-Classic. Mahogany Collection...

Features deep Mahogany graining.

Smooth-Star.

Features a smooth, ready-to-paint surface.

Profiles_™ Steel

Features a 24-gauge steel, smooth surface.

Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Contour or Flat White Grilles Between Glass (GBGC / GBGF)
- **Contour or Flat Black Grilles** Between Glass (GBGC / GBGF)
- **Flat or Contour Almond Grilles** Between Glass (GBGF/GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF/GBGC)
- Fixed Grilles (FXG)
- E Elevated 10" Bottom Rail Options
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame
- **NEW Scrolled Advanta Lite Frame**
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **WBDR Options**
- 6 **WBDR / HVHZ Options**
- Fire-Rated Wood Edge** (20-Minute)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass


XN = Granite


Optional Dentil Shelves



Fiber-Classic_® Mahogany Collection_™ & Smooth-Star, Continued

Privacy & Textured Glass Continued









S601_SL

10"x 6'8"

12"x 6'8"

14" x 6'8'

⊿ ■ ● 6 🛚

S81086_SL

12"x 8'0"

14"x 8'0'



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM607 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM608 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM601 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"




^{*}Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

^{*}To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

^{***}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.



Profiles™ Steel







The Veris, collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.









Visit VerisCollection.com for details.







thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle Maumee, OH 43537











#thermatru

Cover: Smooth-Star, Calix Glass, Door-S3540, Finish - Arctic Ice Bottom: Classic Craft Fir Grain, Arborwatch Glass with SDLs, Door - CCA9100, Sidelites - CCA9100SL, Finish - Garnet

©2023 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. Part #PODMAFCDSB23 MTZT / DEC 2022